

marset



12 Ambrosia



37 Atlas



50 Bohemia



63 Cluster



74 Dipping Light



79 Discocó



84 Djembé



110 Fris



134 Ginger



166 Ihana



174 Jaima



197 Mercer



202 Milana



225 Pleat Box



235 Ringo



244 Santorini



251 Scotch Club



256 Soho



262 Tam Tam



270 The W



276 Vetra



278 Zenc



53 Cala



66 Copérnica



126 Funiculì



127 Funiculì Fabric



143 Ginger



165 High Line



176 Jaima



188 Lauro



232 Polo



249 Scantling



266 Tam Tam



273 Theia

Table



51 Bolita



65 Copérnica



68 Dipping Light



106 Fragile



128 Funiculì



129 Funiculì Fabric



131 Gambosa



141 Ginger



187 Lauro



196 Mercer

Table



232 Polo



250 Scantling



272 Theia

Portable



45 Bicoca



60 Chispa



71 Dipping Light



102 FollowMe



141 Ginger



254 Sips

Wall



22 Ambrosia



36 Atlas



38 Aura



56 Caramel



72 Dipping Light



112 Fris



127 Funiculi



128 Funiculi Fabric



144 Ginger



181 Konoha



188 Lauro



190 Ledtube



195 Manhattan



198 Mercer



210 N°8



217 Plaff-on!



241 Roc



250 Scantling



267 Tam Tam

Ceiling



36 Atlas



56 Caramel



82 Discocó



89 Djembé



112 Fris



145 Ginger



199 Mercer



217 Plaff-on!



236 Ringo



253 Scotch Club



260 Soho



42 Babila



53 Cala



95 Domus



98 Elipse



155 Ginger



174 Jaima



182 Lab



211 Palosanto



217 Plaff-on!



241 Roc




244 Santorini



256 Soho



274 TXL





HELPING YOUR PROJECTS SEE THE LIGHT

WE'RE PLEASED TO INTRODUCE THE NEW PROFESSIONAL AREA ON OUR WEBSITE, AN INITIATIVE DESIGNED ESPECIALLY FOR ARCHITECTS, INTERIOR AND LIGHTING DESIGNERS. THERE YOU'LL FIND EVERYTHING YOU NEED TO TAKE YOUR PROJECTS TO THE NEXT LEVEL:

[01] WE ACCOMPANY YOU EVERY STEP OF THE WAY

[02] REQUEST A QUOTE

[03] TRY OUR LIGHTING CALCULATION SERVICE

[04] DOWNLOAD IMAGES AND MATERIAL

[05] ARRANGE AN APPOINTMENT TO VISIT OUR SHOWROOMS

[06] REQUEST SAMPLES OF OUR FINISHES

ENTER WWW.MARSET.COM/CONTRACT
AND LET YOURSELF BE INSPIRED.

Warranty

At Marset, our luminaires not only provide the light you need but also create spaces, moments and emotions. Each design is made to last, with a quality that reflects our passion for detail and sustainability. We're confident in what we do, so we offer a 5-year warranty on all our products - because trust isn't imposed; it's steadily built, project by project, light by light.

Applicable conditions: <https://www.marset.com/en/warranty>





Need it urgently?

We've designed a Quick Shipping program to offer you greater flexibility on selected items.

- Designs featuring this icon () will be ready in just three days.
- You can request up to 3 units per order.
- We recommend placing separate orders for Quick Shipping items for more efficient delivery.

Standard shipping conditions and minimums apply.
See the full list of Quick Shipping items on page 280.



Discover more at marset.com



Ambrosia 120

Code	Finish	CCT
A704-001-15-22K	● Matt Gold	22K
☞ A704-001-15-27K	● Matt Gold	27K
☞ A704-001-15-30K	● Matt Gold	30K
A704-001-16-22K	● Black	22K
☞ A704-001-16-27K	● Black	27K
☞ A704-001-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate
Canopy: Aluminium / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 19,2W 2200K CRI90 2116lm
Luminaire Ambrosia 22K: (Power supply not included) 1885lm

Light source Ambrosia 27K: LED SMD 24Vdc 19,2W 2700K CRI90 2028lm
Luminaire Ambrosia 27K: (Power supply not included) 1891lm


Light source Ambrosia 30K: LED SMD 24Vdc 19,2W 3000K CRI90 2256lm
Luminaire Ambrosia 30K: (Power supply not included) 1927lm

Weight: Net 0,8 kg – Gross 2,4 kg

Package: 29 x 10 x 135 cm - 1,4 kg – VOL - 0,04 m³

8 x 8 x 128 cm - 1 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



UK
CA




EAC

(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 120 + Pole 60



A704-001-16-30K

Ambrosia 180

Code	Finish	CCT
A704-002-15-22K	● Matt Gold	22K
⌚ A704-002-15-27K	● Matt Gold	27K
⌚ A704-002-15-30K	● Matt Gold	30K
A704-002-16-22K	● Black	22K
⌚ A704-002-16-27K	● Black	27K
⌚ A704-002-16-30K	● Black	30K

Materials

Structure: Aluminium

Diffuser: Methacrylate

Canopy: Aluminium / Steel

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm

Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm

Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm

Luminaire Ambrosia 30K: (Power supply not included) 2886lm


Weight: Net 1 kg – Gross 3,5 kg

Package: 29 x 10 x 135 cm - 2 kg - VOL - 0,04 m³

8 x 8 x 188 cm - 1,5 kg - VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.

LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-003-15-22K	● Matt Gold	22K
⌚ A704-003-15-27K	● Matt Gold	27K
⌚ A704-003-15-30K	● Matt Gold	30K
A704-003-16-22K	● Black	22K
⌚ A704-003-16-27K	● Black	27K
⌚ A704-003-16-30K	● Black	30K

Materials

Structure: Aluminium

Diffuser: Methacrylate

Canopy: Aluminium / Steel

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm

Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm

Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm

Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 1,3 kg – Gross 3,6 kg


Package: 29 x 10 x 135 cm - 2 kg - VOL - 0,04 m³

8 x 8 x 68 cm - 0,6 kg - VOL - 0,004 m³

8 x 8 x 128 cm - 1 kg - VOL - 0,01 m³


Product notes: 24V remote power supply to be ordered separately.

LED included




(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed



A704-002-15-30K



A704-003-15-30K

Ambrosia 315

Code	Finish	CCT
A704-004-15-22K	● Matt Gold	22K
A704-004-15-27K	● Matt Gold	27K
A704-004-15-30K	● Matt Gold	30K
A704-004-16-22K	● Black	22K
A704-004-16-27K	● Black	27K
A704-004-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
 Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4563lm
 Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5076lm
 Luminaire Ambrosia 30K: (Power supply not included) 4314lm

Weight: Net 1,7 kg – Gross 7,5 kg


Package: 29 x 10 x 225 cm - 5,2 kg – VOL - 0,065 m³

8 x 8 x 98 cm - 0,8 kg – VOL - 0,006 m³

8 x 8 x 188 cm - 1,5 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.

LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 315 + 2 Pole 60



A704-004-16-30K

Pole Ambrosia 40

Code	Finish
☛ A704-005-15	● Matt Gold
☛ A704-005-16	● Black

Materials
 Structure: Metal

Product type: Accessory

Weight: Net 0,08 kg – Gross 0,6 kg

Package: 8 x 8 x 68 cm – 0,6 kg Vol – 0,004 m³



Pole Ambrosia 60

Code	Finish
☛ A704-006-15	● Matt Gold
☛ A704-006-16	● Black

Materials
 Structure: Metal

Product type: Accessory

Weight: Net 0,11 kg – Gross 0,6 kg

Package: 8 x 8 x 68 cm – 0,6 kg Vol – 0,004 m³



Ambrosia canopy

Code	Finish	Dimming	Class
☛ A666-214-15	● Matt Gold - 20W 24V	Triac	II
☛ A666-214-16	● Black - 20W 24V	Triac	II

Weight: Net 0,3 kg – Gross 0,6 kg

Package: 34 x 21 x 7 cm - 0,6 kg - Vol 0,005 m³

☛ A666-216-15	● Matt Gold - 50W 24V	Triac	II
☛ A666-216-16	● Black - 50W 24V	Triac	II

A666-222-15	● Matt Gold - 35W 24V	Casambi	I
A666-222-16	● Black - 35W 24V	Casambi	I

A666-223-15	● Matt Gold - 60W 24V	Casambi	I
A666-223-16	● Black - 60W 24V	Casambi	I

A666-217-15	● Matt Gold - 35W 24V	DALI-2	II
A666-217-16	● Black - 35W 24V	DALI-2	II

A666-218-15	● Matt Gold - 60W 24V	DALI-2	II
A666-218-16	● Black - 60W 24V	DALI-2	II

Weight: Net 0,7 kg – Gross 1 kg



Package: 34 x 21 x 7 cm - 1 kg - Vol 0,005 m³

Product type: Ceiling
Luminaire: 220 - 240 VAC

Materials
Structure: Metal

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Dimmable



Ambrosia recessed power supply

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II


Product type: Power supply
Luminaire: 220 - 240 VAC

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.





Feature	Ambrosia	Ambrosia Pro
Type of light	Diffused, decorative light	Direct light, high performance
Color temperature	LED 2200K, 2700K, 3000K	LED 3000K, 4000K
CRI	CRI90	CRI90
LED input	24V, CV	1000mA, CC
Installation	With canopy or recessed	With canopy or recessed
Dimming	TRIAC, DALI-2 or Casambi	DALI-2. Casambi available upon request
Beam angle	160°	60°

This collection has been extended with a version designed specifically for workspaces that require more controlled lighting. It includes a cell structure with independent lenses that project more directional lighting.

It is available in a horizontal suspension version in three finishes – matt gold, aluminium and black – with a structure in black only.



Ambrosia Pro 120 NEW

Code	Finish	CCT
A704-200-1516-30K	● Matt Gold	30K
A704-200-1516-40K	● Matt Gold	40K
A704-200-1716-30K	● Aluminium	30K
A704-200-1716-40K	● Aluminium	40K
A704-200-1616-30K	● Black	30K
A704-200-1616-40K	● Black	40K


Materials
 Structure: Black anodized aluminium
 Canopy: Aluminium / Steel
 LED tube: Anodized aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI-2

Product type: Pendant / Ceiling
 Light source 30K: LED SMD 1000mA 35W 3000K CRI90 4128lm
 Luminaire 30K: 220-240 VAC DALI-2 38,7W 3073lm
 Light source 40K: LED SMD 1000mA 35W 4000K CRI90 4320lm
 Luminaire 40K: 220-240 VAC DALI-2 38,7W 3073lm

Weight: Net 4,1 kg – Gross 5 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 128 cm - 2 kg – VOL - 0,01 m³
 7 x 21 x 34 cm - 1 kg – VOL - 0,005 m³

Product notes: Canopy and power supply included.
 Casambi available upon request. Upcharge of 210€.
 The height can be increased by means of the 40 or 60 cm poles
 (max. 3 units.) They can be combined.
 LED included. Opening degrees: 60°.



Dimmable

CE

UK
CA



Wire installation: Hardwired

Ambrosia Pro 120 + Pole 60



A704-200-1716-30K

Ambrosia Pro 120 RSC NEW

Code	Finish	CCT
A704-202-1516-30K	● Matt Gold	30K
A704-202-1516-40K	● Matt Gold	40K
A704-202-1716-30K	● Aluminium	30K
A704-202-1716-40K	● Aluminium	40K
A704-202-1616-30K	● Black	30K
A704-202-1616-40K	● Black	40K

Materials
 Structure: Black anodized aluminium
 LED tube: Anodized aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI-2

Product type: Pendant / Ceiling

Light source 30K: LED SMD 1000mA 35W 3000K CRI90 4128lm
 Luminaire 30K: 220-240 VAC DALI-2 38,7W 3073lm
 Light source 40K: LED SMD 1000mA 35W 4000K CRI90 4320lm
 Luminaire 40K: 220-240 VAC DALI-2 38,7W 3073lm

Weight: Net 3,4 kg – Gross 4 kg


Package: 29 x 10 x 135 cm - 2 kg - VOL - 0,04 m³
 8 x 8 x 128 cm - 2 kg - VOL - 0,01 m³

Product notes: Power supply included.

Casambi available upon request. Upcharge of 210€.

The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.

LED included. Opening degrees: 60°.



Dimmable



Wire installation: Recessed

Ambrosia Pro 120 RSC + Pole 60



A704-202-1716-30K

Ambrosia Pro 180 NEW

Code	Finish	CCT
A704-201-1516-30K	● Matt Gold	30K
A704-201-1516-40K	● Matt Gold	40K
A704-201-1716-30K	● Aluminium	30K
A704-201-1716-40K	● Aluminium	40K
A704-201-1616-30K	● Black	30K
A704-201-1616-40K	● Black	40K

Materials
 Structure: Black anodized aluminium
 Canopy: Aluminium / Steel
 LED tube: Anodized aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI-2

Product type: Pendant / Ceiling

Light source 30K: LED SMD 1000mA 52,5W 3000K CRI90 6192lm
 Luminaire 30K: 110-305 VAC DALI-2 59W 4968lm
 Light source 40K: LED SMD 1000mA 52,5W 4000K CRI90 6480lm
 Luminaire 40K: 110-305 VAC DALI-2 59W 4968lm

Weight: Net 4,8 kg – Gross 5,5 kg


Package: 29 x 10 x 135 cm - 2 kg - VOL - 0,04 m³
 8 x 8 x 188 cm - 2,5 kg - VOL - 0,01 m³
 7 x 21 x 34 cm - 1 kg - VOL - 0,005 m³

Product notes: Canopy and power supply included.

Casambi available upon request. Upcharge of 210€.

The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.

LED included. Opening degrees: 60°.



Dimmable



Wire installation: Hardwired

Ambrosia Pro 180 + Pole 60



A704-201-1616-30K

Ambrosia Pro 180 RSC NEW

Code	Finish	CCT
A704-203-1516-30K	● Matt Gold	30K
A704-203-1516-40K	● Matt Gold	40K
A704-203-1716-30K	● Aluminium	30K
A704-203-1716-40K	● Aluminium	40K
A704-203-1616-30K	● Black	30K
A704-203-1616-40K	● Black	40K

Materials
 Structure: Black anodized aluminium
 LED tube: Anodized aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI-2

Product type: Pendant / Ceiling


Light source 30K: LED SMD 1000mA 52,5W 3000K CRI90 6192lm
 Luminaire 30K: 110-305 VAC DALI-2 59W 4968lm
 Light source 40K: LED SMD 1000mA 52,5W 4000K CRI90 6480lm
 Luminaire 40K: 110-305 VAC DALI-2 59W 4968lm

Weight: Net 4,1 kg – Gross 4,5 kg

Package: 29 x 10 x 135 cm - 2 kg - VOL - 0,04 m³
 8 x 8 x 188 cm - 2,5 kg - VOL - 0,01 m³

Product notes: Power supply included.

Casambi available upon under request. Upcharge of 210€.
 The height can be increased by means of the 40 or 60 cm poles
 (max. 3 units.) They can be combined.
 LED included. Opening degrees: 60°.



Dimmable



UK
CA



Wire installation: Recessed

Ambrosia Pro 180 RSC + Pole 60



A704-203-1516-30K

Pole Ambrosia 40

Code	Finish
A704-005-16	● Black

Materials
 Structure: Metal

Product type: Accessory

Weight: Net 0,08 kg – Gross 0,6 kg
 Package: 8 x 8 x 68 cm – 0,6 kg Vol – 0,004 m³



Pole Ambrosia 60

Code	Finish
A704-006-16	● Black

Materials
 Structure: Metal

Product type: Accessory

Weight: Net 0,11 kg – Gross 0,6 kg
 Package: 8 x 8 x 68 cm – 0,6 kg Vol – 0,004 m³





Ambrosia A 210

Code	Finish	CCT
* A704-021-15-22K	● Matt Gold	22K
* A704-021-15-27K	● Matt Gold	27K
* A704-021-15-30K	● Matt Gold	30K
* A704-021-16-22K	● Black	22K
* A704-021-16-27K	● Black	27K
* A704-021-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Product notes: 24V remote power supply to be ordered separately.


Weight: Net 1,42 kg – Gross 3,6 kg

Package: 68 x 8 x 8 cm - 0,6 kg – Vol - 0,004 m³

128 x 8 x 8 cm - 1 kg – Vol - 0,008 m³

16,5 x 13,5 x 152 cm - 2 kg – Vol - 0,033 m³

LED included



Wire installation: Hardwired / Recessed



A704-021-16-30K

Disk accessory


Code	Finish
A704-022-15	● Matt Gold
A704-022-16	● Black

Materials
 Structure: Metal

Product type: Accessory

Accessory used to hide the driver behind the canopy.

Two units are required for Ambrosia A 210, one for each canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II

Product type: Power supply



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Ambrosia A 60 left AC

Code	Finish	CCT	Dimming
A704-030-15-22K	● Matt Gold	22K	Triac
⚡ A704-030-15-27K	● Matt Gold	27K	Triac
A704-030-15-30K	● Matt Gold	30K	Triac
A704-030-16-22K	● Black	22K	Triac
⚡ A704-030-16-27K	● Black	27K	Triac
A704-030-16-30K	● Black	30K	Triac
A704-031-15-22K	● Matt Gold	22K	DALI
A704-031-15-27K	● Matt Gold	27K	DALI
A704-031-15-30K	● Matt Gold	30K	DALI
A704-031-16-22K	● Black	22K	DALI
A704-031-16-27K	● Black	27K	DALI
A704-031-16-30K	● Black	30K	DALI

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall

Light source Ambrosia 22K: LED SMD 500mA 8,6W 2200K CRI90 1184lm

Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 10,7W 1112lm / DALI 11,1W

Light source Ambrosia 27K: LED SMD 500mA 8,6W 2700K CRI90 1190lm

Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 10,7W 1171lm / DALI 11,1W

Light source Ambrosia 30K: LED SMD 500mA 8,6W 3000K CRI90 1210lm

Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 10,7W 1089lm / DALI 11,1W

Weight: Net 0,6 kg – Gross 1,1 kg

Package: 13 x 15,5 x 69 cm - 1,1 kg – Vol - 0,01 m³

LED included. Power supply included.



Wire installation: Hardwired



A704-030-16-30K

Ambrosia A 90 left AC

Code	Finish	CCT	Dimming
A704-034-15-22K	● Matt Gold	22K	Triac
A704-034-15-27K	● Matt Gold	27K	Triac
A704-034-15-30K	● Matt Gold	30K	Triac
A704-034-16-22K	● Black	22K	Triac
A704-034-16-27K	● Black	27K	Triac
A704-034-16-30K	● Black	30K	Triac
A704-035-15-22K	● Matt Gold	22K	DALI
A704-035-15-27K	● Matt Gold	27K	DALI
A704-035-15-30K	● Matt Gold	30K	DALI
A704-035-16-22K	● Black	22K	DALI
A704-035-16-27K	● Black	27K	DALI
A704-035-16-30K	● Black	30K	DALI

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall

Light source Ambrosia 22K: LED SMD 500mA 12,9W 2200K CRI90 1776lm

Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 15,4W 1668lm / DALI 15,5W

Light source Ambrosia 27K: LED SMD 500mA 12,9W 2700K CRI90 1785lm

Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 15,4W 1756lm / DALI 15,5W


Light source Ambrosia 30K: LED SMD 500mA 12,9W 2700K CRI90 1815lm

Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 15,4W 1634lm / DALI 15,5W

Weight: Net 0,75 kg – Gross 1,5 kg

Package: 13 x 15,5 x 99 cm - 1,5 kg – Vol - 0,02 m³

LED included. Power supply included.



Wire installation: Hardwired



A704-034-16-30K



Ambrosia V 130 Plug-in

Code	Finish	CCT
A704-147-15-22K	● Matt Gold	22K
A704-147-15-27K	● Matt Gold	27K
A704-147-15-30K	● Matt Gold	30K
A704-147-16-22K	● Black	22K
A704-147-16-27K	● Black	27K
A704-147-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: 100 - 240 VAC 33,8W 3009lm


Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: 100 - 240 VAC 33,8W 3021lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: 100 - 240 VAC 33,8W 3078lm

Weight: Net 1,2 kg – Gross 1,9 kg

Package: 13 x 13 x 136 cm - 1,9 kg – VOL - 0,02 m³

LED included



Dimmable



Steel wire length: 2 m
 Cable length: 3,3 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line



A704-147-15-27K

Ambrosia V 130

Code	Finish	CCT
A704-146-15-22K	● Matt Gold	22K
A704-146-15-27K	● Matt Gold	27K
A704-146-15-30K	● Matt Gold	30K
A704-146-16-22K	● Black	22K
A704-146-16-27K	● Black	27K
A704-146-16-30K	● Black	30K
Materials		Dimmable: Yes
Structure: Aluminium		Integrated dimmer: No
Diffuser: Methacrylate		Dimming protocols: It depends on the purchased power supply.

Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 3009lm


Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: (Power supply not included) 3021lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: (Power supply not included) 3078lm

Product notes: 24V remote power supply to be ordered separately.
Weight: Net 0,9 kg – Gross 1,6 kg
Package: 13 x 13 x 136 cm - 1,6 kg – VOL - 0,02 m³
LED included



A704-146-16-27K



Wire installation: Hardwired
Steel wire length: 2 m
Cable length: 2,8 m
Color cord: Black

Ambrosia V 175 Plug-in

Code	Finish	CCT
A704-145-15-22K	● Matt Gold	22K
A704-145-15-27K	● Matt Gold	27K
A704-145-15-30K	● Matt Gold	30K
A704-145-16-22K	● Black	22K
A704-145-16-27K	● Black	27K
A704-145-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
 Luminaire Ambrosia 22K: 100 - 240 50,5W VAC 4476lm


Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4788lm
 Luminaire Ambrosia 27K: 100 - 240 50,5W VAC 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5016lm
 Luminaire Ambrosia 30K: 100 - 240 50,5W VAC 4575lm

Weight: Net 1,6 kg – Gross 2,8 kg
 Package: 13 x 13 x 184 cm - 2,8 kg – VOL - 0,03 m³
 LED included



A704-145-16-27K



Dimmable



Steel wire length: 2 m
 Cable length: 3,7 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line

Code	Finish	CCT
A704-144-15-22K	● Matt Gold	22K
A704-144-15-27K	● Matt Gold	27K
A704-144-15-30K	● Matt Gold	30K
A704-144-16-22K	● Black	22K
A704-144-16-27K	● Black	27K
A704-144-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
 Luminaire Ambrosia 22K: (Power supply not included) 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4788lm
 Luminaire Ambrosia 27K: (Power supply not included) 4491lm


Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5016lm
 Luminaire Ambrosia 30K: (Power supply not included) 4575lm

Weight: Net 1,4 kg – Gross 2,5 kg
 Package: 13 x 13 x 184 cm - 2,5 kg – VOL - 0,03 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



A704-144-15-27K



Dimmable



UK
CA

Wire installation: Hardwired
 Steel wire length: 2 m
 Cable length: 3,2 m
 Color cord: Black



Canopy Ambrosia V 50W

Code	Finish	Dimming	Class
A666-239-15	● Matt Gold	Triac	I
A666-240-15	● Matt Gold	DALI-2	II
A666-241-15	● Matt Gold	Casambi	I
A666-239-16	● Black	Triac	I
A666-240-16	● Black	DALI-2	II
A666-241-16	● Black	Casambi	I

Materials
Structure: Painted iron, Anodized Aluminium

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI-2 / Casambi 60W (max.)

Weight: Net 1,2 kg – Gross 1,6 kg
Package: 42 x 42 x 8 cm -1,6 kg – VOL - 0,01 m³

Wire installation: Hardwired
Canopy color: Black - Entry points: 1

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)


DALI-2
Casambi

Dimmable



EMC

UK
CA



Disk Accessory - Steel cable

Code	Finish
A718-034-39	● Black

Materials
Structure: Metal


Product type: Accessory
Product notes: Accessory used to hide the driver behind the canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II

Product type: Power supply



Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.



Cluster Ambrosia V - 3 Outputs

Code	Finish	Output	Dimming
A666-234-39	● Black	100 W	Triac


Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 100W (max.)

Weight: Net 3 kg – Gross 3,5 kg
Package: 42 x 42 x 8 cm - 3,5 kg – VOL - 0,01 m³
Product notes: Canopy for 24V luminaires.
Max. 3 units Ambrosia V130, 2 units Ambrosia V175

Dimmable



Cluster Ambrosia V - 5 Outputs

Code	Finish	Output	Dimming	Class
A666-237-39	● Black	200 W	Triac	II
A666-235-39	● Black	150W	DALI	I
A666-236-39	● Black	150W	Casambi	I


Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI, Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 200W (max.)
220 - 240 VAC DALI / Casambi 150W (max.)

Weight: Net 3,8 kg – Gross 4,3 kg
Package: 42 x 42 x 8 cm - 4,3 kg – VOL - 0,01 m³
Product notes: Canopy for 24V luminaires.
Max. 5 units Ambrosia V130, 4 units Ambrosia V175 (Triac)
3 units Ambrosia V175 (DALI, Casambi)

Dimmable



Cluster Ambrosia V - 9 Outputs

Code	Finish	Output	Dimming
A666-261-39	● Black	300 W	DALI


Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: DALI

Product type: Accessory
Luminaire: 220 - 240 VAC DALI 300W

Weight: Net 4,3 kg – Gross 4,8 kg
Package: 42 x 42 x 8 cm - 4,8 kg – VOL - 0,01 m³
Product notes: Canopy for 24V luminaires.
Max. 9 units Ambrosia V130, 6 units Ambrosia V175

Dimmable




Hook Accessory

Code	Finish
A693-007	● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,01 kg – Gross 0,01 kg
Package: 2 x 2 x 5 cm - 0,01 kg – VOL - 0,002 m³

Product notes: Accessory to guide the cable.





Ambrosia V 235 Plug-in

Code	Finish	CCT
A704-141-15-22K	● Matt Gold	22K
A704-141-15-27K	● Matt Gold	27K
A704-141-15-30K	● Matt Gold	30K
A704-141-16-22K	● Black	22K
A704-141-16-27K	● Black	27K
A704-141-16-30K	● Black	30K

Materials

Structure: Aluminium

Diffuser: Methacrylate

Dimmable: Yes

Integrated dimmer: Yes

Dimming protocols: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm

Luminaire Ambrosia 22K: 100 - 240 VAC 33,8W 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm

Luminaire Ambrosia 27K: 100 - 240 VAC 33,8W 2812lm


Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm

Luminaire Ambrosia 30K: 100 - 240 VAC 33,8W 2865lm

Weight: Net 1,4 kg – Gross 4,2 kg

Package: 15,4 x 15,4 x 256 cm - 4,2 kg – VOL - 0,06 m³

LED included



Dimmable




Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line



A704-141-16-27K

Ambrosia V 235


Code	Finish	CCT
A704-140-15-22K	● Matt Gold	22K
A704-140-15-27K	● Matt Gold	27K
A704-140-15-30K	● Matt Gold	30K
A704-140-16-22K	● Black	22K
A704-140-16-27K	● Black	27K
A704-140-16-30K	● Black	30K
Materials		Dimmable: Yes
Structure: Aluminium		Integrated dimmer: No
Diffuser: Methacrylate		Dimming protocols: It depends on the purchased power supply.

Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 1,2 kg – Gross 3,8 kg
Package: 15,4 x 15,4 x 256 cm - 3,8 kg – VOL - 0,06 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



UK
CA




Wire installation: Hardwired
Cable length: 0,9 m
Color cord: Black



A704-140-15-27K

Canopy Ambrosia

Code	Finish	Dimming	Class
A666-222-15	● Matt Gold - 35W 24V	Casambi	I
A666-222-16	● Black - 35W 24V	Casambi	I
☞ A666-216-15	● Matt Gold - 50W 24V	Triac	II
☞ A666-216-16	● Black - 50W 24V	Triac	II
A666-217-15	● Matt Gold - 35W 24V	DALI-2	II
A666-217-16	● Black - 35W 24V	DALI-2	II



Product type: Ceiling
 Luminaire: 220 - 240 VAC
 Weight: Net 0,7 kg – Gross 1 kg
 Package: 34 x 21 x 7 cm - 1 kg - Vol 0,005 m³

Materials
 Structure: Metal

Dimmable

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.




Disk Accessory

Code	Finish
A718-039-39	● Black

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Accessory used to hide the driver behind the canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II

Dimmable



Product type: Power supply

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

This power supplies are not compatible with Fris Pro.

Accessory Extensor V255

Code	Finish
A704-150-09	● Inox

Materials
 Structure: Stainless steel

Product type: Accessory
 Weight: Net 0,09 kg – Gross 0,4 kg
 Package: 8 x 8 x 37,8 cm - 0,4 kg – VOL - 0,002 m³
 Product notes: Accessory to lengthen the Ambrosia V 235.
 Total increase of 20 cm.






Atlas

Code	Finish	CCT
A34-050-50-27K	○ Transparent	27K
A34-050-50-30K	○ Transparent	30K

Materials
Shade: Polycarbonate
Canopy: White polyamide
Structure: Stainless steel

Product type: Wall / Ceiling
Light source: E27 LED spot 9,5W PAR30S 25D 2700K 740lm (included)
E27 LED spot 9,5W PAR30S 25D 3000K 760lm (included)
Weight: Net 0,3 kg – Gross 0,9 kg
Package: 30 x 30 x 22 cm - 0,9 kg – VOL - 0,02 m³
Product notes: Atlas has been designed to specifically accommodate the bulb included so that the bulb does not protrude from the diffuser.



Wire installation: Hardwired
Canopy color: White
Color cord: Transparent

A34-050-50-27K

Atlas Susp.

Code	Finish	CCT
A34-051-50-27K	○ Transparent	27K
A34-051-50-30K	○ Transparent	30K

Materials

Shade: Polycarbonate
Canopy: White polyamide


Product type: Pendant

Light source: E27 LED spot 9,5W PAR30S 25D 2700K 740lm (included)
E27 LED spot 9,5W PAR30S 25D 3000K 760lm (included)

Weight: Net 0,25 kg – Gross 0,9 kg

Package: 30 x 30 x 22 cm - 0,9 kg – VOL - 0,02 m³

Product notes: Atlas has been designed to specifically accommodate the bulb included so that the bulb does not protrude from the diffuser.



CE

EMC

UK

CA



0,8m



A34-051-50-30K

LED bulbs

	Code	Description	CCT	Dimming
	BOM-274-27K	E27 LED PAR30 9,5W 40° 740lm CRI90	2700K	Yes
	BOM-274-30K	E27 LED PAR30 9,5W 40° 760lm CRI90	3000K	Yes



Aura On/Off

- Code
- ☞ A676-030-50-27K
 - ☞ A676-030-51-27K
 - ☞ A676-030-53-27K
 - A676-030-55-27K
 - * A676-030-56-27K


- Finish
- Transparent
 - Opal
 - Transparent smoked
 - Copper
 - Violet

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: No

Product type: Wall
Light source: LED SMD 230 VAC 10W 2700K CRI90 780lm
Luminaire: 230 VAC 10W 489lm

Weight: Net 0,5 kg – Gross 0,8 kg
Package: 26 x 26 x 20 cm - 0,8 kg – VOL - 0,013 m³
Product notes: Structure in black, except for the opal version, with structure in white.
LED included



Wire installation: Hardwired



A676-030-55-27K

Aura Plus On/Off


Code	Finish
☞ A676-031-50-27K	○ Transparent
☞ A676-031-51-27K	● Opal
☞ A676-031-53-27K	● Transparent smoked
A676-031-55-27K	● Copper

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium


Dimmable: No

Product type: Wall
Light source: LED SMD 230 VAC 10W 2700K CRI90 780lm
Luminaire: 230 VAC 10W 524lm

Weight: Net 0,9 kg – Gross 1,5 kg
Package: 33 x 22 x 21 cm - 1,5 kg – VOL - 0,015 m³
Product notes: Structure in black, except for the opal version, with structure in white.
LED included



Wire installation: Hardwired



A676-031-50-27K

Aura W/Canopy


Code	Finish
A676-032-50-27K	○ Transparent
A676-032-51-27K	● Opal
☞ A676-032-53-27K	● Transparent smoked

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 12,3W 389lm

Weight: Net 0,9 kg – Gross 1,1 kg
Package: 26 x 26 x 20 cm - 1,1 kg – VOL - 0,013 m³
Product notes: Structure in black, except for the opal version, with structure in white.
LED included



Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.



A676-032-53-27K


Aura Plus W/Canopy

Code	Finish
A676-033-50-27K	○ Transparent
A676-033-51-27K	● Opal
☞ A676-033-53-27K	● Transparent smoked

Materials	Dimmable: Yes
Shade: Blown glass	Integrated dimmer: No
Structure: Polycarbonate	Dimming protocols: Phase cut (Triac)
Dissipater: Aluminium	


Product type: Wall
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 12,3W 416lm

Weight: Net 1,2 kg – Gross 1,8 kg
 Package: 26 x 26 x 20 cm – 1,8 kg – VOL - 0,013 m³
 Product notes: Structure in black, except for the opal version, with structure in white.
 LED included



Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.



A676-033-53-27K


Aura 24V

Code	Finish
A676-034-50-27K	○ Transparent
A676-034-51-27K	● Opal

Materials	Dimmable: Yes
Shade: Blown glass	Integrated dimmer: No
Structure: Polycarbonate	Dimming protocols: It depends on the purchased power supply.
Dissipater: Aluminium	

Product type: Wall
 Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
 Luminaire: (Power supply not included) 442lm

Weight: Net 0,5 kg – Gross 0,8 kg
 Package: 26 x 26 x 20 cm – 0,8 kg – VOL - 0,013 m³
 Product notes: Structure in black, except for the opal version, with structure in white.
 LED included



Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.



A676-034-50-27K

Aura Plus 24V

Code	Finish
A676-035-50-27K	○ Transparent
A676-035-51-27K	● Opal

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall


Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm

Luminaire: (Power supply not included) 473lm

Weight: Net 0,9 kg – Gross 1,5 kg

Package: 33 x 22 x 21 cm - 1,5 kg - VOL - 0,015 m³

Product notes: Structure in black, except for the opal version, with structure in white.
LED included



Dimmable



CE

ERL

UK
CA



A676-035-51-27K

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.


Disk Accessory

Code	Finish
A676-036-39	● Black
A676-036-35	○ White

Materials
Structure: Metal

Product type: Accessory

Product notes: Accessory used to hide the driver behind the canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II

Product type: Power supply

Dimmable

CE



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Spare parts

Code	Product	Finish	Spare part
R676-105-50	Aura	Transparent	Glass
R676-105-51	Aura	Opal	Glass
R676-105-53	Aura	Transparent smoked	Glass
R676-105-55	Aura	Copper	Glass
R676-105-56	Aura	Violet *	Glass
R676-104-50	Aura Plus	Transparent	Glass
R676-104-51	Aura Plus	Opal	Glass
R676-104-53	Aura Plus	Transparent smoked	Glass
R676-104-55	Aura Plus	Copper	Glass

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is not

designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.




Babila 18

Code	Finish
A706-001	● Polished stainless steel
A706-003-35	● White (RAL 9010)
A706-003-47	● Brown (RAL 8019)

Materials	Dimmable: Yes
Diffuser: Polished stainless steel	Integrated dimmer: No
AISI 316 or lacquered aluminium	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
 Luminaire: 230 VAC TRIAC 8,47W 89lm
 Weight: Net 0,8 kg – Gross 1,2 kg
 Package: 29 x 30,5 x 12,5 cm - 1,2 kg – VOL - 0,01 m³
 LED included




Dimmable



IP65

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 110 €.




A706-003-35

Code	Finish
A706-002	● Polished stainless steel
A706-004-35	● White (RAL 9010)
A706-004-47	● Brown (RAL 8019)

Materials	Dimmable: Yes
Diffuser: Polished stainless steel	Integrated dimmer: No
AISI 316 or lacquered aluminium	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
 Luminaire: 230 VAC TRIAC 8,47W 185lm
 Weight: Net 1,4 kg – Gross 2,1 kg
 Package: 39 x 40 x 12,5 cm - 2,1 kg – VOL - 0,02 m³
 LED included



Dimmable



IP65

CE

ERL

UK
CA

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 110 €.



A706-004-47



The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tilttable shade to direct the light. Three separate accessories increase the applicability and versatility of the lamp.



Discover more at marset.com

DESIGN PLUS
powered by: light+building

Bicoca

Code	Finish
☞ A680-055	● Off-white (RAL 9001)
☞ A680-056	● Anthracite (RAL 7026)
☞ A680-057	● Red wine (RAL 3005)
☞ A680-058	● Yellow (RAL 1032)
☞ A680-059	● Light blue (PANTONE 7542C)
☞ A680-060	● Pale pink (PANTONE 5015C)

Materials

Shade: Color polycarbonate
Body: Color polycarbonate
Diffuser: Opal polycarbonate

Dimmable: Yes

Integrated dimmer: Yes

Dimmer Type: 3 positions dimmer

Product type: Table / Portable

Light source: LED SMD 1A 3,5W 2700K CRI90 398lm

Luminaire: in 5 Vdc 1,5A 241lm

Weight: Net 0,46 kg – Gross 0,9 kg


Package: 16 x 16 x 35 cm – 0,9 kg Vol – 0,009 m³ (1u)

51 x 35 x 36 cm – 5,6 kg Vol – 0,064 m³ (6u)

Product notes: Multiple order of 6 units

Charging cable included. Power adapter not included.

LED included



Dimmer



CE

EMC

UK
CA

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power




A680-056

Magnet accessory

Code A680-008 Finish ● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0,01 kg – Gross 0,02 kg
Package: 12 x 17,5 x 1 cm - 0,02 kg – VOL - 0,001 m³




Disk accessory + magnet

Code A691-097 Finish ● Black

Materials
Structure: Metal counterweight

Product type: Accessory
Weight: Net 0,5 kg – Gross 0,6 kg
Package: 16 x 14 x 9 cm - 0,6 kg – VOL - 0,002 m³




Armrest accessory + magnet

Code A680-007 Finish ● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 0,93 kg – Gross 1 kg
Package: 16 x 9 x 15 cm - 1 kg – VOL - 0,002 m³



Spare parts

Code	Product
R680-014	Bicoca
R968-001-EU	Bicoca
R968-002-USA	Bicoca
R968-003-AU	Bicoca
R968-004-UK	Bicoca
R961-057	Bicoca

R968-010	Bicoca
R968-011	Bicoca
R968-012	Bicoca
R968-013	Bicoca
R961-075	Bicoca

Spare part
Battery
Black power adapter USB A (EU)
Black power adapter USB A (USA)
Black power adapter USB A (AU)
Black power adapter USB A (UK)
Black cable USB A to USB C

Black power adapter USB C (EU)
Black power adapter USB C (USA)
Black power adapter USB C (AU)
Black power adapter USB C (UK)
Black cable USB C to USB C







At first glance, the Bohemia appears to be made of blown glass. In fact, however, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two

volumes into a single shape. It comes in amber, green, and as a novelty, in a smoked finish. This latter color offers less contrast, with a more discreet monochromatic appearance, allowing the shape to be the protagonist rather than the hue.



Discover more at marset.com



Bohemia 84

Code	Finish	Dimming
A698-001	● Green	Triac
* A698-002	● Violet	Triac
A698-003	● Amber	Triac
A698-019-53-27K	● Smoked	Triac
A698-022-57-27K	● Green	DALI-2
* A698-005	● Violet	DALI-2
A698-022-54-27K	● Amber	DALI-2
A698-022-53-27K	● Smoked	DALI-2

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm


Luminaire: 180 - 295 VAC TRIAC 26W 1619lm

220 - 240 VAC DALI-2 26,37W 1619lm

Weight: Net 12,7 kg - Gross 20 kg

Package: 93 x 93 x 53 cm - 20 kg Vol - 0,5 m³


LED included



Dimmable



Cable length: 2,5 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



A698-003

Product notes: 3000K available upon request. Upcharge of 110 €.
Casambi available upon request. Upcharge of 210 €.

Bolita, kaschkasch

The Bolita lamp beckons you to touch it to adjust it. Its structure is as simple as it is magical: a rounded surface that houses an LED located on a central axis, and an overlapping glass sphere that when moved, creates an eclipse effect.

Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect.



Discover more at [marset.com](https://www.marset.com)

Bolita


Code
A695-001

Finish
White (RAL 9011)

Materials
Base: Steel
Diffuser: Opal blown glass

Dimmable: No

Product type: Table
Light source: LED SMD 24Vdc 6,5W 2700K CRI90 579lm
Luminaire: 100 - 240 VAC 7,2W 157lm
Weight: Net 0,8 kg – Gross 1,5 kg
Package: 22 x 19 x 13 cm – 1,5 kg Vol – 0,005 m³ (1u)
39 x 17 x 45 cm – 6,2 kg Vol – 0,03 m³ (4u)
Product note: Multiple order of 4 units
LED included



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Base



A695-001

Spare parts

Code
R695-001


Product
Bolita

Finish
-

Spare part
Glass



The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.



Its structure has always been made of wood, it's also available in a black lacquered metal. An iconic Marset design defined by that most valuable pairing: form and function.




Cala P165

Code
A645-009

Finish
● Oak - Pearl White

Materials
Shade: White polyester PET, textile
Diffuser: Methacrylate
Structure: Varnished oak

Product type: Floor
Light source: 3x E27 LED Standard 8W (not included)
Weight: Net 5,02 kg – Gross 10,3 kg
Package: 69 x 69 x 37 cm - 5,3 kg – VOL - 0,18 m³
50 x 13 x 155 cm - 5 kg – VOL - 0,02 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




A645-009

Cala Metal P145

Code A645-056-39 Finish ● Black

Materials
Shade: White polyester PET, Textilene
Structure: Iron

Product type: Floor
Light source: E27 LED Globe (ø95) 12W (not included)
Weight: Net 4,9 kg – Gross 9 kg
Package: 60 x 60 x 30 cm - 3,8 kg – VOL - 0,108 m³
50 x 13 x 132 cm - 5,2 kg – VOL - 0,09 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




A645-056-39

Cala 140 IP65

Code A645-003 Finish ● Iroko - Brown

Materials
Shade: Polyethylene, Textilene
Structure: Iroko wood

Product type: Floor
Light source: 2x E27 LED Standard 8W (not included)
Weight: Net 10,6 kg – Gross 10,3 kg
Package: 56 x 56 x 29 cm - 5,2 kg – VOL - 0,091 m³
47 x 12 x 126 cm - 5,1 kg – VOL - 0,071 m³



Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built in the shade



A645-003

LED bulbs

	Code	Description	CCT	Dimming
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
	BOM-223	E27 LED Globe (ø95) 8,4W 806lm CRI80	2700K	No



Caramel collection surprises with its material beauty, as though it were an illuminated sculpture. This wall lamp by Joan Gaspar uses glass of a clearly decorative nature to create a circular form that envelops the light. A design that gives full prominence to

the aesthetics of this hard, shiny material: when illuminated, it pulsates with life, and when turned off, it creates a graphic play on the wall. Caramel emits diffused, soft, and warm reflecting light.



Caramel 22

Code	Finish	Dimming
⌚ A726-001-51-27K	○ Opal	Triac
⌚ A726-001-57-27K	● Green	Triac
⌚ A726-001-58-27K	● Blue	Triac
⌚ A726-001-59-27K	● Brown	Triac
A726-004-51-27K	○ Opal	DALI-2
A726-004-57-27K	● Green	DALI-2
A726-004-58-27K	● Blue	DALI-2
A726-004-59-27K	● Brown	DALI-2
Materials		Dimmable: Yes
Shade: Blown glass		Integrated dimmer: No
Structure: Polycarbonate		Dimming protocols: Trailing edge (Triac)
Dissipater: Aluminium		DALI-2
Product type: Wall		
Light source: LED SMD 500mA 8,6W 2700K CRI90 1146lm		
Luminaire: 220 - 240 VAC TRIAC 581lm		
Luminaire: 120 - 240 VAC DALI-2 581lm		
Weight: Net 1,6 kg – Gross 3 kg		
Package: 32 x 36,5 x 20,5 cm - 3 kg – VOL - 0,02 m³		
LED included		



Dimmable



Wire installation: Hardwired



A726-001-59-27K


Caramel 28

Code	Finish	Dimming
☛ A726-002-51-27K	○ Opal	Triac
☛ A726-002-57-27K	● Green	Triac
☛ A726-002-58-27K	● Blue	Triac
☛ A726-002-59-27K	● Brown	Triac
A726-005-51-27K	○ Opal	DALI-2
A726-005-57-27K	● Green	DALI-2
A726-005-58-27K	● Blue	DALI-2
A726-005-59-27K	● Brown	DALI-2

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Trailing edge (Triac)
DALI-2

Product type: Wall
Light source: LED SMD 500mA 11,5W 2700K CRI90 1528lm
Luminaire: 220 - 240 VAC TRIAC 1053lm
Luminaire: 120 - 240 VAC DALI-2 1053lm
Weight: Net 2,3 kg – Gross 4,1 kg
Package: 38 x 42,5 x 20,5 cm - 4,1 kg – VOL - 0,03 m³
LED included



Wire installation: Hardwired



A726-002-58-27K


Caramel 38

Code	Finish	Dimming
☛ A726-003-51-27K	○ Opal	Triac
☛ A726-003-57-27K	● Green	Triac
☛ A726-003-58-27K	● Blue	Triac
☛ A726-003-59-27K	● Brown	Triac
A726-006-51-27K	○ Opal	DALI-2
A726-006-57-27K	● Green	DALI-2
A726-006-58-27K	● Blue	DALI-2
A726-006-59-27K	● Brown	DALI-2

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Trailing edge (Triac)
DALI-2

Product type: Wall
Light source: LED SMD 500mA 11,5W 2700K CRI90 1528lm
Luminaire: 220 - 240 VAC TRIAC 1035lm
Luminaire: 120 - 240 VAC DALI-2 1035lm
Weight: Net 4,1 kg – Gross 6,6 kg
Package: 48 x 52,5 x 20,5 cm - 6,6 kg – VOL - 0,05 m³
LED included



Wire installation: Hardwired



A726-003-57-27K

Caramel Accessory x2

Code	Finish
☞ A726-007-16	● Black
☞ A726-007-15	● Matt Gold

Materials


Structure: Metal

Product type: Accessory

Product notes: Accessory for connecting several luminaires (they can be the same size or combine different sizes) to a single light point. Only compatible with Triac versions.

Weight: Net 0,4 kg – Gross 0,6 kg

Package: 12 x 51,5 x 5,5 cm – VOL – 0,003 m³



A726-007-15 / A726-002-57-27K / A726-003-58-27K

Caramel Accessory x3

Code	Finish
☞ A726-008-16	● Black
☞ A726-008-15	● Matt Gold

Materials


Structure: Metal

Product type: Accessory

Product notes: Accessory for connecting several luminaires (they can be the same size or combine different sizes) to a single light point. Only compatible with Triac versions.

Weight: Net 0,6 kg – Gross 1,4 kg

Package: 28 x 86,5 x 5,5 cm – VOL – 0,01 m³



A726-008-16 / A726-002-57-27K / A726-002-59-27K / A726-001-51-27K

Spare parts

Code	Product	Finish	Spare part
R726-002-51	Caramel 22	Opal	Glass
R726-002-57	Caramel 22	Green	Glass
R726-002-58	Caramel 22	Blue	Glass
R726-002-59	Caramel 22	Brown	Glass
R726-001-51	Caramel 28	Opal	Glass
R726-001-57	Caramel 28	Green	Glass
R726-001-58	Caramel 28	Blue	Glass
R726-001-59	Caramel 28	Brown	Glass
R726-003-51	Caramel 38	Opal	Glass
R726-003-57	Caramel 38	Green	Glass
R726-003-58	Caramel 38	Blue	Glass
R726-003-59	Caramel 38	Brown	Glass






Chispa

Code	Finish
☑ A703-001	● Black (RAL 9004)
☑ A703-002	● Blue (RAL DESIGN 230 20 20)
☑ A703-003	● Green (RAL 6009)
☑ A703-004	● Orange (RAL 2010)

Materials
 Base: Polycarbonate
 Diffuser: Opal polyethylene
 Accessory: Black cord, metal piece

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 0,7A 2,7W 2700K CRI90 262lm
 Luminaire: in 5 Vdc 1,5A 120lm
 Weight: Net 0,5 kg – Gross 0,8 kg
 Package: 14 x 14 x 28 cm – 0,8 kg Vol – 0,005 m³ (1u)
 30 x 30 x 24 cm – 3,2 kg Vol – 0,02 m³ (4u)
 Product notes: Multiple order of 4 units
 Charging cable included. Power adapter not included.
 LED included



Switch location: Body
 Charging time 10 h



IP44

Battery life time:
 7 hours in peak power
 14 hours in half power
 28 hours in a quarter power



A703-001

Spare parts

Code	Product
R703-001	Chispa
R968-001-EU	Chispa
R968-002-USA	Chispa
R968-003-AU	Chispa
R968-004-UK	Chispa
R961-057	Chispa
R968-010	Chispa
R968-011	Chispa
R968-012	Chispa
R968-013	Chispa
R961-075	Chispa

Spare part
Battery
Black power adapter USB A (EU)
Black power adapter USB A (USA)
Black power adapter USB A (AU)
Black power adapter USB A (UK)
Black cable USB A to USB C
Black power adapter USB C (EU)
Black power adapter USB C (USA)
Black power adapter USB C (AU)
Black power adapter USB C (UK)
Black cable USB C to USB C





The cluster is a system that allows several pendant lamps to be connected to a single power point. It provides complete freedom to create with light, illuminate large spaces, or design compositions with multiple pendant lamps.



Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy.

Customize your space with our Dipping Light cluster configurator at: configurator.marset.com/dipping-light

Circular Canopy 20W

Code	Finish	Dimming	Class
A693-008	● Black	Triac	II
A693-009	● Black	DALI-2 (max. 16W)	II
A693-022	● Black	Casambi (max. 16W)	II

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 20W (max.)
220 - 240 VAC DALI-2/Casambi 16W (max.)



Weight: Net 0,78 kg – Gross 1 kg

Package: 23 x 21 x 9 cm - 1 kg - VOL - 0,004 m³

Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2
Casambi



Circular Canopy 50W

Code	Finish	Dimming	Class
A693-010	● Black	Triac	II
A693-011	● Black	DALI-2 (max. 35W)	II
A693-023	● Black	Casambi (max. 35W)	II

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI-2/Casambi 35W (max.)



Weight: Net 1,15 kg – Gross 1,4 kg

Package: 23 x 21 x 9 cm - 1,4 kg - VOL - 0,004 m³

Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2
Casambi



Rectangular Canopy 50W

Code	Finish	Dimming	Class
A693-001	● Black	Triac	II
A693-002	● Black	DALI-2	II
A693-024	● Black	Casambi	II

Materials

Structure: Painted iron

Product type: Accessory

Luminaire: 220 - 240 VAC TRIAC 50W (max.)

220 - 240 VAC DALI-2/Casambi 60W (max.)



Weight: Net 2,11 kg – Gross 2,5 kg

Package: 41,5 x 21 x 7 cm - 2,5 kg – VOL - 0,006 m³

Product notes: Canopy for 24V luminaires.



4,9cm



Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 50W

Code	Finish	Dimming	Class
A693-003	● Black	Triac	II
A693-004	● Black	DALI-2	II
A693-025	● Black	Casambi	II

Materials

Structure: Painted iron

Product type: Accessory

Luminaire: 220 - 240 VAC TRIAC 50W (max.)

220 - 240 VAC DALI-2/Casambi 60W (max.)


Weight: Net 1,15 kg – Gross 1,36 kg

Package: 41 x 40 x 8 cm - 1,36 kg – VOL - 0,01 m³

Product notes: Canopy for 24V luminaires.



4,9cm



Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 100W

Code	Finish	Dimming	Class
A693-005	● Black	Triac	II
A693-006	● Black	DALI-2	II
A693-026	● Black	Casambi	II

Materials

Structure: Painted iron

Product type: Accessory

Luminaire: 220 - 240 VAC TRIAC 100W (max.)

220 - 240 VAC DALI-2/Casambi 100W (max.)



Weight: Net 3,33 kg – Gross 3,8 kg

Package: 42 x 42 x 8 cm - 3,8 kg – VOL - 0,013 m³

Product notes: Canopy for 24V luminaires.



4,9cm



Wire installation: Hardwired
Canopy color: Black - Entry points: 19

Hook Accessory

Code	Finish
A693-007	● Black


Materials

Structure: Painted iron

Product type: Accessory

Weight: Net 0,01 kg – Gross 0,01 kg

Package: 2 x 2 x 5 cm - 0,01 kg – VOL - 0,002 m³





Discover more at marset.com




Copérnica M

Code	Finish
A686-005	● Graphite-Satin Nickel-Black
A686-006	● BlackGraphite-Red-Black

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: Yes
Base: Steel	Dimming protocols: 3 positions dimmer
Counterweight: Steel	
Diffuser: Aluminium	

Product type: Table
 Light source: LED SMD 24Vdc 4,7W 2700K CRI90 491lm
 Luminaire: 85 - 264 VAC 5,94W 416lm
 Weight: Net 3,3 kg – Gross 5,3 kg
 Package: 114 x 24 x 17 cm – 3,3 kg Vol – 0,046 m³
 36 x 36 x 3 cm – 2 kg Vol – 0,004 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: Tilttable diffuser



A686-005


Copérnica P

Code	Finish
A686-011	● Graphite-Satin Nickel-Black
A686-012	● BlackGraphite-Red-Black

Materials
Structure: Steel
Base: Steel
Counterweight: Steel
Diffuser: Aluminium

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: 3 positions dimmer

Product type: Floor
Light source: LED SMD 24Vdc 4,7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 5,94W 416lm
Weight: Net 4,6 kg – Gross 6,9 kg
Package: 165 x 24 x 17 cm – 4,1 kg Vol – 0,067 m³
36 x 36 x 3 cm – 2,8 kg Vol – 0,004 m³
LED included



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Tilttable diffuser



A686-012



Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and eye-

catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.



Discover more at [marset.com](https://www.marset.com)



Dipping Light

Code

- A691-450-3515-27K
- * A691-060
- A691-450-4515-27K
- * A691-062
- * A691-450-3015-27K
- * A691-063
- A691-450-4015-27K
- A691-450-4715-27K
- A691-450-3715-27K

Finish

- White - Brushed Brass
- White - Graphite
- Green - Brushed Brass
- Green - Graphite
- Amber - Brushed Brass
- Amber - Graphite
- Burgundy - Brushed Brass
- Chocolate - Brushed Brass
- Cream - Brushed Brass

Materials

Body: Metal

Diffuser: Glossy white blown glass globe with layered paint

Dimmable: No


Product type: Table

Light source: LED SMD 700mA 2,2W 2700K CRI90 216lm

Luminaire: 90 - 264 VAC 3,72W 123lm

Weight: Net 0,9 kg - Gross 1,5 kg

Package: 35 x 35 x 18 cm - 1,5 kg Vol - 0,011 m³



Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line



A691-450-4515-27K

Dipping Light S

Code	Finish
A691-451-3515-27K	White - Brushed Brass
A691-451-4515-27K	Green - Brushed Brass
A691-451-3015-27K	Amber - Brushed Brass
A691-451-4015-27K	Burgundy - Brushed Brass
A691-451-4715-27K	Chocolate - Brushed Brass
A691-451-3715-27K	Cream - Brushed Brass

Materials	Dimmable: Yes
Body: Metal	Integrated dimmer: Yes
Diffuser: Glossy white blown glass globe with layered paint	Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table

Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm


Luminaire: 85 - 264 VAC 11,56W

Weight: Net 2 kg - Gross 2,5 kg

Package: 17 x 35 x 17 cm - 1,4 kg Vol - 0,009 m³

25 x 25 x 31 cm - 1,1 kg Vol - 0,02 m³

LED included



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A691-451-4015-27K

Dipping Light M

Code	Finish
A691-452-3515-27K	White - Brushed Brass
* A691-078	White - Graphite
A691-452-4515-27K	Green - Brushed Brass
* A691-080	Green - Graphite
A691-452-3015-27K	Amber - Brushed Brass
* A691-081	Amber - Graphite
A691-452-4015-27K	Burgundy - Brushed Brass
A691-452-4715-27K	Chocolate - Brushed Brass
A691-452-3715-27K	Cream - Brushed Brass

Materials	Dimmable: Yes
Body: Metal	Integrated dimmer: Yes
Diffuser: Glossy white blown glass globe with layered paint	Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table

Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm


Luminaire: 85 - 264 VAC 11,56W 312lm

Weight: Net 3,3 kg - Gross 5,3 kg

Package: 34 x 26 x 26 cm - 2,9 kg Vol - 0,022 m³

41 x 41 x 41 cm - 2,4 kg Vol - 0,068 m³

LED included



Cable length: 1,75 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A691-452-4715-27K




Dipping Light Portable

Code	Finish
A691-453-3515-27K	White - Brushed Brass
A691-453-4515-27K	Green - Brushed Brass
A691-453-3015-27K	Amber - Brushed Brass
A691-453-4015-27K	Burgundy - Brushed Brass
A691-453-4715-27K	Chocolate - Brushed Brass
A691-453-3715-27K	Cream - Brushed Brass

Materials
 Body: Metal
 Diffuser: Glossy white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table
 Light source: LED SMD 1A 3,5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1,5A 123lm
 Weight: Net 0,8 kg – Gross 1,1 kg
 Package: 18 x 18 x 35 cm – 1,1 kg Vol – 0,011 m³
 Charging cable included. Power adapter not included.
 LED included



Dimmer



Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power

Switch location: Body
 Charging time: 10 h




A691-453-3015-27K

Disk accessory + magnet

Code	Finish
A691-097	Black

Materials
 Structure: Metal counterweight

Product type: Accessory
 Weight: Net 0,5 kg – Gross 0,6 kg
 Package: 16 x 14 x 9 cm - 0,6 kg – VOL - 0,002 m³



Magnet accessory

Code	Finish
A680-008	Inox

Materials
 Structure: Neodymium magnet

Product type: Accessory
 Weight: Net 0,01 kg – Gross 0,02 kg
 Package: 12 x 17,5 x 1 cm - 0,02 kg – VOL - 0,001 m³




Dipping Light A1-13

Code	Finish
A691-454-3515-27K	White - Brushed Brass
A691-454-4515-27K	Green - Brushed Brass
A691-454-3015-27K	Amber - Brushed Brass
A691-454-4015-27K	Burgundy - Brushed Brass
A691-454-4715-27K	Chocolate - Brushed Brass
A691-454-3715-27K	Cream - Brushed Brass

Materials
 Body: Metal
 Diffuser: Glossy white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED COB 500mA 5,68W 2700K CRI90 645lm
 Luminaire: 220 - 240 VAC TRIAC 9,3W
 Weight: Net 0,9 kg – Gross 1,5 kg
 Package: 18 x 18 x 28 cm – 1,5 kg Vol – 0,01 m³
 LED included



Dimmable

Wire installation: Hardwired



A691-454-3715-27K


Dipping Light A2-13

Code	Finish
A691-455-3515-27K	White - Brushed Brass
A691-455-4515-27K	Green - Brushed Brass
A691-455-3015-27K	Amber - Brushed Brass
A691-455-4015-27K	Burgundy - Brushed Brass
A691-455-4715-27K	Chocolate - Brushed Brass
A691-455-3715-27K	Cream - Brushed Brass

Materials
 Body: Metal
 Diffuser: Glossy white blown glass globe with layered paint


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall, Ceiling
 Light source: LED SMD 500mA 8,6W 2700K CRI90 765lm
 Luminaire: 220 - 240 VAC TRIAC 7,96W
 Weight: Net 0,7 kg – Gross 1,4 kg
 Package: 18 x 18 x 35 cm – 1,4 kg Vol – 0,01 m³
 LED included



Dimmable

Wire installation: Hardwired



A691-455-3015-27K



Dipping Light 13

Code	Finish
A691-456-35-27K	White
A691-456-45-27K	Green
A691-456-30-27K	Amber
A691-456-40-27K	Burgundy
A691-456-47-27K	Chocolate
A691-456-37-27K	Cream

Materials

Diffuser: Glossy white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Pendant


Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm

Luminaire: 220 - 240 VAC TRIAC 5,72W 203lm

Weight: Net 0,8 kg – Gross 1,3 kg

Package: 21 x 22 x 23 cm – 1,3 kg Vol – 0,01 m³

LED included



Dimmable



Cable length: 2 m

Wire installation: Hardwired


Color cord: Black

Canopy color: Black - Entry points: 1

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

DALI-2 available upon request. Upcharge of 90 €.



A691-456-45-27K

Dipping Light 20

Code	Finish
A691-458-35-27K	White
A691-458-45-27K	Green
A691-458-30-27K	Amber
A691-458-40-27K	Burgundy
A691-458-47-27K	Chocolate
A691-458-37-27K	Cream

Materials

Diffuser: Glossy white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Pendant


Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm

Luminaire: 220 - 240 VAC TRIAC 5,72W 231lm

Weight: Net 1,3 kg – Gross 1,9 kg

Package: 33 x 26 x 26 cm – 1,9 kg Vol – 0,02 m³

LED included



Dimmable



Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black - Entry points: 1

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

DALI-2 available upon request. Upcharge of 90 €.



A691-458-40-27K

Dipping Light 30

Code	Finish
A691-460-35-27K	White
A691-460-45-27K	Green
A691-460-30-27K	Amber
A691-460-40-27K	Burgundy
A691-460-47-27K	Chocolate
A691-460-37-27K	Cream

Materials

Diffuser: Glossy white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Pendant


Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm

Luminaire: 220 - 240 VAC TRIAC 10,87W 379lm

Weight: Net 2,4 kg – Gross 3,6 kg

Package: 41 x 40 x 41 cm – 3,6 kg Vol – 0,07 m³

LED included



Dimmable



Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black - Entry points: 1

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

DALI-2 available upon request. Upcharge of 90 €.



A691-460-35-27K

Dipping Light 40

Code	Finish
A691-437-35-27K	White
A691-437-45-27K	Green
A691-437-30-27K	Amber
A691-437-40-27K	Burgundy
A691-437-47-27K	Chocolate
A691-437-37-27K	Cream

Materials

Diffuser: Glossy white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Pendant


Light source: LED COB 700mA 23,7W 2700K CRI90 3280lm

Luminaire: 220 - 240 VAC TRIAC 28,4W 1482lm

Weight: Net 4,2 kg – Gross 6,5 kg

Package: 55 x 55 x 57 cm – 6,5 kg Vol – 0,17 m³

LED included



Dimmable



Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black - Entry points: 1



A691-437-30-27K

Product notes: Casambi available upon request. Upcharge of 210 €.

DALI-2 available upon request. Upcharge of 90 €.

Cluster Dipping Light



The cluster is a system that allows several pendant lamps to be connected to a single power point. It provides complete freedom to create with light, illuminate large spaces, or design compositions with multiple pendant lamps.

See the available Clusters on pages 63 and 64. Customize your space with our Dipping Light cluster configurator at configurator.marset.com/dipping-light

Dipping Light 13 - 24V

Code
 A691-457-35-27K
 A691-457-45-27K
 A691-457-30-27K
 A691-457-40-27K
 A691-457-47-27K
 A691-457-37-27K

Finish
 ● White
 ● Green
 ● Amber
 ● Burgundy
 ● Chocolate
 ● Cream

Materials

Diffuser: Glossy white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Phase cut (Triac), DALI-2I, Casambi

Product type: Pendant

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm


Luminaire: (Power supply not included) 203lm

Weight: Net 0,6 kg – Gross 1 kg

Package: 21 x 22 x 23 cm – 1 kg Vol – 0,01 m³

Product notes: Use with Cluster. 1 pc. hook accessory included

LED included



Dimmable



Cable length: 4 m

Wire installation: Hardwired

Color cord: Black

Dipping Light 20 - 24V

Code	Finish
A691-459-35-27K	White
A691-459-45-27K	Green
A691-459-30-27K	Amber
A691-459-40-27K	Burgundy
A691-459-47-27K	Chocolate
A691-459-37-27K	Cream

Materials

Diffuser: Glossy white blown glass globe with layered paint
Cover: Polycarbonate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Phase cut (Triac), DALI-2, Casambi

Product type: Pendant


Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire: (Power supply not included) 231lm

Weight: Net 1,06 kg – Gross 1,7 kg

Package: 36 x 26 x 26 cm – 1,7 kg Vol – 0,02 m³

Product notes: Use with Cluster. 1 pc. hook accessory included
LED included



Dimmable



Cable length: 4 m

Wire installation: Hardwired

Color cord: Black



A691-459-30-27K

Dipping Light 30 - 24V

Code	Finish
A691-461-35-27K	White
A691-461-45-27K	Green
A691-461-30-27K	Amber
A691-461-40-27K	Burgundy
A691-461-47-27K	Chocolate
A691-461-37-27K	Cream

Materials

Diffuser: Glossy white blown glass globe with layered paint
Cover: Polycarbonate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Phase cut (Triac), DALI-2, Casambi

Product type: Pendant

Light source: LED SMD 24Vdc 11,5W 2700K CRI90 1024lm

Luminaire: (Power supply not included) 379lm


Weight: Net 1,8 kg – Gross 3,1 kg

Package: 41 x 40 x 41 cm – 3,1 kg Vol – 0,07 m³

Product notes: Use with Cluster.

1 pc. hook accessory included

LED included



Dimmable



Cable length: 4 m

Wire installation: Hardwired

Color cord: Black



A691-461-47-27K

Spare parts

Code	Product	Finish	Spare part
R691-076-35	Dipping light / Dipping light A1	White	Glass
R691-076-45	Dipping light / Dipping light A1	Green	Glass
R691-076-30	Dipping light / Dipping light A1	Amber	Glass
R691-076-40	Dipping light / Dipping light A1	Burgundy	Glass
R691-076-47	Dipping light / Dipping light A1	Chocolate	Glass
R691-076-37	Dipping light / Dipping light A1	Cream	Glass
R691-077-35	Dipping light S	White	Glass
R691-077-45	Dipping light S	Green	Glass
R691-077-30	Dipping light S	Amber	Glass
R691-077-40	Dipping light S	Burgundy	Glass
R691-077-47	Dipping light S	Chocolate	Glass
R691-077-37	Dipping light S	Cream	Glass
R691-078-35	Dipping light M	White	Glass
R691-078-45	Dipping light M	Green	Glass
R691-078-30	Dipping light M	Amber	Glass
R691-078-40	Dipping light M	Burgundy	Glass
R691-078-47	Dipping light M	Chocolate	Glass
R691-078-37	Dipping light M	Cream	Glass
R691-079-35	Dipping light A2	White	Glass
R691-079-45	Dipping light A2	Green	Glass
R691-079-30	Dipping light A2	Amber	Glass
R691-079-40	Dipping light A2	Burgundy	Glass
R691-079-47	Dipping light A2	Chocolate	Glass
R691-079-37	Dipping light A2	Cream	Glass
R691-080-35	Dipping Light 13	White	Glass
R691-080-45	Dipping Light 13	Green	Glass
R691-080-30	Dipping Light 13	Amber	Glass
R691-080-40	Dipping Light 13	Burgundy	Glass
R691-080-47	Dipping Light 13	Chocolate	Glass
R691-080-37	Dipping Light 13	Cream	Glass
R691-081-35	Dipping Light 20	White	Glass
R691-081-45	Dipping Light 20	Green	Glass
R691-081-30	Dipping Light 20	Amber	Glass
R691-081-40	Dipping Light 20	Burgundy	Glass
R691-081-47	Dipping Light 20	Chocolate	Glass
R691-081-37	Dipping Light 20	Cream	Glass
R691-082-35	Dipping Light 30	White	Glass
R691-082-45	Dipping Light 30	Green	Glass
R691-082-30	Dipping Light 30	Amber	Glass
R691-082-40	Dipping Light 30	Burgundy	Glass
R691-082-47	Dipping Light 30	Chocolate	Glass
R691-082-37	Dipping Light 30	Cream	Glass
R691-083-35	Dipping Light 40	White	Glass
R691-083-45	Dipping Light 40	Green	Glass
R691-083-30	Dipping Light 40	Amber	Glass
R691-083-40	Dipping Light 40	Burgundy	Glass
R691-083-47	Dipping Light 40	Chocolate	Glass
R691-083-37	Dipping Light 40	Cream	Glass
R691-075	Dipping Light portable		Battery
R968-001-EU	Dipping Light portable		Black power adapter USB A (EU)
R968-002-USA	Dipping Light portable		Black power adapter USB A (USA)
R968-003-AU	Dipping Light portable		Black power adapter USB A (AU)
R968-004-UK	Dipping Light portable		Black power adapter USB A (UK)
R961-057	Dipping Light portable		Black cable USB A to USB C
R968-010	Dipping Light portable		Black power adapter USB C (EU)
R968-011	Dipping Light portable		Black power adapter USB C (USA)
R968-012	Dipping Light portable		Black power adapter USB C (AU)
R968-013	Dipping Light portable		Black power adapter USB C (UK)
R961-075	Dipping Light portable		Black cable USB C to USB C



Discocó 35

Code

☞ A620-036

• A620-098

A620-111

A620-045

Finish

● White (RAL 9003)

● Matte Grey (RAL 7037)

● Matte Beige (RAL 1001)

● Black - Gold (RAL 9004 - Gold)

Materials

Discs: ABS

Sphere: Chromed metal


Canopy: Metal

Product type: Pendant

Light source: E14 LED 5W (not included)

Weight: Net 1,5 kg – Gross 2,6 kg

Package: 86 x 18 x 19 cm - 2,6 kg – VOL - 0,03 m³



CE

ERL

UK

CB

□

Cable length: 2 m

Wire installation: Hardwired

Color cord: White

Canopy color: White




A620-036

Discocó 53


Code	Finish
☛ A620-001	● White (RAL 9003)
★ A620-099	● Matte Grey (RAL 7037)
A620-114	● Matte Beige (RAL 1001)
A620-044	● Black - Gold (RAL 9004 - Gold)
A620-003	● White (Susp. Wire 5m)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E27 LED Globe (ø120) 14W (not included)
Weight: Net 2,8 kg – Gross 4,7 kg
Package: 108 x 26 x 27 cm – 4,7 kg – VOL - 0,08 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: White
Canopy color: White




A620-114

Discocó 68


Code	Finish
☛ A620-110	● White (RAL 9003)
★ A620-120	● Matte Grey (RAL 7037)
A620-119	● Matte Beige (RAL 1001)
A620-121	● Black - Gold (RAL 9004 - Gold)
A620-148	● White (Susp. Wire 5m)
A620-161	● American oak-Black chrome

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E27 LED Globe (ø120) 14W (not included)
Weight: Net 4,6 kg – Gross 7,5 kg
Package: 125 x 33 x 28 cm – 7,5 kg – VOL - 0,115 m³
Product notes: For the wood version, the discs are made of pressed American oak of 4 mm. Black chrome sphere.



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black (American oak version), White (all the rest)
Canopy color: Black (American oak version), White (all the rest)



A620-161

Discocó 88

Code	Finish
☛ A620-002	● White (RAL 9003)
• A620-107	● Matte Grey (RAL 7037)
A620-106	● Matte Beige (RAL 1001)
A620-048	● Black - Gold (RAL 9004 - Gold)
A620-004	● White (Susp. Wire 5m)

Materials

Discs: ABS

Sphere: Chromed metal


Canopy: Metal

Product type: Pendant

Light source: 3x E27 LED Globe (ø120) 14W (not included)

Weight: Net 6,7 kg – Gross 10,6 kg

Package: 134 x 31 x 42 cm - 10,6 kg – VOL - 0,17 m³



Cable length: 3 m

Wire installation: Hardwired

Color cord: White

Canopy color: White



A620-002

Discocó 132

Code	Finish
A620-012	● White (RAL 9003)
• A620-118	● Matte Grey (RAL 7037)
• A620-117	● Matte Beige (RAL 1001)
A620-049	● Black - Gold (RAL 9004 - Gold)

Materials

Discs: ABS

Sphere: Chromed metal


Canopy: Metal

Product type: Pendant

Light source: 6x E27 LED Globe (ø120) 14W (not included)

Weight: Net 18,5 kg – Gross 24 kg

Package: 121 x 41 x 41 cm - 14 kg – VOL - 0,2 m³
45 x 42 x 42 cm - 10 kg – VOL - 0,08 m³




Cable length: 3,5 m

Wire installation: Hardwired

Color cord: White

Canopy color: White




A620-049

Discocó C68

Code	Finish
* A620-123	White (RAL 9003)
* A620-126	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: 3x E27 LED Globe (ø120) 14W (not included)
Weight: Net 4,2 kg – Gross 7 kg
Package: 109 x 33 x 27 cm - 7 kg – VOL - 0,097 m³



Wire installation: Hardwired



A620-123

LED bulbs

	Code	Description	CCT	Dimming
	BOM-275	E14 LED 4,3W 470lm CRI80	2700K	No
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
	BOM-276-27K	E27 LED Standard 7,8W 1055lm CRI90	2700K	Yes



Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the

spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.



Discover more at marset.com

Djembé 42.21

Code	Finish	Dimming
A681-244	White (RAL 1013)	Triac
A681-245	Grey (RAL 7022)	Triac
A681-246	Red (RAL 3011)	Triac
A681-247	Sky Blue (PANTONE 7542C)	Triac
A681-031-35-27K	White (RAL 1013)	DALI-2
A681-031-38-27K	Grey (RAL 7022)	DALI-2
A681-031-40-27K	Red (RAL 3011)	DALI-2
A681-031-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm


Luminaire: 180 - 295 VAC TRIAC 19,71W 955lm

220 - 240 VAC DALI-2 20,32W 955lm

Weight: Net 3 kg - Gross 4,4 kg

Package: 44 x 44 x 32 cm - 4,4 kg Vol - 0,06 m³

LED included



Dimmable

CE

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



A681-244

Djembé 42.28

Code	Finish	Dimming
A681-252	White (RAL 1013)	Triac
A681-253	Grey (RAL 7022)	Triac
A681-254	Red (RAL 3015)	Triac
A681-255	Sky Blue (PANTONE 7542C)	Triac
A681-032-35-27K	White (RAL 1013)	DALI-2
A681-032-38-27K	Grey (RAL 7022)	DALI-2
A681-032-40-27K	Red (RAL 3015)	DALI-2
A681-032-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm


Luminaire: 180 - 295 VAC TRIAC 19,71W 925lm

220 - 240 VAC DALI-2 20,32W 925lm

Weight: Net 3,6 kg – Gross 4,9 kg

Package: 44 x 44 x 32 cm – 4,9 kg Vol – 0,06 m³

LED included



Dimmable

CE

EMC

UK
CA



Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

Tunable White DALI-2 available upon request. Upcharge of 125 €.

Tunable White Casambi available upon request. Upcharge of 299 €.



A681-254

Djembé 65.23

Code	Finish	Dimming
A681-260	White (RAL 1013)	Triac
A681-261	Grey (RAL 7022)	Triac
A681-262	Red (RAL 3015)	Triac
A681-263	Sky Blue (PANTONE 7542C)	Triac
A681-033-35-27K	White (RAL 1013)	DALI-2
A681-033-38-27K	Grey (RAL 7022)	DALI-2
A681-033-40-27K	Red (RAL 3015)	DALI-2
A681-033-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm


Luminaire: 180 - 295 VAC TRIAC 26,09W 1843lm

220 - 240 VAC DALI-2 26,37W 1843lm

Weight: Net 4,9 kg – Gross 7,2 kg

Package: 65 x 65 x 28 cm – 7,2 kg Vol – 0,12 m³

LED included



Dimmable

CE

EMC

UK
CA



Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

Tunable White DALI-2 available upon request. Upcharge of 125 €.

Tunable White Casambi available upon request. Upcharge of 299 €.



A681-263

Djembé 65.35

Code	Finish	Dimming
A681-268	White (RAL 9013)	Triac
A681-269	Grey (RAL 7022)	Triac
A681-270	Red (RAL 3011)	Triac
A681-271	Sky Blue (PANTONE 7542C)	Triac
A681-034-35-27K	White (RAL 9013)	DALI-2
A681-034-38-27K	Grey (RAL 7022)	DALI-2
A681-034-40-27K	Red (RAL 3011)	DALI-2
A681-034-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm


Luminaire: 180 - 295 VAC TRIAC 26,09W 1845lm

220 - 240 VAC DALI-2 26,37W 1845lm

Weight: Net 6,1 kg – Gross 8,5 kg

Package: 65 x 65 x 42 cm – 8,5 kg Vol – 0,18 m³

LED included



Dimmable

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.
Casambi available upon request. Upcharge of 210 €.
Tunable White DALI-2 available upon request. Upcharge of 125 €.
Tunable White Casambi available upon request. Upcharge of 299 €.



A681-268

Djembé 65.45

Code	Finish	Dimming
A681-276	White (RAL 9013)	Triac
A681-277	Grey (RAL 7022)	Triac
A681-278	Red (RAL 3011)	Triac
A681-279	Sky Blue (PANTONE 7542C)	Triac
A681-035-35-27K	White (RAL 9013)	DALI-2
A681-035-38-27K	Grey (RAL 7022)	DALI-2
A681-035-40-27K	Red (RAL 3011)	DALI-2
A681-035-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm


Luminaire: 180 - 295 VAC TRIAC 26,09W 1770lm

220 - 240 VAC DALI-2 26,37W 1770lm

Weight: Net 6,9 kg – Gross 9,3 kg

Package: 65 x 65 x 49 cm – 9,3 kg Vol – 0,2 m³

LED included



Dimmable

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.
Casambi available upon request. Upcharge of 210 €.
Tunable White DALI-2 available upon request. Upcharge of 125 €.
Tunable White Casambi available upon request. Upcharge of 299 €.



A681-278

Djembé 100.38

Code	Finish	Dimming
A681-473	White (RAL 1013)	Triac
A681-474	Grey (RAL 7022)	Triac
A681-475	Red (RAL 3011)	Triac
A681-476	Sky Blue (PANTONE 7542C)	Triac
A681-037-35-27K	White (RAL 1013)	DALI-2
A681-037-38-27K	Grey (RAL 7022)	DALI-2
A681-037-40-27K	Red (RAL 3011)	DALI-2
A681-037-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm

Luminaire: 220 - 240 VAC TRIAC 38,36W 2519lm


220 - 240 VAC DALI-2 38,6W 2519lm

Weight: Net 11 kg – Gross 19,5 kg

Package: 115 x 115 x 51 cm – 19,5 kg Vol – 0,7 m³

Product notes: 3000K available upon request

LED included



Dimmable



Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A681-474

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

Tunable White DALI-2 available upon request. Upcharge of 125 €.

Tunable White Casambi available upon request. Upcharge of 299 €.

Accessory Djembé Sound

Code	Finish
A681-553	White

Materials

Structure: PET accessory for the sound damping of a space.

Product type: Accessory

Weight: Net 1,9 kg – Gross 2,4 kg

Package: 10 x 85 x 85 cm - 2,4 kg – VOL - 0,07 m³

Product notes: Only available for Djembé 100.38 and Djembé C100.38.

2,5cm



Ø80cm





Djembé C42.13

Code	Finish	Dimming
⊕ A681-100	White (RAL 1013)	Triac
A681-101	Grey (RAL 7022)	Triac
A681-102	Red (RAL 3011)	Triac
A681-103	Sky Blue (PANTONE 7542C)	Triac
A681-025-35-27K	White (RAL 1013)	DALI-2
A681-025-38-27K	Grey (RAL 7022)	DALI-2
A681-025-40-27K	Red (RAL 3011)	DALI-2
A681-025-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm

Luminaire: 180 - 295 VAC TRIAC 19,71W 846lm

220 - 240 VAC DALI-2 20,32W 846lm

Weight: Net 2,4 kg – Gross 3,5 kg

Package: 44 x 44 x 19 cm – 3,5 kg Vol – 0,04 m³

LED included

ø40,3cm



Dimmable



Wire installation: Hardwired



A681-101

Djembé C42.21

Code	Finish	Dimming
A681-104	White (RAL 1013)	Triac
A681-105	Grey (RAL 7022)	Triac
A681-106	Red (RAL 3011)	Triac
A681-107	Sky Blue (PANTONE 7542C)	Triac
A681-026-35-27K	White (RAL 1013)	DALI-2
A681-026-38-27K	Grey (RAL 7022)	DALI-2
A681-026-40-27K	Red (RAL 3011)	DALI-2
A681-026-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm

Luminaire: 180 - 295 VAC TRIAC 19,71W 955lm


220 - 240 VAC DALI-2 20,32W 955lm

Weight: Net 3 kg – Gross 4,3 kg

Package: 44 x 44 x 25 cm – 4,3 kg Vol – 0,05 m³

LED included

ø41,6cm



Dimmable



Wire installation: Hardwired



A681-107

Djembé C 42.28

Code	Finish	Dimming
A681-108	White (RAL 9013)	Triac
A681-109	Grey (RAL 7022)	Triac
A681-110	Red (RAL 3011)	Triac
A681-111	Sky Blue (PANTONE 7542C)	Triac
A681-027-35-27K	White (RAL 9013)	DALI-2
A681-027-38-27K	Grey (RAL 7022)	DALI-2
A681-027-40-27K	Red (RAL 3011)	DALI-2
A681-027-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 180 - 295 VAC TRIAC 19,71W 925lm
220 - 240 VAC DALI-2 20,32W 925lm
Weight: Net 3,7 kg – Gross 5 kg
Package: 44 x 44 x 32 cm – 5 kg Vol – 0,06 m³
LED included



Dimmable



Wire installation: Hardwired



A681-108


Djembé C 65.23

Code	Finish	Dimming
A681-112	White (RAL 9013)	Triac
A681-113	Grey (RAL 7022)	Triac
A681-114	Red (RAL 3011)	Triac
A681-115	Sky Blue (PANTONE 7542C)	Triac
A681-028-35-27K	White (RAL 9013)	DALI-2
A681-028-38-27K	Grey (RAL 7022)	DALI-2
A681-028-40-27K	Red (RAL 3011)	DALI-2
A681-028-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
Luminaire: 180 - 295 VAC TRIAC 26,09W 1843lm
220 - 240 VAC DALI-2 26,37W 1843lm
Weight: Net 4,9 kg – Gross 7 kg
Package: 65 x 65 x 30 cm – 7 kg Vol – 0,13 m³
Product notes: 3000K available upon request
LED included



Dimmable



Wire installation: Hardwired



A681-114

Product notes: 3000K available upon request. Upcharge of 60 €.
Casambi available upon request. Upcharge of 210 €.
Tunable White DALI-2 available upon request. Upcharge of 125 €.
Tunable White Casambi available upon request. Upcharge of 299 €.

Djembé C 65.35

Code	Finish	Dimming
A681-116	White (RAL 1013)	Triac
A681-117	Grey (RAL 7022)	Triac
A681-118	Red (RAL 3011)	Triac
A681-119	Sky Blue (PANTONE 7542C)	Triac
A681-029-35-27K	White (RAL 1013)	DALI-2
A681-029-38-27K	Grey (RAL 7022)	DALI-2
A681-029-40-27K	Red (RAL 3011)	DALI-2
A681-029-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm


Luminaire: 180 - 295 VAC TRIAC 26,09W 1845lm
220 - 240 VAC DALI-2 26,37W 1845lm

Weight: Net 6 kg – Gross 8,5 kg

Package: 65 x 65 x 42 cm – 8,5 kg Vol – 0,18 m³

LED included

ø64,6cm



35cm

Dimmable



Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

Tunable White DALI-2 available upon request. Upcharge of 125 €.

Tunable White Casambi available upon request. Upcharge of 299 €.



A681-117

Djembé C 65.45

Code	Finish	Dimming
A681-120	White (RAL 1013)	Triac
A681-121	Grey (RAL 7022)	Triac
A681-122	Red (RAL 3011)	Triac
A681-123	Sky Blue (PANTONE 7542C)	Triac
A681-030-35-27K	White (RAL 1013)	DALI-2
A681-030-38-27K	Grey (RAL 7022)	DALI-2
A681-030-40-27K	Red (RAL 3011)	DALI-2
A681-030-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm


Luminaire: 180 - 295 VAC TRIAC 26,09W 1770lm
220 - 240 VAC DALI-2 26,37W 1770lm

Weight: Net 6,9 kg – Gross 9,2 kg

Package: 65 x 65 x 49 cm – 9,2 kg Vol – 0,2 m³

LED included

ø65cm



45cm

Dimmable



Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

Tunable White DALI-2 available upon request. Upcharge of 125 €.

Tunable White Casambi available upon request. Upcharge of 299 €.



A681-123

Djembé C 100.38

Code	Finish	Dimming
A681-481	White (RAL 1013)	Triac
A681-482	Grey (RAL 7022)	Triac
A681-483	Red (RAL 3011)	Triac
A681-484	Sky Blue (PANTONE 7542C)	Triac
A681-036-35-27K	White (RAL 1013)	DALI-2
A681-036-38-27K	Grey (RAL 7022)	DALI-2
A681-036-40-27K	Red (RAL 3011)	DALI-2
A681-036-64-27K	Sky Blue (PANTONE 7542C)	DALI-2

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm

Luminaire: 220 - 240 VAC TRIAC 38,36W 2519lm

220 - 240 VAC DALI-2 38,6W 2519lm


Weight: Net 10,2 kg – Gross 19 kg

Package: 115 x 115 x 51 cm – 19 kg Vol – 0,7 m³

LED included



A681-482



Dimmable



Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

Tunable White DALI-2 available upon request. Upcharge of 125 €.

Tunable White Casambi available upon request. Upcharge of 299 €.

Accessory Djembé Sound

Code	Finish
A681-553	White

Materials


Structure: PET accessory for the sound damping of a space.

Product type: Accessory

Weight: Net 1,9 kg – Gross 2,4 kg

Package: 10 x 85 x 85 cm - 2,4 kg – VOL - 0,07 m³

Product notes: Only available for Djembé 100.38 and Djembé C100.38.




Accessory C2 Djembé 42

Code
A681-017

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,8 kg – Gross 1,35 kg
Package: 62 x 20 x 9 cm - 1,35 kg – VOL - 0,01 m³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.




Accessory C3 Djembé 42

Code
A681-018

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1,3 kg – Gross 1,7 kg
Package: 64 x 40 x 9 cm - 1,7 kg – VOL - 0,02 m³
Product notes: Accessory to combine 3 Djembé 42 models for a single junction box.



Accessory C2 Djembé 65

Code
A681-019

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,9 kg – Gross 1,55 kg
Package: 85 x 20 x 9 cm - 1,55 kg – VOL - 0,015 m³
Product notes: Accessory to combine 2 Djembé 65 models for a single junction box.




Accessory C3 Djembé 65

Code
A681-020

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1,5 kg – Gross 1,9kg
Package: 85 x 20 x 9 cm - 1,9 kg – VOL - 0,015 m³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.





Architecture, lines and distinctiveness. A bollard light that reveals its empty interior. Domus hides its light, refusing to reveal where it comes from, and projects a subtle angle of illumination. The beauty of this new bollard lies in how its form plays with

and defines the light it casts. It can be installed individually but takes on a sculptural feel in combinations of two or three units, with the beam of light spreading out in different directions and achieving greater breadth.



Domus B26 NEW


Code	Finish
A734-003-31-27K	Rust Brown
A734-003-35-27K	White (RAL 9003)
A734-003-39-27K	Black (RAL 9005)

Materials
Body: Aluminium
Base: Stainless Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Bollard
Light source: LED COB 6W 350mA 2700K CRI90 505lm
Luminaire: 220-240VAC TRIAC 8,1W 98lm

Weight: Net 1,3 kg – Gross 1,9 kg
Package: 10 x 20 x 35 cm – 1,9 kg Vol – 0,007 m³
LED included



Dimmable

CE

RoHS

EMC

IP65

IP65

IK07

Wire installation: Hardwired



A734-003-35-27K

Domus B37 NEW


Code	Finish
☛ A734-002-31-27K	● Rust Brown
☛ A734-002-35-27K	● White (RAL 9003)
☛ A734-002-39-27K	● Black (RAL 9005)

Materials
 Body: Aluminium
 Base: Stainless Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Bollard
 Light source: LED COB 6W 350mA 2700K CRI90 505lm
 Luminaire: 220-240VAC TRIAC 8,1W 107lm

Weight: Net 1,6 kg – Gross 2,3 kg
 Package: 10 x 20 x 45 cm – 2,3 kg Vol – 0,009 m³
 LED included



Dimmable



IP65

IK07

Wire installation: Hardwired



A734-002-31-27K

Domus B55 NEW


Code	Finish
☛ A734-001-31-27K	● Rust Brown
☛ A734-001-35-27K	● White (RAL 9003)
☛ A734-001-39-27K	● Black (RAL 9005)

Materials
 Body: Aluminium
 Base: Stainless Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Bollard
 Light source: LED COB 6W 350mA 2700K CRI90 505lm
 Luminaire: 220-240VAC TRIAC 8,1W 118lm

Weight: Net 2,15 kg – Gross 3 kg
 Package: 10 x 20 x 63 cm – 3 kg Vol – 0,013 m³
 LED included



Dimmable



IP65

IK07

Wire installation: Hardwired



A734-001-39-27K


Ground fixation plate x1

Code
A734-043

Finish
● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,15 kg – Gross 0,29 kg
Package: 19,5 x 29 x 1,7 cm – 0,29 kg – Vol 0,001 m³




Ground fixation plate x2

Code
A734-041

Finish
● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,30 kg – Gross 0,54 kg
Package: 31 x 31 x 1,7 cm – 0,54 kg – Vol 0,002 m³




Ground fixation plate x3

Code
A734-042

Finish
● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,45 kg – Gross 0,73 kg
Package: 30,5 x 34,5 x 1,7 cm – 0,73 kg – Vol 0,002 m³





Elipse P48

Code

- A707-001-47
- A707-001-38

Finish

- Brown (RAL 8019)
- Graphite Grey (RAL 7024)

Materials

Body: Aluminium
Base: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimmer Casambi IP65 (optional)

Product type: Floor

Light source: LED COB 230VAC 15W 2700K CRI90 1022lm


Luminaire: 230VAC TRIAC 15W 515lm

Weight: Net 2,9 kg – Gross 4,8 kg

Package: 27,5 x 26 x 21 cm – 2,3 kg Vol – 0,015 m³

Ø17,8 x 58 cm – 2,5 kg Vol – 0,017 m³

LED included



CE

ERC



IP65

Cable length: 2,5 m

Wire installation: Plug-in

Color cord: Black



A707-001-47

Elipse P79

Code

- * A707-002-47
- * A707-002-38

Finish

- Brown (RAL 8019)
- Graphite Grey (RAL 7024)

Materials

Body: Aluminium
Base: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimmer Casambi IP65 (optional)

Product type: Floor

Light source: LED COB 230VAC 15W 2700K CRI90 1022lm


Luminaire: 230 VAC TRIAC 15W 281lm

Weight: Net 4,2 kg – Gross 6,1 kg

Package: 27,5 x 26 x 21 cm – 2,3 kg Vol – 0,015 m³

Ø17,8 x 88 cm – 3,8 kg Vol – 0,03 m³

LED included



CE

ERL



IP65

Cable length: 2,5 m

Wire installation: Plug-in

Color cord: Black



A707-002-47

Elipse A

Code

- * A707-003-47
- * A707-003-38

Finish

- Brown (RAL 8019)
- Graphite Grey (RAL 7024)

Materials

Body: Aluminium

Dimmable: Yes

Integrated dimmer: No

Product type: Wall


Light source: LED COB 230VAC 10W(x2) 2700K CRI90 1426lm

Luminaire: 230 VAC TRIAC 20,56W 483lm

Weight: Net 2,4 kg – Gross 2,8 kg

Package: 21,5 x 23 x 52 cm – 2,8 kg Vol – 0,026 m³

LED included



CE

ERL



IP65

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A707-003-38


Dimmer Casambi IP65

Code
A712-001

Finish
● Black

Materials
Case: ABS
Trim: Aluminium

Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.



CE
ENEC
UK
CA
IP65





Charismatic, lightweight and compact, the new FollowMe in a glossy ivory-white finish incorporates technological details: three colour temperatures with different light tones; an on/off button that also acts as a progressive dimmer to adjust light

intensity; a longer-lasting battery; and, in addition to the USB-C cable, it offers an individual or multiple charging base as an accessory for recharging one or several units at the same time.



Discover more at marset.com



reddot award 2016
winner lighting design

FollowMe NEW

Code
A657-001-35-3CCT


Finish
White (RAL 9010)

Materials
Diffuser: Glossy opal polycarbonate
Body: Glossy polycarbonate
Handle: Plywood with natural oak varnish

Integrated dimmer: Yes
Dimmer type: Progressive from 10% to 100%

Product type: Table / Portable
Light source: LED SMD 1A 3W 2200K - 2600K - 3000K CRI90 240lm
Luminaire: in 5 Vdc 1,5A 135lm
Weight: Net 0,5 kg - Gross 1,1 kg
Package: 16 x 16 x 35 cm - 1,1 kg Vol - 0,009 m³ (1u)
51 x 35 x 36 cm - 6,8 kg Vol - 0,064 m³ (6u)

Product notes: Multiple order of 6 units.
Charging cable included. Power adapter not included.
Wireless charging accessories available.
LED included



Dimmer



Switch location: Body
Charging time: 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power



A657-001-35-3CCT



Single battery charging base

Code
A870-001

Finish
● Black (RAL 9005)

Product type: Accessory
Weight: Net 0,08 kg – Gross 0,12 kg
Package: 16 x 11,5 x 3,6 cm – 0,12 kg Vol – 0,001 m³

Product notes: Individual wireless charging accessory for FollowMe.
Charging cable included. Power adapter not included.




Multi battery charging base

Code
A870-002

Finish
● Black (RAL 9005)

Product type: Accessory
Weight: Net 3,42 kg – Gross 4,36 kg
Package: 54,5 x 42 x 7,5 cm – 4,36 kg Vol – 0,017 m³

Product notes: Wireless charging accessory for 6 FollowMe units.
Charging cable and power adapter included.



FollowMe Plus E27 NEW


Code
A657-086-35

Finish
● White (RAL 9010)

Materials
Diffuser: Bright opal polycarbonate
Body: Bright polycarbonate
Handle: Plywood with natural oak veneer

Product type: Table
Light source: E27 LED 10W (not included)
Weight: Net 1 kg – Gross 1,5 kg
Package: 22,5 x 22,5 x 48,5 cm – 1,5 kg Vol – 0,025 m³ (1u)
24 x 53 x 52 cm – 6 kg Vol – 0,07 m³ (2u)

Product notes: Multiple order of 2 units.



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Body



A657-086-35

LED bulbs

	Code	Description	CCT	Dimming
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No

Spare parts

Code	Product	Spare part
R657-101	FollowMe	Battery
R968-010	FollowMe	Black power adapter USB C (EU)
R968-011	FollowMe	Black power adapter USB C (USA)
R968-012	FollowMe	Black power adapter USB C (AU)
R968-013	FollowMe	Black power adapter USB C (UK)
R961-075	FollowMe	Black cable USB C to USB C







Fragile


Code
A724-100-50-22K
A724-100-46-22K

Finish
○ Transparent
● Amber

Materials
Diffuser: Blown glass
Base: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive from 0 to 100

Product type: Table
Light source: LED SMD 700mA 2,1W 2200K CRI80 226,5lm
Luminaire: 85 - 264 VAC
Weight: Net 2,1 kg - Gross 4,6 kg
Package: 65 x 39 x 31 cm - 4,6 kg - VOL - 0,08 m³
LED included



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A724-100-50-22K

Spare parts

Code	Product	Finish	Spare part
R724-001-46	Fragile	Amber	Glass - Cone
R724-001-50	Fragile	Transparent	Glass - Cone
R724-002-46	Fragile	Amber	Glass - Sphere
R724-002-50	Fragile	Transparent	Glass - Sphere
R724-003	Fragile	-	Glass - Tube



Drawing thin beams of light in a space with each one of them pointing in any direction. This is why we have created Fris, a multi-purpose lighting system, available in a wall/ceiling or pendant version, which allows you to combine several units in different sizes and positions, each one aiming its own beam of light. What makes it

unique is that the glass not only protects the light, but also provides a mechanical function, suspending the whole system and allowing the lamp to rotate and the light to be steered in a certain direction. There is also a more technical Pro version where the light is distributed in cells with independent lenses, achieving a UGR of under 19.







Fris



- Diffuse decorative light.
 - LED 2700K and 3000K CRI90
 - 24V product, can be connected to each other.
 - Max. 5 Fris 80 with a light point
 - Max. 3 Fris 155 with a light point
 - Max. 2 Fris 215 with a light point
 - Power supply not included, order separately.
- Dimmable Triac, Dali-2 or Casambi.





Fris Pro

- Direct light with better performance
- LED 3000K CRI90 (4000K available upon request).
- UGR <19
- Power supply included (constant current).
They cannot be connected to each other. Dimmable Dali-2 or Casambi.
- LED opening degrees: 55°
(30° and 65° available upon request)
- Tunable White 2700K 4000K version (available upon request).



Code	Finish	Dimming	Class
☛ A718-002-16-30K-W	● Black	DALI-2	I
☛ A718-002-18-30K-W	● Bronze	DALI-2	I
A718-003-16-30K-W	● Black	Casambi	I
A718-003-18-30K-W	● Bronze	Casambi	I


Materials
 Structure: Aluminium
 Diffuser: Glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI-2, Casambi

Product type: Pendant
 Light source: LED SMD 1050mA 38W 3000K CRI90 5495lm
 Luminaire: 220-240 VAC DALI 46W 3991lm
 UGR <19, LED opening degrees: 55°.

Weight: Net 4 kg – Gross 5,4 kg
 Package: 17 x 17 x 170cm – 4,7 kg Vol – 0,05 m³
 7 x 21 x 34 cm – 0,7 kg Vol – 0,005 m³

Canopy and power supply included.
 Hooks or supports to be ordered separately.
 Recessed version on request.
 LED included



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Product notes: Tunable White (27K - 40K) available upon request. Upcharge of 90 €.
 4000K available upon request. Upcharge of 30 €.
 LED opening degrees: 30° y 65° available upon request.
 Upcharge of 45 €.



A718-002-16-30K-W



A718-002-16-30K-W

Fris 80

Code	Finish	CCT
A718-007-16-27K	● Black	27K
A718-007-18-27K	● Bronze	27K
A718-007-16-30K	● Black	30K
A718-007-18-30K	● Bronze	30K

Materials
Structure: Aluminium
Diffuser: Glass


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 13,7W 2700K CRI90 1657lm
Luminaire: (Power supply not included)

Light source: LED SMD 24Vdc 13,7W 3000K CRI90 1612lm
Luminaire: (Power supply not included)

Weight: Net 1,3 kg – Gross 1,95 kg
Package: 17 x 17 x 90cm – 1,95 kg Vol – 0,03 m³

Product notes: 24V remote power supply and hooks to be ordered separately.
LED included



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black

Wire installation: Hardwired / Recessed



Fris 80 + Support 16 x2

A718-007-16-30K

Code	Finish	CCT
A718-006-16-27K	● Black	27K
☞ A718-006-18-27K	● Bronze	27K
☞ A718-006-16-30K	● Black	30K
A718-006-18-30K	● Bronze	30K

Materials

Structure: Aluminium
Diffuser: Glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Product type: Pendant

Light source: LED SMD 24Vdc 29,4W 2700K CRI90 3570lm

Luminaire: (Power supply not included)

Light source: LED SMD 24Vdc 29,4W 3000K CRI90 3472lm

Luminaire: (Power supply not included)

Weight: Net 2,6 kg – Gross 3,9 kg

Package: 17 x 17 x 170cm – 3,9 kg Vol – 0,05 m³

Product notes: 24V remote power supply and hooks to be ordered separately.
LED included



Dimmable



CE

EAC

UK
CA

Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Wire installation: Hardwired / Recessed



Fris 155 + Hook 47 x2

A718-006-18-27K



Fris 155 + Support 16 x2

A718-006-16-30K

MILÀ I FONTANALS, 14

BAJOS

- B.1 MATCHA JEANS
- B.2 ALDI SUPERMERCADOS

PLANTA 1

- 1.4 MIA I WOMEN'S HEALTH HUB
ESTABLISHMENT LABS
- 1.6 AEGP
MODACC
- 1.6 BEAUTY CLUSTER
- 1.6 HABITAT CLUSTER
CLUSTER GOURMET
- 1.6 EDUTECH CLUSTER
CLUSTER MAV
- 1.6 CEEC
FOODSERVICE CLUSTER
- 1.6 CLUSTER MOTO
CLUSTER DIGITAL
- 1.6 INDESCAT
CATALAN SPORTS CLUSTER

PLANTA 2

- 2.2 WOMEN'S HEALTH HUB
ESTABLISHMENT LABS
- 2.3 SANDRA BRUNA
AGENCIA LITERARIA
- 2.4 ALMA
ANDERS PRODUCCIONES
- 2.5 ESTUDIO DE PINTURA
- 2.8 DNA CREATIVE SOLUTIONS
- 2.9 BEAUTY HUB

 FABRICK

Fris 215

Code	Finish	CCT
A718-009-16-27K	● Black	27K
A718-009-18-27K	● Bronze	27K
A718-009-16-30K	● Black	30K
A718-009-18-30K	● Bronze	30K

Materials

Structure: Aluminium
Diffuser: Glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Product type: Pendant

Light source: LED SMD 24Vdc 42W 2700K CRI90 5100lm

Luminaire: (Power supply not included)

Light source: LED SMD 24Vdc 42W 3000K CRI90 4960lm

Luminaire: (Power supply not included)

Weight: Net 3,6 kg – Gross 5,4 kg

Package: 17 x 17 x 230cm – 5,4 kg Vol – 0,07 m³

Product notes: 24V remote power supply and hooks to be ordered separately.
LED included



Dimmable



CE

ENEC

UK
CA

Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Wire installation: Hardwired / Recessed



A718-009-16-30K



A718-009-16-30K

Canopy Fris

Code	Finish	Dimming	Class
------	--------	---------	-------

☞ A666-214-16


● Black - 20W 24V

Triac

II

Weight: Net 0,3 kg – Gross 0,6 kg


Package: 34 x 21 x 7 cm - 0,6 kg - Vol 0,005 m³



☞ A666-216-16	● Black - 50W 24V	Triac	II
A666-222-16	● Black - 35W 24V	Casambi	I
A666-223-16	● Black - 60W 24V	Casambi	I
A666-217-16	● Black - 35W 24V	DALI-2	II
A666-218-16	● Black - 60W 24V	DALI-2	II

Weight: Net 0,7 kg – Gross 1 kg

Package: 34 x 21 x 7 cm - 1 kg - Vol 0,005 m³



A666-244-16	● Black - 100W 24V	Triac	II
A666-245-16	● Black - 100W 24V	DALI-2	II
A666-246-16	● Black - 100W 24V	Casambi	I

Weight: Net 0,9 kg – Gross 1,1 kg

Package: 40,5 x 25 x 10,5 cm - 1,1 kg Vol – 0,01 m³



Product type: Ceiling
Luminaire: 220 - 240 VAC

Materials
Structure: Metal

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Dimmable



These canopies are not compatible with Fris Pro.

Power supply Dimmable

Code	Description	Dimming	Class
------	-------------	---------	-------

968-223-23

20W - 24V

Triac

II

968-262

50W - 24V

Triac

II

968-308

100W-24V

Triac

II

968-369

35W - 24V

DALI-2

II

968-370

60W - 24V

DALI-2

II

968-207

100W-24V

DALI-2

II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

This power supplies are not compatible with Fris Pro.

Product type: Power supply

Disk Accessory - Steel cable

Code	Finish
------	--------

A718-034-39

● Black

Materials
Structure: Metal

Weight: Net 0,18 kg – Gross 0,5 kg

Package: 9 x 16 x 14cm – 0,5 kg Vol – 0,002 m³

Product type: Accessory

Product notes: Accessory used to hide the driver behind the canopy.



Disk Accessory

Code
A718-039-39

Finish
● Black

Materials
Structure: Metal

Weight: Net 0,18 kg – Gross 0,26 kg
Package: 9 x 16 x 16cm – 0,26 kg Vol – 0,002 m³

Product type: Accessory
Product notes: Accessory used to hide the driver behind the canopy.



Support Fris A 16 x2


Code
A718-040-39

Finish
● Black

Materials
Structure: Metal

Weight: Net 0,4 kg – Gross 0,5 kg
Package: 8 x 20 x 12cm – 0,5 kg Vol – 0,001 m³

Product type: Accessory
Product notes: Accessory used to hold the luminaire.



Support Fris A 37 x2



Code
A718-041-39

Finish
● Black

Materials
Structure: Metal

Weight: Net 0,9 kg – Gross 1,4 kg
Package: 8 x 8 x 100 cm – 1,4 kg Vol – 0,006 m³

Product type: Accessory
Product notes: Accessory used to hold the luminaire.



Side cover


Code
A718-033-39

Finish
● Black

Materials
Structure: Metal

Weight: Net 0,08 kg – Gross 0,18 kg
Package: 8 x 12 x 20cm – 0,18 kg Vol – 0,002 m³

Product type: Accessory
Product notes: Accessory used to make compositions.




Hooks x2 Fris

Code
Hook 47 x2
A718-025-39 ● Black

2 units included


Weight: Net 0,21 kg – Gross 1 kg
Package: 8 x 8 x 68 cm – 1 kg Vol – 0,004 m³



Double hook 96 x2
A718-026-39 ● Black

2 units included


Weight: Net 0,4 kg – Gross 0,9 kg
Package: 8 x 8 x 100 cm – 0,9 kg Vol – 0,006 m³



Double hook 71 x2
A718-027-39 ● Black

2 units included


Weight: Net 0,4 kg – Gross 0,8 kg
Package: 8 x 8 x 100 cm – 0,8 kg Vol – 0,006 m³



Double hook 146 x2
A718-038-39 ● Black

2 units included

Weight: Net 0,75 kg – Gross 1,5 kg
Package: 8 x 8 x 158 cm – 1,5 kg Vol – 0,01 m³



Materials
Structure: Aluminium

Product notes: Hooks to make compositions.






Individual hook Fris

Code
Hook 47 x1
A718-028-39

Finish
● Black

1 unit included

Weight: Net 0,1 kg – Gross 0,4 kg
Package: 8 x 8 x 67,5 cm – 0,4 kg Vol – 0,004 m³



Double hook 96 x1
A718-029-39

Finish
● Black

1 unit included

Weight: Net 0,2 kg – Gross 0,5 kg
Package: 8 x 8 x 100 cm – 0,5 kg Vol – 0,006 m³




Double hook 71 x1
A718-030-39

Finish
● Black

1 unit included

Weight: Net 0,1 kg – Gross 0,6 kg
Package: 8 x 8 x 100 cm – 0,6 kg Vol – 0,006 m³




Double hook 146 x1
A718-035-39

Finish
● Black

1 unit included

Weight: Net 0,4 kg – Gross 1,1 kg
Package: 8 x 8 x 157,5 cm – 1,1 kg Vol – 0,01 m³



Materials
Structure: Aluminium

Product notes: Hooks to make compositions.

Unions Fris

Code	Finish
Union 30 A718-032-39	● Black
1 unit included	



Union 50 A718-031-39	● Black
1 unit included	



Union 100 A718-036-39	● Black
1 unit included	



Materials
Structure: Aluminium

Product notes: Unions to make compositions.

Ceiling support x2 Fris

Code	Finish
Support 13x2 A718-037-39	● Black
2 units included	



Weight: Net 0,1 kg – Gross 0,2 kg
Package: 8 x 20 x 12 cm – 0,2 kg Vol – 0,002 m³



This system makes it possible to compose light structures and to join a set of lamps by means of different assembly and hanging accessories. In the pendant version, each Fris unit is supported by a strap, so that several can be placed horizontally, in line, one on top of the other, or perpendicularly, creating intersections of light. They can also function separately as an individual lamp. The other version can be fixed to the ceiling or wall.


Fris offers a very versatile and functional design for precise lighting of any type of project. An ingenious system that boldly tackles a previously unresolved issue: to have a set of lamps where each one directs the light individually.

(0.1)



3 units Fris 155 / Power supply to be defined
2 units Hook 47 x2 / 1 unit Hook 47 x1 / 1 unit Side cover / 1 unit Union 50

(0.2)



4 units Fris 155 / Power supply to be defined
4 units Support A 37 x2 / 2 units Side cover

(0.3)




3 units Fris 215 / Power supply to be defined
2 units Hook 47 x2 / 2 units Union 30

(0.4)




2 units Fris 215 / Power supply to be defined
1 unit Hook 146 x2

(0.5)




4 units Fris 155 / Power supply to be defined
4 units Hook 47 x2

(0.6)



4 units Fris 155 / Power supply to be defined
4 units Hook 47 x2

(0.7)



2 units Fris 215 / Power supply to be defined
2 units Support A 37 x2

(0.8)




3 units Fris 155 / Power supply to be defined
1 unit Hook 47 x2 / 1 unit Hook 71 x2 / 2 units Side cover

(0.9)




3 units Fris 155 / Power supply to be defined
1 unit Hook 47 x2 / 2 units Support A 16 x2

(0.10)



5 units Fris 155 / Power supply to be defined
5 units Hook 47 x2 / 3 units Side cover

(0.11)



1 unit Fris 215 / 2 units Fris 155 / Power supply to be defined
3 units Hook 47 x2 / 1 unit Side cover

Funiculì, Lluís Porqueras

Funiculì is a reedition of a lamp designed in 1979. Lluís Porqueras has always sought an absolute simplicity in his designs, doing away with everything superfluous to leave the essence of the useful, simple object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360° shade rotation to fit the needs of any room or user.



Discover more at [marset.com](https://www.marset.com)

Funiculì

Code	Finish
☞ A641-001	● Moss grey (RAL 7003)
☞ A641-002	● Off-white (RAL 1013)
☞ A641-003	● Black (RAL 9005)
☞ A641-443	● Green (RAL 190 40 30)
☞ A641-444	● Terracotta (RAL 050 40 50)
☞ A641-445	● Mustard (RAL 075 60 70)

Materials

Base: Iron wapped with black rubber

Stem: Iron

Shade: Aluminium

Product type: Floor

Light source: E27 LED Standard 8W (not included)

Weight: Net 3,3 kg – Gross 4,9 kg

Package: 38 x 54 x 12 cm – 3,5 kg Vol – 0,024 m³

5 x 5 x 143 cm – 1,4 kg Vol – 0,004 m³



CE

EMC



Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line



A641-003

Funiculi Fabric

Code	Finish
☺ A641-401	● Black - White
☺ A641-402	● Black - Sand

Materials


Base: Iron wapped with black rubber
Stem: Iron
Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Floor

Light source: E27 LED Standard 8W (not included)

Weight: Net 5,2 kg – Gross 7,7 kg

Package: 52 x 42 x 13 cm – 6,4 kg Vol – 0,03 m³
35 x 35 x 23 cm – 0,7 kg Vol – 0,03 m³
120 x 4 x 4 cm – 0,6 kg Vol – 0,002 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A641-402

Funiculi A

Code	Finish
☺ A641-025	● Moss grey (RAL 7003)
☺ A641-026	● Off-white (RAL 1013)
☺ A641-027	● Black (RAL 9005)
☺ A641-446	● Green (RAL 110 40 30)
☺ A641-447	● Terracotta (RAL 050 40 50)
☺ A641-448	● Mustard (RAL 075 60 70)

Materials


Stem: Iron
Shade: Aluminium

Product type: Wall

Light source: E14 LED 5W (not included)

Weight: Net 0,8 kg – Gross 1,2 kg

Package: 46 x 34 x 11 cm – 1,2 kg Vol – 0,017 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Canopy color: Same color as chosen shade
Switch location: In-line



A641-446

Funiculí A Fabric

Code	Finish
☞ A641-403	● Black - White
☞ A641-404	● Black - Sand

Materials


Stem: Iron
Shade: White or sand polyester
shade, made of a PVC-PET
laminated film

Product type: Wall

Light source: E14 LED 5W (not included)

Weight: Net 0,7 kg – Gross 1,7 kg

Package: 67 x 27 x 10 cm – 1,4 kg Vol – 0,02 m³
26 x 26 x 18 cm – 0,3 kg Vol – 0,012 m³



Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line



A641-403

Funiculí S

Code	Finish
☞ A641-020	● Moss grey (RAL 7003)
☞ A641-021	● Off-white (RAL 1013)
☞ A641-022	● Black (RAL 9005)
☞ A641-449	● Green (RAL 110 40 30)
☞ A641-450	● Terracotta (RAL 050 40 50)
☞ A641-451	● Mustard (RAL 075 60 70)

Materials


Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminium

Product type: Table

Light source: E14 LED 5W (not included)

Weight: Net 1,8 kg – Gross 2,3 kg

Package: 47 x 34 x 11 cm – 2,3 kg Vol – 0,017 m³



Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line



A641-451

Funiculì S Fabric

Code	Finish
☞ A641-405	● Black - White
☞ A641-406	● Black - Sand

Materials

Base: Iron wapped with black rubber

Stem: Iron


Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Table

Light source: E14 LED 5W (not included)

Weight: Net 1,7 kg – Gross 3 kg

Package: 65 x 31 x 10 cm – 2,7 kg Vol – 0,02 m³
26 x 26 x 18 cm – 0,3 kg Vol – 0,012 m³



Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line



A641-405

LED bulbs


	Code	Description	CCT	Dimming
💡	BOM-275	E14 LED 4,3W 470lm CRI80	2700K	No
💡	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No





Geometry, balance and colour. A table lamp that challenges traditional rigidity and looks like a sculpture. Its design, made of steel, is a combination of geometries in

balance that interact harmoniously with each other. Its varied palette of colours allows you to create versions that range from subdued to incredibly expressive.



Gambosa S NEW

Code	Finish
☞ A735-001-3946	● Black - Orange (RAL 9005 - RAL 040 50 60)
☞ A735-001-3947	● Black - Brown grey (RAL 9005 - RAL 7013)
☞ A735-001-4446	● Pink - Orange (RAL 040 80 20 - RAL 040 50 60)
☞ A735-001-4447	● Pink - Brown grey (RAL 040 80 20 - RAL 7013)
☞ A735-003-5146	● Opal - Orange (RAL 040 50 60)
☞ A735-003-5147	● Opal - Brown grey (RAL 7013)

Materials

Base: Painted steel – Beige (RAL 070 80 10)

Stem: Painted steel

Shade: Painted steel or opal polycarbonate


Product type: Table

Light source: 2x E14 LED 4W (not included)

Weight: Net 2,7 kg – Gross 4,5 kg

Package: 31,5 x 31,5 x 16,5 cm – 1,8 kg Vol – 0,016 m³

22,5 x 22,5 x 38 cm – 2,7 kg Vol – 0,020 m³



CE

EMC



Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line, 60cm from lamp



A735-001-4446

Gambosa M (NEW)

Code	Finish
☛ A735-002-3946	● Black - Orange (RAL 9005 - RAL 040 50 60)
☛ A735-002-3947	● Black - Brown grey (RAL 9005 - RAL 7013)
☛ A735-002-4446	● Pink - Orange (RAL 040 80 20 - RAL 040 50 60)
☛ A735-002-4447	● Pink - Brown grey (RAL 040 80 20 - RAL 7013)
☛ A735-004-5146	● Opal - Orange (RAL 040 50 60)
☛ A735-004-5147	● Opal - Brown grey (RAL 7013)

Materials

Base: Painted steel – Beige (RAL 070 80 10)

Stem: Painted steel


Shade: Painted steel or opal polycarbonate

Product type: Table

Light source: 4x E14 LED 4W (not included)

Weight: Net 4,4 kg – Gross 7,5 kg

Package: 42,5 x 42,5 x 19,5 cm – 3,3 kg Vol – 0,035 m³
29,5 x 29,5 x 50,5 cm – 4,2 kg Vol – 0,044 m³



A735-004-5147

Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line, 60cm from lamp

LED bulbs

	Code	Description	CCT	Dimming
☛	BOM-275	E14 LED 4,3W 470lm CRI80	2700K	No


Spare parts

Code	Product	Finish	Spare part
R735-001-39	Gambosa S	Black	Small Shade
R735-001-44	Gambosa S	Pink	Small Shade
R735-002-51	Gambosa S	Opal	Small Shade
R735-003-39	Gambosa M	Black	Big Shade
R735-003-44	Gambosa M	Pink	Big Shade
R735-004-51	Gambosa M	Opal	Big Shade



The Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.



Discover more at marset.com




Ginger 20

Code	Finish
A662-180	● Oak - White
A662-181	● Wenge - White
A662-182	● Oak - Oak
A662-183	● Wenge - Wenge
A662-340	● Brushed brass - Brushed brass
A662-341	● Brushed brass - White
A662-342	● Black - White

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 161lm
 Weight: Net 0,6 kg – Gross 0,8 kg
 Package: 23 x 21 x 10 cm – 0,8 kg Vol – 0,01 m³



Dimmable



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



Product notes: 3000K available upon request. Upcharge of 60 €.
 Casambi available upon request. Upcharge of 210 €.

A662-180

Ginger 20x3

Code	Finish
A662-184	● Oak - White
A662-185	▲ Wenge - White
A662-186	● Oak - Oak
A662-187	● Wenge - Wenge
A662-348	● Brushed brass - Brushed brass
A662-349	● Brushed brass - White
A662-350	● Black - White

Materials

Diffuser: Pressed wood or brushed aluminium

Dissipater: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Pendant


Light source: LED SMD 350mA 4,1W(x3) 2700K CRI90 463lm(x3)

Luminaire: 220 - 240 VAC TRIAC 15,13W 161lm(x3)

Weight: Net 1,5 kg – Gross 2 kg

Package: 42 x 42 x 7 cm – 2 kg Vol – 0,01 m³

LED included



Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black - Entry point: 3



A662-184

Ginger accessory 20x3

Code	Finish
A662-188	● Black


Materials

Disc: Iron

Product type: Accessory

Weight: Net 0,75 kg – Gross 0,8 kg

Package: 41 x 41 x 1 cm - 0,8 kg – VOL - 0,001 m³



Code	Finish	Dimming	Class
☞ A662-019	● Oak - White	Triac	II
☞ A662-020	● Wenge - White	Triac	II
A662-021	● Oak - White	DALI-2	II
A662-022	● Wenge - White	DALI-2	II
A662-023	● Oak - White	1-10V	I
A662-024	● Wenge - White	1-10V	I
A662-352	● Brushed brass - Brushed brass	Triac	II
A662-353	● Brushed brass - White	Triac	II
A662-354	● Black - White	Triac	II
A662-356	● Brushed brass - Brushed brass	DALI-2	II
A662-357	● Brushed brass - White	DALI-2	II
A662-358	● Black - White	DALI-2	II

Materials

Diffuser: Pressed wood or brushed aluminium

Dissipater: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2, 1-10V

Product type: Pendant

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm

Luminaire: 220 - 240 VAC TRIAC 10,87W 350lm

220 - 240 VAC DALI-2 11,59W 350lm

220 - 240 VAC 1-10V 10,36W 350lm


Weight: Net 1,4 kg – Gross 2,5 kg

Package: 48 x 48 x 17 cm – 2,5 kg Vol – 0,04 m³

LED included



A662-020



Dimmable

CE

EAC

UK
CA

* 6,5cm (DALI)

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

Code	Finish	Dimming	Class
⌚ A662-025	🌰 Oak - White	Triac	II
⌚ A662-026	🌰 Wenge - White	Triac	II
A662-027	🌰 Oak - White	DALI-2	II
A662-028	🌰 Wenge - White	DALI-2	II
A662-029	🌰 Oak - White	1-10V	I
A662-030	🌰 Wenge - White	1-10V	I
A662-360	🌟 Brushed brass - Brushed brass	Triac	II
A662-361	🌟 Brushed brass - White	Triac	II
⌚ A662-362	⬛ Black - White	Triac	II
A662-364	🌟 Brushed brass - Brushed brass	DALI-2	II
A662-365	🌟 Brushed brass - White	DALI-2	II
A662-366	⬛ Black - White	DALI-2	II

Materials

Diffuser: Pressed wood or brushed aluminium

Dissipater: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2, 1-10V

Product type: Pendant

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm

Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm


220 - 240 VAC DALI-2 20,32W 698lm

220 - 240 VAC 1-10V 20,85W 698lm

Weight: Net 2 kg – Gross 3,5 kg

Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³

LED included



Dimmable

CE

EAC

UK
CA

* 6.5cm (DALI-2)

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.



A662-360

Code	Finish	Dimming	Class
☛ A662-742-2035-27K	🌰 Oak - White	Triac	II
☛ A662-742-2135-27K	🌰 Wenge - White	Triac	II
A662-747-2035-27K	🌰 Oak - White	DALI-2	II
A662-747-2135-27K	🌰 Wenge - White	DALI-2	II
A662-744-2035-27K	🌰 Oak - White	1-10V	I
A662-744-2135-27K	🌰 Wenge - White	1-10V	I
A662-743-1515-27K	🌟 Brushed brass - Brushed brass	Triac	II
A662-743-1535-27K	🌟 Brushed brass - White	Triac	II
A662-743-3935-27K	🖤 Black - White	Triac	II
A662-748-1515-27K	🌟 Brushed brass - Brushed brass	DALI-2	II
A662-748-1535-27K	🌟 Brushed brass - White	DALI-2	II
A662-748-3935-27K	🖤 Black - White	DALI-2	II

Materials

Diffuser: Pressed wood or brushed aluminium

Dissipater: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

DALI-2, 1-10V

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm

220 - 240 VAC DALI-2 26,37W 1165lm

220 - 240 VAC 1-10V 27,15W 1165lm


Weight: Net 3,5 kg – Gross 6,2 kg

Package: 72 x 72 x 28 cm – 6,2 kg Vol – 0,1 m³

LED included



A662-747-2035-27K



Dimmable

CE

EAC

UK

* 6,5 cm (DALI-2)

Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.

Casambi available upon request. Upcharge of 210 €.

Cluster Ginger



The cluster is a system that allows several pendant lamps to be connected to a single power point. It provides complete freedom to create with light,

illuminate large spaces, or design compositions with multiple pendant lamps. See the available Clusters on pages 63 and 64.

Ginger 20 - 24V

Code	Finish
A662-392	● Oak - White
A662-393	● Wenge - White
A662-394	● Oak - Oak
A662-395	● Wenge - Wenge
A662-344	● Brushed brass - Brushed brass
A662-345	● Brushed brass - White
A662-346	● Black - White

Materials

Diffuser: Pressed wood or brushed aluminium

Dissipater: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Phase cut (Triac), DALI-2, Casambi

Product type: Pendant

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm


Luminaire: (Power supply not included) 161lm

Weight: Net 0,3 kg – Gross 0,5 kg

Package: 23 x 21 x 10 cm – 0,5 kg Vol – 0,01 m³

Product notes: Use with Cluster. 1 pc. hook accessory included

LED included



Dimmable

CE

ERC

UK

CA



Cable length: 4 m

Wire installation: Hardwired

Color cord: Black



A662-392




Ginger 20 M

Code	Finish
☺ A662-560	🌳 Oak - White
☺ A662-561	🌳 Wenge - White
A662-562	🌳 Brushed brass - Brushed brass
A662-563	🌳 Brushed brass - White

Materials
 Diffuser and base: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Stem: Aluminium

Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3,5W 2700K CRI90 395lm
 Luminaire: in 5 Vdc 1,5A 290lm
 Weight: Net 0,5 kg – Gross 0,8 kg
 Package: 40 x 21 x 17 cm – 0,8 kg Vol – 0,01 m³ (1u)
 39 x 22 x 41 cm – 1,8 kg Vol – 0,04 m³ (2u)
 Product notes: Multiple order of 2 units
 Charging cable included. Power adapter not included.



Dimmer




CE

ERC

UK
CA

Switch location: Base
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power



A662-561

Ginger S

Code	Finish
A662-031	🌳 Oak - White
A662-032	🌳 Wenge - White

Materials
 Diffuser and base: Pressed wood
 Dissipater: Aluminium
 Stem: Aluminium

Integrated dimmer: Yes
 Dimmer type: Progressive from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 85 - 264 VAC 10,56W 350lm
 Weight: Net 2,6 kg – Gross 4,5 kg
 Package: 58 x 53 x 17 cm – 4,5 kg Vol – 0,05 m³
 LED included



Dimmer

CE

ERC



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line



A662-031


Ginger M

Code	Finish
* A662-068	● Oak - White
* A662-069	● Wenge - White

Materials
 Diffuser and base: Pressed wood
 Dissipater: Aluminium
 Stem: Aluminium

Integrated dimmer: Yes
 Dimmer type: Progressive from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 16,85W 698lm
 Weight: Net 3,4 kg – Gross 5,6 kg
 Package: 61 x 61 x 22 cm – 5,6 kg Vol – 0,08 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line



A662-069

Ginger P

Code	Finish
A662-033	● Oak - White
A662-034	● Wenge - White

Materials
 Diffuser and base: Pressed wood
 Dissipater: Aluminium
 Stem: Aluminium

Integrated dimmer: Yes
 Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 17W 698lm
 Weight: Net 4,9 kg – Gross 8,5 kg
 Package: 57 x 53 x 17 cm – 6,5 kg Vol – 0,051 m³
 19 x 18 x 133 cm – 2 kg Vol – 0,045 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line



A662-033

Ginger XL 42


Code	Finish
A662-070	● Oak - White
A662-071	● Wenge - White

Materials
 Diffuser: Pressed wood
 Dissipater: Aluminium
 Stem: Metal
 Arm: Carbon fiber

Integrated dimmer: Yes
 Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 17W 698lm
 Weight: Net 23,8 kg – Gross 27,8 kg
 Package: 57 x 53 x 17 cm – 2,8 kg Vol – 0,051 m³
 191 x 20 x 11 cm – 10 kg Vol – 0,04 m³
 63 x 63 x 4 cm – 15 kg Vol – 0,02 m³

LED included



Dimmer



Cable length: 2,5 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line

Product notes: 3000K available upon request. Upcharge of 150 €.



A662-071


Ginger XXL 60

Code	Finish
A662-072	● Oak - White
A662-073	● Wenge - White

Materials
 Diffuser: Pressed wood
 Dissipater: Aluminium
 Stem: Metal
 Arm: Carbon fiber

Integrated dimmer: Yes
 Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 220 - 240 VAC 25,45W 1165lm
 Weight: Net 31,5 kg – Gross 38,5 kg
 Package: 72 x 72 x 28 cm – 5,5 kg Vol – 0,1 m³
 215 x 22 x 11 cm – 12 kg Vol – 0,05 m³
 72 x 72 x 4 cm – 21 kg Vol – 0,02 m³



Dimmer



Cable length: 2,5 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line



A662-072

Ginger 20 A


Code	Finish	Dimmer
Plug-in		
A662-142	● Oak - White	Yes
A662-143	● Wenge - White	Yes
Hardwired		
A662-144	● Oak - White	-
A662-145	● Wenge - White	-

Materials
 Diffuser: Pressed wood
 Dissipater: Aluminium
 Structure: Metal

Integrated dimmer: Yes (Plug-in version)
 Dimmer type: Progressive in-line dimmer
 from 0 to 100.

Product type: Wall
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 85 - 264 VAC 5,7W 161lm
 Weight: Net 0,6 kg – Gross 1,5 kg
 Package: 46 x 28 x 24 cm – 1,5 kg Vol – 0,03 m³
 Product notes: Plug in: Progressive dimmer from 0 to 100.
 Hardwired: Canopy with switch on/off.

LED included



Color cord: Black

Wire installation: Plug-in / Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.



A662-142

Ginger A

Code	Finish	Dimmer
Plug-in		
A662-074	● Oak - White	Progressive
A662-075	● Wenge - White	Progressive


Hardwired (Canopy)		
A662-081	● Oak - White	Triac / on-off
A662-082	● Wenge - White	Triac / on-off

RSC (Recessed canopy)		
A662-130	● Oak - White	Triac
A662-131	● Wenge - White	Triac

Materials
 Diffuser: Pressed wood
 Dissipater: Aluminium
 Structure: Metal

Integrated dimmer: Yes (Plug-in version)
 Dimmer type: Progressive dimmer from 0 to 100
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 350lm
 Weight: Net 1,5 kg – Gross 3 kg
 Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 LED included



Color cord: Black

Wire installation: Plug-in / Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.



A662-075

Ginger A XL 42

Code	Finish	Dimmer
Plug-in		
A662-076	● Oak - White	Progressive
A662-077	● Wenge - White	Progressive

Hardwired		
A662-079	● Oak - White	Triac
A662-080	● Wenge - White	Triac


RSC (Recessed canopy)		
A662-132	● Oak - White	Triac
A662-133	● Wenge - White	Triac

Materials
 Diffuser: Pressed wood
 Dissipater: Aluminium
 Structure: Metal
 Arm: Carbon fiber

Integrated dimmer: Yes (Plug-in version)
 Dimmer type: Foot-operated progressive in-line dimmer
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 11W 698lm
 Weight: Net 3,4 kg – Gross 5,7 kg
 Package: 60 x 60 x 22 cm – 5 kg Vol – 0,079 m³
 138 x 5 x 5 cm – 0,7 kg Vol – 0,003 m³

LED included



Dimmer / Dimmable



Color cord: Black
 Wire installation: Plug-in / Hardwired



A662-077

Ginger 20C


Code	Finish
A662-376	● Oak - White
A662-377	● Wenge - White
☞ A662-378	● Oak - Oak
☞ A662-379	● Wenge - Wenge
A662-380	● Brushed brass - Brushed brass
A662-381	● Black - White
A662-569-36-27K	● Mauve (RAL 010 70 10)
A662-569-37-27K	● Sand (RAL 050 85 10)
A662-569-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 161lm
 Weight: Net 0,4 kg – Gross 0,7 kg
 Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m³

LED included



Dimmable



Canopy color: Black
 Wire installation: Hardwired

Product notes: DALI-2 available upon request. Upcharge of 90 €.



A662-378


Ginger 32C

Code	Finish
A662-146	● Oak - White
A662-147	● Wenge - White
☞ A662-148	● Oak - Oak
☞ A662-149	● Wenge - Wenge
☞ A662-382	● Brushed brass - Brushed brass
☞ A662-383	● Black - White
A662-570-36-27K	● Mauve (RAL 010 70 10)
A662-570-37-27K	● Sand (RAL 050 85 10)
A662-570-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9W 350lm
 Weight: Net 1 kg – Gross 2 kg
 Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m³
 LED included



Canopy color: Black
 Wire installation: Hardwired



Product notes: Casambi available upon request. Upcharge of 210 €.
 DALI-2 available upon request. Upcharge of 125 €.
 3000K available upon request. Upcharge of 60 €.

A662-149


Ginger 42C

Code	Finish
A662-150	● Oak - White
A662-151	● Wenge - White
☞ A662-152	● Oak - Oak
☞ A662-153	● Wenge - Wenge
☞ A662-384	● Brushed brass - Brushed brass
☞ A662-385	● Black - White
A662-571-36-27K	● Mauve (RAL 010 70 10)
A662-571-37-27K	● Sand (RAL 050 85 10)
A662-571-38-27K	● Stone Grey (RAL 000 65 00)


Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm
 Weight: Net 1,9 kg – Gross 3,5 kg
 Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 LED included



Canopy color: Black
 Wire installation: Hardwired



Product notes: Casambi available upon request. Upcharge of 210 €.
 DALI-2 available upon request. Upcharge of 90 €.
 3000K available upon request. Upcharge of 60 €.

A662-571-38-27K

Ginger 60C

Code	Finish
A662-154	● Oak - White
A662-155	▲ Wenge - White
A662-156	● Oak - Oak
A662-157	● Wenge - Wenge
A662-386	● Brushed brass - Brushed brass
A662-387	▲ Black - White
A662-572-36-27K	● Mauve (RAL 010 70 10)
A662-572-37-27K	● Sand (RAL 050 85 10)
A662-572-38-27K	● Stone Grey (RAL 000 65 00)

Materials

Diffuser: Pressed wood or brushed aluminium

Dissipater: Aluminium

Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling


Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm

Weight: Net 3,3 kg – Gross 6,3 kg

Package: 72 x 72 x 28 cm – 6,3 kg Vol – 0,1 m³

LED included



Dimmable



CE

EMC

UK CA

Canopy color: Black

Wire installation: Hardwired


Product notes: Casambi available upon request. Upcharge of 210 €.

DALI available upon request. Upcharge of 90 €.

3000K available upon request. Upcharge of 60 €.



A662-386



Code
Structure
A662-421 ● Black

Shades 20

A662-426 ● Oak - White
A662-427 ● Wenge - White
A662-428 ● Oak - Oak
A662-429 ● Wenge - Wenge
A662-430 ● Brushed brass - Brushed brass
A662-431 ● Black - White
A662-573-36-27K ● Mauve (RAL 010 70 10)
A662-573-37-27K ● Sand (RAL 050 85 10)
A662-573-38-27K ● Stone Grey (RAL 000 65 00)

Shades 32

A662-432 ● Oak - White
A662-433 ● Wenge - White
A662-434 ● Oak - Oak
A662-435 ● Wenge - Wenge
A662-436 ● Brushed brass - Brushed brass
A662-437 ● Black - White
A662-574-36-27K ● Mauve (RAL 010 70 10)
A662-574-37-27K ● Sand (RAL 050 85 10)
A662-574-38-27K ● Stone Grey (RAL 000 65 00)

Materials
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling

Light source: LED SMD 700mA 12,25W 2700K CRI90 1376lm

Luminaire: 180 - 295 VAC TRIAC 15,3W 511lm

Weight: Net 1,4 kg - Gross 3,1 kg

Package: 46 x 17 x 12,5 cm - 0,8 kg Vol - 0,01 m³


10 x 23 x 21 cm - 0,48 kg Vol - 0,005 m³

17 x 53 x 57 cm - 1,8 kg Vol - 0,05 m³

Product notes: Accessory to combine Ginger models 20 C and 32 C for a single junction box.
LED included



A662-421 / A662-429 / A662-432



Canopy color: Black
Wire installation: Hardwired

Code
Structure
A662-422 ● Black

Shades 32
A662-432 ● Oak - White
A662-433 ● Wenge - White
A662-434 ● Oak - Oak
A662-435 ● Wenge - Wenge
A662-436 ● Brushed brass - Brushed brass
A662-437 ● Black - White
A662-574-36-27K ● Mauve (RAL 010 70 10)
A662-574-37-27K ● Sand (RAL 050 85 10)
A662-574-38-27K ● Stone Grey (RAL 000 65 00)


Shades 42
A662-438 ● Oak - White
A662-439 ● Wenge - White
A662-440 ● Oak - Oak
A662-441 ● Wenge - Wenge
A662-442 ● Brushed brass - Brushed brass
A662-443 ● Black - White
A662-575-36-27K ● Mauve (RAL 010 70 10)
A662-575-37-27K ● Sand (RAL 050 85 10)
A662-575-38-27K ● Stone Grey (RAL 000 65 00)

Materials
Canopy: Metal
Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 24,5W 2700K CRI90 2786lm
Luminaire: 180 - 295 VAC TRIAC 29W 1048lm
Weight: Net 3 kg - Gross 6 kg
Package: 68 x 17 x 12 cm - 1,4 kg Vol - 0,01 m³
17 x 53 x 57 cm - 1,8 kg Vol - 0,05 m³
17 x 53 x 57 cm - 2,8 kg Vol - 0,05 m³
Product notes: Accessory to combine Ginger models 32 C and 42 C for a single junction box.



A662-422 / A662-436 / A662-442



Canopy color: Black
Wire installation: Hardwired

Accessory C2 42/60

Code
Structure
A662-423

Finish
● Black

Shades 42

A662-438 ● Oak - White
A662-439 ● Wenge - White
A662-440 ● Oak - Oak
A662-441 ● Wenge - Wenge
A662-442 ● Brushed brass - Brushed brass
A662-443 ● Black - White
A662-575-36-27K ● Mauve (RAL 010 70 10)
A662-575-37-27K ● Sand (RAL 050 85 10)
A662-575-38-27K ● Stone Grey (RAL 000 65 00)

Shades 60

A662-154 ● Oak - White
A662-155 ● Wenge - White
A662-156 ● Oak - Oak
A662-157 ● Wenge - Wenge
A662-386 ● Brushed brass - Brushed brass
A662-387 ● Black - White
A662-572-36-27K ● Mauve (RAL 010 70 10)
A662-572-37-27K ● Sand (RAL 050 85 10)
A662-572-38-27K ● Stone Grey (RAL 000 65 00)

Materials
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling

Light source: LED SMD 700mA 38,7W 2700K CRI90 4806lm

Luminaire: 180 - 295 VAC TRIAC 45,5W 1863lm


Weight: Net 5,2 kg - Gross 11,7 kg

Package: 68 x 17 x 12 cm - 1,5 kg Vol - 0,01 m³


17 x 53 x 57 cm - 2,8 kg Vol - 0,05 m³

28 x 72 x 72 cm - 7,4 kg Vol - 0,14 m³

Product notes: Accessory to combine Ginger models 42 C and 60 C for a single junction box.



A662-423 / A662-441 / A662-156



Canopy color: Black

Wire installation: Hardwired

Code	Finish
Structure	
A662-424	● Black
Shades 20	
A662-426	● Oak - White
A662-427	● Wenge - White
A662-428	● Oak - Oak
A662-429	● Wenge - Wenge
A662-430	● Brushed brass - Brushed brass
A662-431	● Black - White
A662-573-36-27K	● Mauve (RAL 010 70 10)
A662-573-37-27K	● Sand (RAL 050 85 10)
A662-573-38-27K	● Stone Grey (RAL 000 65 00)


Shades 32	
A662-432	● Oak - White
A662-433	● Wenge - White
A662-434	● Oak - Oak
A662-435	● Wenge - Wenge
A662-436	● Brushed brass - Brushed brass
A662-437	● Black - White
A662-574-36-27K	● Mauve (RAL 010 70 10)
A662-574-37-27K	● Sand (RAL 050 85 10)
A662-574-38-27K	● Stone Grey (RAL 000 65 00)

Shades 42	
A662-438	● Oak - White
A662-439	● Wenge - White
A662-440	● Oak - Oak
A662-441	● Wenge - Wenge
A662-442	● Brushed brass - Brushed brass
A662-443	● Black - White
A662-575-36-27K	● Mauve (RAL 010 70 10)
A662-575-37-27K	● Sand (RAL 050 85 10)
A662-575-38-27K	● Stone Grey (RAL 000 65 00)


Materials
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 28,5W 2700K CRI90 3243lm
Luminaire: 180 - 295 VAC TRIAC 33,5W 1209lm
Weight: Net 3,3 kg - Gross 6,28 kg
Package: 49 x 32 x 7 cm - 1,2 kg Vol - 0,01 m³
10 x 23 x 21 cm - 0,48 kg Vol - 0,005 m³
17 x 53 x 57 cm - 1,8 kg Vol - 0,05 m³
17 x 53 x 57 cm - 2,8 kg Vol - 0,05 m³
Product notes: Accessory to combine Ginger models 20 C, 32 C, and 42 C for a single junction box.



A662-424 / A662-573-37-27K / A662-574-38-27K / A662-575-36-27K



Dimmable



CE

EMC

UK CA

Canopy color: Black
Wire installation: Hardwired

Accessory C3 32/42/60

Code	Finish
Structure	
A662-425	● Black

Shades 32

A662-432	● Oak - White
A662-433	● Wenge - White
A662-434	● Oak - Oak
A662-435	● Wenge - Wenge
A662-436	● Brushed brass - Brushed brass
A662-437	● Black - White
A662-574-36-27K	● Mauve (RAL 010 70 10)
A662-574-37-27K	● Sand (RAL 050 85 10)
A662-574-38-27K	● Stone Grey (RAL 000 65 00)

Shades 42

A662-438	● Oak - White
A662-439	● Wenge - White
A662-440	● Oak - Oak
A662-441	● Wenge - Wenge
A662-442	● Brushed brass - Brushed brass
A662-443	● Black - White
A662-575-36-27K	● Mauve (RAL 010 70 10)
A662-575-37-27K	● Sand (RAL 050 85 10)
A662-575-38-27K	● Stone Grey (RAL 000 65 00)

Shades 60

A662-154	● Oak - White
A662-155	● Wenge - White
A662-156	● Oak - Oak
A662-157	● Wenge - Wenge
A662-386	● Brushed brass - Brushed brass
A662-387	● Black - White
A662-572-36-27K	● Mauve (RAL 010 70 10)
A662-572-37-27K	● Sand (RAL 050 85 10)
A662-572-38-27K	● Stone Grey (RAL 000 65 00)

Materials

Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)



A662-425 / A662-434 / A662-441/ A662-155

Product type: Wall / Ceiling

Light source: LED SMD 700mA 47W 2700K CRI90 5719lm

Luminaire: 180 - 295 VAC TRIAC 55,2W 2213lm

Weight: Net 6,7 kg - Gross 13,7 kg


Package: 66 x 44 x 7 cm - 1,7 kg Vol - 0,051 m³

17 x 53 x 57 cm - 1,8 kg Vol - 0,05 m³

17 x 53 x 57 cm - 2,8 kg Vol - 0,05 m³

28 x 72 x 72 cm - 7,4 kg Vol - 0,14 m³

Product notes: Accessory to combine Ginger models 32 C, 42 C, and 60 C for a single junction box.



Canopy color: Black

Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
R662-013	Ginger 20	Oak - White	Shade
R662-014	Ginger 20	Wenge - White	Shade
R662-015	Ginger 20	Oak	Shade
R662-016	Ginger 20	Wenge	Shade
R662-017	Ginger 20	Brushed brass	Shade
R662-018	Ginger 20	Brushed brass - White	Shade
R662-019	Ginger 20	Black - White	Shade
R662-211-36	Ginger 20	Mauve	Shade
R662-211-37	Ginger 20	Sand	Shade
R662-211-38	Ginger 20	Stone Grey	Shade
R662-039	Ginger 32	Oak - White	Shade
R662-040	Ginger 32	Wenge - White	Shade
R662-038	Ginger 32	Oak	Shade
R662-041	Ginger 32	Wenge	Shade
R662-042	Ginger 32	Brushed brass	Shade
R662-043	Ginger 32	Brushed brass - White	Shade
R662-044	Ginger 32	Black - White	Shade
R662-212-36	Ginger 32	Mauve	Shade
R662-212-37	Ginger 32	Sand	Shade
R662-212-38	Ginger 32	Stone Grey	Shade
R662-032	Ginger 42	Oak - White	Shade
R662-024	Ginger 42	Wenge - White	Shade
R662-046	Ginger 42	Oak	Shade
R662-047	Ginger 42	Wenge	Shade
R662-048	Ginger 42	Brushed brass	Shade
R662-049	Ginger 42	Brushed brass - White	Shade
R662-050	Ginger 42	Black - White	Shade
R662-213-36	Ginger 42	Mauve	Shade
R662-213-37	Ginger 42	Sand	Shade
R662-213-38	Ginger 42	Stone Grey	Shade
R662-052	Ginger 60	Oak - White	Shade
R662-025	Ginger 60	Wenge - White	Shade
R662-053	Ginger 60	Oak	Shade
R662-054	Ginger 60	Wenge	Shade
R662-055	Ginger 60	Brushed brass	Shade
R662-056	Ginger 60	Brushed brass - White	Shade
R662-037	Ginger 60	Black - White	Shade
R662-214-36	Ginger 60	Mauve	Shade
R662-214-37	Ginger 60	Sand	Shade
R662-214-38	Ginger 60	Stone Grey	Shade
R662-240	Ginger 20M		Battery
R968-001-EU	Ginger 20M		Black power adapter USB A (EU)
R968-002-USA	Ginger 20M		Black power adapter USB A (USA)
R968-003-AU	Ginger 20M		Black power adapter USB A (AU)
R968-004-UK	Ginger 20M		Black power adapter USB A (UK)
R961-057	Ginger 20M		Black cable USB A to USB C
R968-010	Ginger 20M		Black power adapter USB C (EU)
R968-011	Ginger 20M		Black power adapter USB C (USA)
R968-012	Ginger 20M		Black power adapter USB C (AU)
R968-013	Ginger 20M		Black power adapter USB C (UK)
R961-075	Ginger 20M		Black cable USB C to USB C



Ginger Outdoor, Joan Gaspar

The Ginger collection is moving outdoors, with wall sconces that can be installed individually or in a cluster, a 15 cm sconce – perfect for passageways and small outdoor areas –, a lamppost, small floor lamps and a wall version with an arm.



The Ginger outdoor also features a unique rust finish, with a deep, warm glow, alongside the standard black-white metal finish of the indoor version.



Ginger 15C IP65

Code
A662-549-31
A662-549-39

Finish
● Rust Brown
● Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 67lm - Black-White
(Power supply not included) 27lm - Rust brown
Weight: Net 0,4 kg – Gross 0,5 kg
Package: 24 x 21 x 10 cm – 0,5 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

CE

EMC

UK
CA



IP65




A662-549-31

Ginger 20C IP65

Code	Finish
A662-550-31	● Rust Brown
A662-550-39	▲ Black - White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: It depends on the purchased power supply.
	Phase cut (Triac)
	DALI

Product type: Wall / Ceiling
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161lm - Black-White
 (Power supply not included) 29lm - Rust brown
 Weight: Net 0,5 kg – Gross 0,7 kg
 Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m³
 Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable

CE

EMC

UK
CA



IP65

Canopy color: Black




A662-550-39

Ginger 32C IP65

Code	Finish
➡ A662-551-31	● Rust Brown
A662-551-39	▲ Black - White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9W 350lm - Black-White
 220 - 240 VAC TRIAC 9W 81lm - Rust Brown
 Weight: Net 0,9 kg – Gross 2 kg
 Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m³
 LED included



Dimmable

CE

EMC


UK
CA



IP65

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.
 Casambi available upon request. Upcharge of 210 €.
 DALI-2 available upon request. Upcharge of 125 €.



A662-551-31

Ginger 42C IP65


Code
A662-552-31
A662-552-39

Finish
● Rust Brown
▲ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm - Black-White
180 - 295 VAC TRIAC 19,71W 186lm - Rust brown
Weight: Net 1,8 kg - Gross 3,5 kg
Package: 57 x 53 x 17 cm - 3,5 kg Vol - 0,051 m³
LED included



Dimmable

CE

EMC


UK
CA



IP65

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.
Casambi available upon request. Upcharge of 210 €.
DALI-2 available upon request. Upcharge of 90 €.



A662-552-31

Ginger 60C IP65


Code
A662-553-31
A662-553-39

Finish
● Rust Brown
▲ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm - Black-White
180 - 295 VAC TRIAC 26,09W 245lm - Rust brown
Weight: Net 3,6 kg - Gross 6,3 kg
Package: 72 x 72 x 28 cm - 6,3 kg Vol - 0,1 m³
LED included



Dimmable

CE

EMC


UK
CA



IP65

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.
Casambi available upon request. Upcharge of 210 €.
DALI-2 available upon request. Upcharge of 90 €.



A662-553-39


Ginger 20A 24V IP65

Code
A662-660-31-27K ● Rust Brown
A662-660-39-27K ▲ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm - Black-White
(Power supply not included) 29lm - Rust brown
Weight: Net 0,5 kg – Gross 1,2 kg
Package: 36 x 30 x 17 cm – 1,2 kg Vol – 0,02 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

CE

EMC

UK
CA



IP65

Canopy color: Black



A662-660-31-27K


Ginger 32A IP65

Code
A662-661-31-27K ● Rust Brown
A662-661-39-27K ▲ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9W 350lm - Black-White
220 - 240 VAC TRIAC 9W 81lm - Rust Brown
Weight: Net 1,5 kg – Gross 2,8 kg
Package: 52 x 42 x 24 cm – 2,8 kg Vol – 0,05 m³
Product notes: DALI and Casambi upon request
LED included



Dimmable

CE

EMC

UK
CA



IP65

Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.



A662-661-39-27K


Ginger B 20/44

Code	Finish
☛ A662-554-31	☛ Rust Brown - White
☛ A662-554-39	☛ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0,8 kg – Gross 1,3 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 48 cm – 0,6 kg Vol – 0,009 m³
LED included



Dimmable

CE

EMC

UK
CA



IP65

Cable length: 2,6 m

Product notes: 24V remote power supply to be ordered separately.
3000K available upon request. Upcharge of 60 €.



A662-554-31


Ginger B 20/63

Code	Finish
☛ A662-543-31	☛ Rust Brown - White
☛ A662-543-39	☛ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0,9 kg – Gross 1,4 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 66,5 cm – 0,7 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

CE

EMC

UK
CA



IP65

Cable length: 2,4 m

Product notes: 24V remote power supply to be ordered separately.
3000K available upon request. Upcharge of 60 €.



A662-543-39

Ginger B 20/86


Code
A662-544-31
A662-544-39

Finish
● Rust Brown - White
● Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 1 kg – Gross 1,6 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 98,5 cm – 0,9 kg Vol – 0,02 m³
LED included



Dimmable

CE

ERL

UK
CA



IP65

Cable length: 2,1 m

Product notes: 24V remote power supply to be ordered separately.
3000K available upon request. Upcharge of 60 €.



A662-544-31



Ginger B 32/65

Code
A662-593-31-27K
A662-593-39-27K

Finish
● Rust Brown - White
▲ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard

Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm

Luminaire: (Power supply not included) 350lm


Weight: Net 1,7 kg – Gross 3,1 kg

Package: 14 x 13 x 65 cm - 1,16 kg – VOL - 0,01 m³

43 x 48 x 16 cm - 1,9 kg – VOL - 0,03 m³

Product notes: 24V remote power supply to be ordered separately.

LED included



Dimmable

CE

ERL

UK
CA



IP65

Cable length: 2,6 m



A662-593-39-27K

Ginger B 32/88

Code
A662-594-31-27K
A662-594-39-27K

Finish
● Rust Brown - White
▲ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard

Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm

Luminaire: (Power supply not included) 350lm


Weight: Net 1,9 kg – Gross 3,3 kg

Package: 14 x 13 x 88 cm - 1,4 kg – VOL - 0,02 m³

43 x 48 x 16 cm - 1,9 kg – VOL - 0,03 m³

Product notes: 24V remote power supply to be ordered separately.

LED included



Dimmable

CE

ERL

UK
CA



IP65

Cable length: 2,3 m



A662-594-39-27K

Ginger B 32/111

Code	Finish
A662-595-31-27K	● Rust Brown - White
A662-595-39-27K	● Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard

Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm

Luminaire: (Power supply not included) 350lm


Weight: Net 2,1 kg – Gross 3,6 kg

Package: 14 x 12 x 111 cm - 1,7 kg – VOL - 0,02 m³

43 x 48 x 16 cm - 1,9 kg – VOL - 0,03 m³

Product notes: 24V remote power supply to be ordered separately.

LED included



Dimmable



CE

IP65

EN

UK

CA

Cable length: 2,1m



A662-595-39-27K

Post accessory

Code	Finish
A662-555	● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory

Weight: Net 0,3 kg – Gross 0,4 kg

Package: 14 x 14 x 28 cm - 0,4 kg – VOL - 0,006 m³



Ground fixation plate

Code	Finish
☛ A662-556	● Stainless steel


Materials

Structure: Stainless steel 316 L

Product type: Accessory

Weight: Net 0,3 kg – Gross 0,4 kg

Package: 15 x 15 x 13 cm - 0,4 kg – VOL - 0,003 m³



Ginger: Power Supply - Non Dimmable IP

Code	Description	Dimming	Class
968-305	Power supply 35W - 24V - IP67	-	II
968-250	Power supply 70W - 24V - IP67	-	II

Ginger: Power Supply - Dimmable

Code	Description	Dimming	Class
968-223-23	Power supply 20W - 24V	Triac	II
968-205	Power supply 50W - 24V	Triac	II
968-369	Power supply 35W - 24V	DALI-2	II
968-370	Power supply 60W - 24V	DALI-2	II

Ginger: Connection Box

Code	Description	Dimming	Class
A666-210	Connection box 50W - 24V - IP67 (230 x 126 x 56mm)	Triac	II
A666-211	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	DALI-2	II
A666-212	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	DALI-2	II
A666-611	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	Casambi	II
A666-612	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	Casambi	II



Ginger: Connector Accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø5,5÷12mm cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø5,5÷12mm cable).



Ginger 60/298

Code
A662-735

Finish
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Stainless Steel
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming: Depending on the connection
ON / OFF
1-10V

Product type: Lamppost

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm

Luminaire: 90 - 305 VAC 1-10V 35,8W 1463lm


Weight: Net 13,25 kg – Gross 20,05 kg

Package: 72 x 72 x 28 cm – 5,7 kg Vol – 0,11 m³

61 x 16 x 255 cm – 11,1 kg Vol – 0,25 m³

25 x 25 x 44 cm – 3,25 kg Vol – 0,03 m³

LED included



Dimmable

CE

EMC

UK
CA



IP65



A662-735

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.

Ground fixation plate

Code
A662-733


Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory

Weight: Net 1,6 kg – Gross 2,4 kg

Package: 35 x 24 x 24 cm - 2,4 kg – VOL - 0,02 m³





High Line


Code
★ A690-001

Finish
Oak-White (RAL 9002)

Materials
Base: Iron
Structure: Wooden profiles

Integrated dimmer: Yes
Dimmer type: Progressive dimmer from 0 to 100

Product type: Floor
Light source: LED SMD 700mA 30W 2700K CRI90 3895lm
Luminaire: 220 - 240 VAC 34,3W 2076lm
Weight: Net 9,6 kg – Gross 13,2 kg
Package: 205 x 23 x 17 cm – 9,5 kg Vol – 0,076 m³
34 x 36 x 3 cm – 3,7 kg Vol – 0,003 m³
LED included



Dimmer

CE

ERIC



Cable length: 2,2 m
Color cord: Black
Switch location: In-line



A690-001



Ihana x2 80

Code	Finish	Dimming	CCT
A709-057-39-27K	Opal	Triac	27K
A709-058-39-18/30K	Opal	Triac	DTW 18K-30K

Materials

Structure: Steel

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm

Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm

Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm


Luminaire DTW: 220 - 240 VAC TRIAC 15,2W

Weight: Net 5,1 kg – Gross 9,6 kg

Package: (2x) 21 x 42 x 42 cm – 2,8 kg Vol – 0,04 m³

24 x 14 x 114 cm – 4 kg Vol – 0,04 m³

LED included



Dimmable



UK



Wire installation: Hardwired

Canopy color: Black



Product notes: DALI-2 upon request.

3000K available upon request. Upcharge of 60 €.

A709-057-39-27K

Ihana x2 100

Code	Finish	Dimming	CCT
A709-011-39-27K	Opal	Triac	27K
A709-012-39-18/30K	Opal	Triac	DTW 18K-30K

Materials

Structure: Steel

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm

Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm

Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm


Luminaire DTW: 220 - 240 VAC TRIAC 15,2W

Weight: Net 5,4 kg – Gross 10 kg

Package: (2x) 21 x 42 x 42 cm – 2,8 kg Vol – 0,04 m³

24 x 14 x 114 cm – 4,4 kg Vol – 0,04 m³

LED included



UK
CA



Wire installation: Hardwired

Canopy color: Black

Product notes: DALI-2 upon request.

3000K available upon request. Upcharge of 60 €.



A709-011-39-27K

Ihana x2 150

Code	Finish	Dimming	CCT
A709-009-39-27K	Opal	Triac	27K
A709-010-39-18/30K	Opal	Triac	DTW 18K-30K

Materials

Structure: Steel

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm

Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm

Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm


Luminaire DTW: 220 - 240 VAC TRIAC 15,2W

Weight: Net 6 kg – Gross 11,1 kg

Package: (2x) 21 x 42 x 42 cm – 2,8 kg Vol – 0,04 m³

18 x 18 x 167 cm – 5,5 kg Vol – 0,05 m³

LED included



UK
CA



Wire installation: Hardwired

Canopy color: Black

Product notes: DALI-2 upon request.

3000K available upon request. Upcharge of 60 €.



A709-009-39-27K

Ihana x2 200

Code	Finish	Dimming	CCT
• A709-007-39-27K	• Opal	Triac	27K
• A709-008-39-18/30K	• Opal	Triac	DTW 18K-30K

Materials

Structure: Steel

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm

Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm

Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm


Luminaire DTW: 220 - 240 VAC TRIAC 15,2W

Weight: Net 6,6 kg – Gross 12,2 kg

Package: (2x) 21 x 42 x 42 cm – 2,8 kg Vol – 0,04 m³

18 x 18 x 225 cm – 6,6 kg Vol – 0,07 m³

LED included



Dimmable




Wire installation: Hardwired

Canopy color: Black

Product notes: DALI-2 upon request.

3000K available upon request. Upcharge of 60 €.



A709-007-39-27K

Ihana x3 80

Code	Finish	Dimming	CCT
A709-056-39-27K	• Opal	Triac	27K
A709-013-39-18/30K	• Opal	Triac	DTW 18K-30K

Materials

Structure: Steel

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm

Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm

Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm

Luminaire DTW: 220 - 240 VAC TRIAC 22,8W


Weight: Net 7,8 kg – Gross 15,6 kg

Package: (3x) 21 x 42 x 42 cm – 2,8 kg Vol – 0,04 m³

24 x 14 x 114 cm – 4,1 kg Vol – 0,04 m³

24 x 14 x 114 cm – 3,1 kg Vol – 0,04 m³

LED included



Dimmable



Wire installation: Hardwired

Canopy color: Black

Product notes: DALI-2 upon request.

3000K available upon request. Upcharge of 60 €.



A709-056-39-27K


Ihana x3 100

Code	Finish	Dimming	CCT
A709-005-39-27K	Opal	Triac	27K
A709-006-39-18/30K	Opal	Triac	DTW 18K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
 Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
 Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
 Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
 Weight: Net 8,2 kg – Gross 16,2 kg
 Package: (3x) 21 x 42 x 42 cm – 2,8 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 4,4 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 3,4 kg Vol – 0,04 m³
 LED included



Product notes: DALI-2 upon request.
 3000K available upon request. Upcharge of 60 €.



A709-005-39-27K


Ihana x3 150

Code	Finish	Dimming	CCT
A709-003-39-27K	Opal	Triac	27K
A709-004-39-18/30K	Opal	Triac	DTW 18K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
 Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
 Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
 Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
 Weight: Net 9,1 kg – Gross 18 kg
 Package: (3x) 21 x 42 x 42 cm – 2,8 kg Vol – 0,04 m³
 18 x 18 x 167 cm – 5,5 kg Vol – 0,05 m³
 18 x 18 x 167 cm – 4,1 kg Vol – 0,05 m³
 LED included



Product notes: DALI-2 upon request.
 3000K available upon request. Upcharge of 60 €.



A709-003-39-27K

Ihana x3 200

Code	Finish	Dimming	CCT
* A709-001-39-27K	● Opal	Triac	27K
* A709-002-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials

Structure: Steel

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm

Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm

Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm

Luminaire DTW: 220 - 240 VAC TRIAC 22,8W


Weight: Net 10 kg – Gross 19,8 kg

Package: (3x) 21 x 42 x 42 cm – 2,8 kg Vol – 0,04 m³

18 x 18 x 225 cm – 6,6 kg Vol – 0,07 m³

18 x 18 x 225 cm – 4,8 kg Vol – 0,07 m³

LED included



Dimmable



Wire installation: Hardwired
Canopy color: Black



A709-001-39-27K

Product notes: DALI-2 upon request.

3000K available upon request. Upcharge of 60 €.



Ihana Customized configuration

Code	Description	Dimming	CCT
Glass (A)			
A709-020-51-27K	● Opal	Triac	27K
A709-021-51-18/30K	● Opal	Triac	DTW 18K-30K


Product notes: Maximum 14 units.

Code	Description	Dimming
Start + End set (B)		
A709-054-39	● Start+End 80cm	Triac
A709-022-39	● Start+End 100cm	Triac
A709-024-39	● Start+End 150cm	Triac
* A709-026-39	● Start+End 200cm	Triac
A709-052-39	● Start+End 80cm	Triac - DTW
A709-028-39	● Start+End 100cm	Triac - DTW
A709-030-39	● Start+End 150cm	Triac - DTW
* A709-032-39	● Start+End 200cm	Triac - DTW

Product notes: Take into account the overall height of the setup. 1 horizontal tube included. Maximum 1 unit.

Code	Description	Dimming
Central tube (C)		
A709-055-39	● Central 80cm	Triac
A709-023-39	● Central 100cm	Triac
A709-025-39	● Central 150cm	Triac
* A709-027-39	● Central 200cm	Triac
A709-053-39	● Central 80cm	Triac - DTW
A709-029-39	● Central 100cm	Triac - DTW
A709-031-39	● Central 150cm	Triac - DTW
* A709-033-39	● Central 200cm	Triac - DTW

Product notes: Take into account the overall height of the setup. 1 horizontal tube included. Maximum 12 unit.



Configuration x4:	4A + 1B + 2C
Configuration x5:	5A + 1B + 3C
Configuration x6:	6A + 1B + 4C
Configuration x7:	7A + 1B + 5C
Configuration x8:	8A + 1B + 6C
Configuration x9:	9A + 1B + 7C
Configuration x10:	10A + 1B + 8C
Configuration x11:	11A + 1B + 9C
Configuration x12:	12A + 1B + 10C
Configuration x13:	13A + 1B + 11C
Configuration x14:	14A + 1B + 12C

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling

Light source: ?x LED SMD 700mA 8,2W 2700K CRI90 913lm

Luminaire: ?x 220 - 240 VAC TRIAC 9,8W 497lm

Light source DTW: ?x LED COB 350mA 6W 1800-3000K CRI90 636lm

Luminaire DTW: ?x 220 - 240 VAC TRIAC 7,6W

Package:

Glass

21 x 42 x 42 cm - 2,8 kg Vol - 0,04 m³

Start+End 80cm

24 x 14 x 114 cm - 4,1 kg Vol - 0,04 m³

Start+End 100cm

24 x 14 x 114 cm - 4,1 kg Vol - 0,04 m³

Start+End 150cm

18 x 18 x 167 cm - 5,5 kg Vol - 0,05 m³

Start+End 200cm

18 x 18 x 225 cm - 6,6 kg Vol - 0,07 m³

Central 80cm

24 x 14 x 114 cm - 3,1 kg Vol - 0,04 m³

Central 100cm

24 x 14 x 114 cm - 3,4 kg Vol - 0,04 m³

Central 150cm

18 x 18 x 167 cm - 4,1 kg Vol - 0,05 m³

Central 200cm

18 x 18 x 225 cm - 4,8 kg Vol - 0,07 m³

Product notes: 3000K available upon request. Upcharge of 60 €.







Discover more at marset.com



DESIGN PLUS
powered by: light+building

Jaima 43 IP65

Code	Finish
A683-013	● Blue
A683-014	● Beige
A683-015	● Grey

Materials
Shade: Textile, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant


Light source: LED COB 230 VAC 15W 2700K CRI90 1022lm

Luminaire: 230 VAC TRIAC 15W 528lm

Weight: Net 1,8 kg – Gross 3,7 kg

Package: 44 x 45 x 39 cm – 3,7 kg Vol – 0,08 m³

LED included



Dimmable

CE
UK
CB
EAC



IP65



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.

A683-014


Jaima 54 IP65

Code	Finish
* A683-017	● Blue
A683-018	● Beige
A683-019	● Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 513lm
Weight: Net 2,2 kg – Gross 5 kg
Package: 55 x 55 x 46 cm – 5 kg Vol – 0,14 m³
LED included



Dimmable



CE

IP65

UK

EN

Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.



A683-019


Jaima 71 IP65

Code	Finish
* A683-021	● Blue
A683-022	● Beige
A683-023	● Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 530lm
Weight: Net 2,8 kg – Gross 7,5 kg
Package: 71 x 71 x 63 cm – 7,5 kg Vol – 0,3 m³
LED included



Dimmable



CE

IP65

UK

EN

Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €.



A683-021

Hook accessory

Code
* A683-025

Finish
● Inox

Materials
Structure: Inox

Product type: Accessory
Weight: Net 0,02 kg – Gross 0,02 kg
Package: 24 x 16 x 1 cm - 0,02 kg – VOL - 0,0001 m³



Jaima P207 + Shade 43

Code
Structure
A683-027

Finish
● Black (RAL 9005)


Shade 43
* A683-028
A683-029
A683-030

● Blue
● Beige
● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230 VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 528lm
Weight: Net 4,1 kg – Gross 10,3 kg
Package: 216 x 48 x 23 cm – 7,8 kg Vol – 0,24 m³
45 x 45 x 39 cm – 2,5 kg Vol – 0,08 m³
LED included



A683-027 / A683-030

Cable length: 3,4 m
Wire installation: Plug-in
Color cord: Black

Product notes: 3000K available upon request. Upcharge of 60 €.

Jaima P307 + Shade 54

Code
Structure
A683-035

Finish
● Black (RAL 9005)


Shade 54
• A683-036
A683-037
A683-038

● Blue
● Beige
● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 513lm
Weight: Net 4,7 kg – Gross 12,5 kg
Package: 277 x 48 x 23 cm – 9 kg Vol – 0,3 m³
55 x 55 x 45 cm – 3,5 kg Vol – 0,136 m³
LED included



Cable length: min 2 m - max 2,8 m
Wire installation: Plug-in
Color cord: Black

Product notes: 3000K available upon request. Upcharge of 60 €.



A683-035 / A683-037

Jaima P307 + Shade 71

Code
Structure
A683-035

Finish
● Black (RAL 9005)


Shade 71
• A683-040
A683-041
A683-042

● Blue
● Beige
● Grey

Materials
Shade: Textile, inner part in white
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 530lm
Weight: Net 4,8 kg – Gross 15 kg
Package: 277 x 48 x 23 cm – 9 kg Vol – 0,3 m³
71 x 71 x 63 cm – 6 kg Vol – 0,3 m³
LED included



Cable length: min 2 m - max 2,8 m
Wire installation: Plug-in
Color cord: Black

Product notes: 3000K available upon request. Upcharge of 60 €.



A683-035 / A683-040


49 base + stem

Code
A683-033

Finish
● Concrete and black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 14,3 kg – Gross 17,2 kg
Package: 63 x 62 x 7 cm – 15 kg – VOL - 0,027 m³
31 x 18 x 17 cm – 2,2 kg – VOL - 0,009 m³
Product notes: Base only compatible with Jaima P207




70 base + stem

Code
A683-044

Finish
● Concrete and black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 36,8 kg – Gross 52,2 kg
Package: 80 x 80 x 20 cm - 50 kg – VOL -0,106 m³
31 x 18 x 17 cm - 2,2 kg – VOL -0,009 m³
Product notes: Base only compatible with Jaima P307



Fix stem

Code
A683-032

Finish
● Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 1,9 kg – Gross 2,3 kg
Package: 31 x 18 x 17 cm - 2,3 kg – VOL -0,009 m³
Product notes: Compatible with Jaima P207 and P307.



Wall bracket

Code
* A683-045

Finish
● Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 1,8 kg – Gross 2 kg
Package: 31 x 18 x 17 cm - 2 kg – VOL -0,009 m³
Product notes: Compatible with Jaima P207 and P307.



Dimmer Casambi IP65

Code
A712-001

Finish
● Black

Materials
Case: ABS
Trim: Aluminium

Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.

CE
EMC
UK
CA
IP65





Konoha is a simple, discreet wall lamp with a shade over a directed spotlight that turns through 330°. The shade, like a hat, covers the spotlight, allowing the light to be directed upwards, bounce off the inside and project a beam of soft light, creating

warm ambient lighting. If instead the spotlight is focused downwards, it projects a beam of direct light, turning the fixture into a reading lamp.



Konoha


- Code
- ☞ A716-001-39-27K
 - ☞ A716-001-35-27K
 - ☞ A716-001-41-27K
 - ☞ A716-001-45-27K

- Finish
- Matt black (RAL 9005)
 - White chalk (RAL 085 80 10)
 - Terracotta (RAL 050 50 40)
 - Moss grey (RAL 7003)

Materials
Structure: Steel
Tube: Aluminium

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 199,4lm
Luminaire: 100 - 240 VAC 3,2W 137lm
Weight: Net 1,14 kg – Gross 1,9 kg
Package: 35 x 33,4 x 22,8 cm – 1,9 kg Vol – 0,03 m³
Product notes: The ON/OFF switch is located at the base of the structure
LED included



Wire installation: Hardwired



A716-001-45-27K




Lab 2 2020

Code A646-091 Finish ● Graphite grey (RAL 7024)

Materials Dimmable: No
Structure: Injected aluminium
Lids: Metal, wood, stone-like

Product type: Wall
Light source: LED SMD 24Vdc 7,4W 2700K CRI90 378lm
Luminaire: 100 - 240 VAC 8,47W 322lm
Weight: Net 0,87 kg – Gross 1 kg
Package: 16 x 15 x 14 cm – 1 kg Vol – 0,003 m³
Product notes: Lid to be ordered separately.



IP65

Wire installation: Hardwired




A646-091 / A645-007

Lid

Code	Finish
A646-005	White (RAL 9003)
A646-022	Brown (RAL 8019)
A646-023	Rust brown
A646-007	Dark iroko
* A646-009	Stone-like

Materials
Structure: Injected aluminium
Lids: Metal, wood, stone-like


Product type: Accessory



Signage Lid

Code	Finish
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory
Available upon request, Lab 2 only.




Lab A 35

Code	Finish
* A646-060	White (RAL 9003)
* A646-061	Brown (RAL 8019)
* A646-062	Rust brown
* A646-063	Dark iroko

Materials
Structure: Aluminium Graphite grey (RAL 7024)
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 293lm
Weight: Net 1,4 kg – Gross 2,3 kg
Package: 17,5 x 13 x 46 cm – 2,3 kg Vol – 0,01 m³
Product notes: CRI90 available upon request



IP65



Wire installation: Hardwired


Lab B 35

Code	Finish
A646-070	White (RAL 9003)
A646-071	Brown (RAL 8019)
A646-072	Rust brown
A646-073	Dark iroko

Materials
Structure: Aluminium Graphite grey (RAL 7024)
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Bollard
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 293lm
Weight: Net 1,4 kg – Gross 2,3 kg
Package: 17,5 x 13 x 46 cm – 2,3 kg Vol – 0,01 m³
Product notes: CRI90 available upon request



IP65



Wire installation: Hardwired



A646-070


Lab B 60

Code	Finish
A646-080	White (RAL 9003)
A646-081	Brown (RAL 8019)
A646-082	Rust brown
A646-083	Dark iroko

Materials
Structure: Aluminium Graphite grey (RAL 7024)
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Bollard
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 319lm
Weight: Net 2,5 kg – Gross 3,5 kg
Package: 18 x 13 x 70 cm – 3,5 kg Vol – 0,02 m³
Product notes: CRI90 available upon request



IP65



Wire installation: Hardwired



A646-082


Ground fixation plate

Code
A646-067

Finish
● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,26 kg – Gross 0,32 kg
Package: 9 x 10 x 21 cm - 0,32 kg – VOL - 0,002 m³





Volume, solidity, and legacy. Lauro is the reissue of an iconic lamp made of steel and methacrylate, first launched in 1973. Its structure and materials connect us with the emotional language of the past.

Its shade allows the light to be directed by rotating it and adjusting its height along the structure. This luminaire is striking in its presence, a true example of how good design endures over time.



Lauro M NEW

Code	Finish
☛ A731-001-4751	● Dark Brown (NCS S 8505-Y20R) - White
☛ A731-001-4765	● Dark Brown (NCS S 8505-Y20R) - Black
☛ A731-001-0951	● Chromed Steel - White
☛ A731-001-0965	● Chromed Steel - Black

Materials

Shade: Chromed steel and methacrylate


Structure: Steel

Product type: Table

Light source: E27 LED 7,5W (not included)

Weight: Net 5,2 kg - Gross 9,6 kg

Package: 41 x 41 x 23 cm - 2,9 kg - Vol 0,039 m³
42 x 42 x 52 cm - 6,7 kg - Vol 0,092 m³



Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Shade



A731-001-0951

Lauro P (NEW)

Code	Finish
☛ A731-002-4751	● Dark Brown (NCS S 8505-Y20R) - White
☛ A731-002-4765	● Dark Brown (NCS S 8505-Y20R) - Black
☛ A731-002-0951	● Chromed Steel - White
☛ A731-002-0965	● Chromed Steel - Black

Materials

Shade: Chromed steel and methacrylate

Structure: Steel

Product type: Floor


Light source: E27 LED 7,5W (not included)

Weight: Net 7,6 kg – Gross 11,8 kg

Package: 41 x 41 x 23 cm - 2,9 kg – Vol 0,039 m³

42 x 42 x 24 cm - 7 kg – Vol 0,043 m³

8 x 8 x 130 cm - 2 kg – Vol 0,009 m³



Cable length: 2,5 m

Wire installation: Plug-in

Color cord: Black

Switch location: Shade



A731-002-4765

Lauro A (NEW)

Code	Finish
☛ A731-003-4751	● Dark Brown (NCS S 8505-Y20R) - White
☛ A731-003-4765	● Dark Brown (NCS S 8505-Y20R) - Black
☛ A731-003-0951	● Chromed Steel - White
☛ A731-003-0965	● Chromed Steel - Black

Materials

Shade: Chromed steel and methacrylate

Structure: Steel


Product type: Wall

Light source: E27 LED 7,5W (not included)

Weight: Net 3,1 kg – Gross 5,1 kg

Package: 41 x 41 x 23 cm - 2,9 kg – Vol 0,039 m³

23 x 54,5 x 11,5 cm - 2,2 kg – Vol 0,015 m³




Cable length: 2,5 m

Wire installation: Plug-in

Color cord: Black

Switch location: Shade



A731-003-0965

LED bulbs

	Code	Description	CCT	Dimming
💡	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No



Its ergonomic design beckons you to move it in any direction, up to 360°, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed

vertically or horizontally, adapting to the needs of your space. Also Ledtube features a honeycomb grill that traps peripheral light in all directions, avoiding glare.




Ledtube RSC

Code	Finish
☛ A622-216-17-27K	● Aluminium
☛ A622-216-18-27K	● Bronze
☛ A622-216-35-27K	● Matt white (RAL 9010)
☛ A622-216-39-27K	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,65 kg - Gross 0,8 kg
Package: 20 x 12 x 8 cm - 0,8 kg Vol - 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the tube. Honeycomb grill to avoid glare.
LED included



A622-216-17-27K

Wire installation: Hardwired


Ledtube RSC USB C

Code	Finish
A622-226-17-27K	Aluminium
A622-226-18-27K	Bronze
A622-226-35-27K	Matt white (RAL 9010)
A622-226-39-27K	Matt black (RAL 9005)


Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 90 - 264 VAC 5,2W 131lm
Weight: Net 0,87 kg – Gross 1 kg
Package: 11 x 21 x 9 cm – 1 kg Vol – 0,02 m³
Product notes: Incorporated press button to switch on or off when opening or closing the tube. Honeycomb grill to avoid glare. Incorporated USB C on fixture face.
LED included



Wire installation: Hardwired



A622-226-39-27K


Ledtube R right

Code	Finish
A622-218-17-27K	Aluminium
A622-218-18-27K	Bronze
A622-218-35-27K	Matt white (RAL 9010)
A622-218-39-27K	Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,8 kg – Gross 0,9 kg
Package: 16 x 15 x 9 cm – 0,9 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the tube. Honeycomb grill to avoid glare.
LED included



Wire installation: Hardwired



A622-218-17-27K


Ledtube R left

Code	Finish
A622-219-17-27K	Aluminium
A622-219-18-27K	Bronze
A622-219-35-27K	Matt white (RAL 9010)
A622-219-39-27K	Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,8 kg – Gross 0,9 kg
Package: 16 x 15 x 9 cm – 0,9 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the tube. Honeycomb grill to avoid glare.
LED included



Wire installation: Hardwired



A622-219-35-27K


Ledtube A

Code	Finish
☞ A622-220-17-27K	Aluminium
☞ A622-220-18-27K	Bronze
☞ A622-220-35-27K	Matt white (RAL 9010)
☞ A622-220-39-27K	Matt black (RAL 9005)

Materials
Structure: Injected aluminium

Dimmable: No

Product type: Wall / Ceiling
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,6 kg – Gross 0,7 kg
Package: 21 x 12 x 9 cm – 0,7 kg Vol – 0,002 m³
Product notes: Lens at 25° with a honeycomb grill to avoid glare.
Integrated switch.
LED included



Wire installation: Hardwired
Switch location: Structure



A622-220-17-27K

Ledtube mini

Code	Finish
☛ A622-213-17-27K	● Aluminium
☛ A622-213-18-27K	● Bronze
☛ A622-213-35-27K	● Matt white (RAL 9010)
☛ A622-213-39-27K	● Matt black (RAL 9005)

Materials

Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall

Light source: LED SMD 700mA 2,1W 2700K CRI90 199,4lm

Luminaire: 220 - 240 VAC 4,33W 45lm

Weight: Net 0,5 kg – Gross 0,6 kg

Package: 21 x 12 x 9 cm – 0,6 kg Vol – 0,002 m³

Product notes: Incorporated press button to switch on or off when opening or closing the tube. Lens at 25° with a honeycomb grill to avoid glare.

LED included



Wire installation: Hardwired



A622-213-39-27K

Ledtube mini spot

Code	Finish
A622-214-17-27K	● Aluminium
A622-214-18-27K	● Bronze
A622-214-35-27K	● Matt white (RAL 9010)
A622-214-39-27K	● Matt black (RAL 9005)

Materials

Structure: Injected aluminium

Dimmable: No

Product type: Wall / Ceiling

Light source: LED SMD 700mA 2,1W 2700K CRI90 199,4lm


Luminaire: 220 - 240 VAC 4,33W 45lm

Weight: Net 0,3 kg – Gross 0,4 kg

Package: 21 x 12 x 9 cm – 0,4 kg Vol – 0,002 m³

Product notes: Lens at 25° with a honeycomb grill to avoid glare.

LED included



Wire installation: Hardwired



A622-214-35-27K



Rational and minimalist, this wall lamp is the result of a technical, functional and ornament-free design. Inside, a polycarbonate film surrounds the light source to provide high-quality diffusion.

Designed to illuminate kitchens and bathrooms, it has an IP44 rating. Its shape allows it to be installed both vertically and horizontally.



Manhattan LED 63.5

Code A2005-030
Finish ● Chrome

Materials Dimmable: No
Structure: Aluminium
Diffuser: silk-screened polycarbonate

Product type: Wall
Light source: LED SMD 350mA 15,6W 2700K CRI80 2608lm
Luminaire: 220 - 240 VAC 19,15W
Weight: Net 1,2 kg – Gross 1,4 kg
Package: 67 x 11 x 9 cm – 1,4 kg Vol – 0,01 m³
Product notes: 3000K available upon request
LED included



IP44

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €.



A2005-030

The beauty of the Mercer stems not only from its essential shape, but also from how its materials blend together. The transparent blown glass structure surrounds the

textile shade, which seems to float, conveying a sense of airiness and sophistication.



Mercer M


Code
A89-010
A89-071

Finish
● Natural cotton ribbon
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer type: Progressive in-line dimmer

Product type: Table
Light source: E27 LED 9,5W DIM (not included)
Weight: Net 5 kg – Gross 6,28 kg
Package: 57 x 39 x 41 cm – 6,28 kg Vol – 0,09 m³



Dimmer

CE

EMC



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A89-010


Mercer

Code	Finish
A89-001	● Natural cotton ribbon
A89-070	● Pearl white

Materials
 Shade: Textile
 Structure: Blown glass
 Diffuser: Opal disc

Integrated dimmer: Yes
 Dimmer type: Progressive in-line dimmer

Product type: Table
 Light source: E27 LED 9,5W DIM (not included)
 Weight: Net 5 kg – Gross 7 kg
 Package: 65 x 49 x 49 cm – 7 kg Vol – 0,16 m³



Dimmer

CE

ERL



Cable length: 1,5 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




A89-070

Mercer 30

Code	Finish
A89-029	● Natural cotton ribbon
A89-074	● Pearl white

Materials
 Shade: Textile
 Structure: Blown glass

Product type: Pendant
 Light source: E27 LED Standard 8W (not included)
 Weight: Net 2,8 kg – Gross 3,7 kg
 Package: 39 x 34 x 40 cm – 3,7 kg Vol – 0,06 m³



CE

ERL

UK



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: White




A89-029

Mercer 44

Code	Finish
A89-012	● Natural cotton ribbon
A89-075	● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E27 LED Standard 8W (not included)
Weight: Net 7,8 kg – Gross 10 kg
Package: 56 x 56 x 48 cm – 10 kg Vol – 0,15 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White




A89-075

Mercer A

Code	Finish
A89-050	● Natural cotton ribbon
A89-076	● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wall bracket: Chromed iron

Product type: Wall
Light source: E14 LED 5W (not included)
Weight: Net 1,35 kg – Gross 2 kg
Package: 33 x 33 x 28 cm – 2 kg Vol – 0,03 m³



Wire installation: Hardwired



A89-050

Mercer C

Code	Finish
⌚ A89-060	● Natural cotton ribbon
A89-077	● Pearl white

Materials

Shade: Textile


Structure: Blown glass

Product type: Ceiling

Light source: 2x E27 LED Standard 8W (not included)

Weight: Net 4,5 kg – Gross 6 kg

Package: 58 x 58 x 36 cm – 6 kg Vol – 0,1 m³



Wire installation: Hardwired



A89-060

LED bulbs

	Code	Description	CCT	Dimming
💡	BOM-275	E14 LED 4,3W 470lm CRI80	2700K	No
💡	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
💡	BOM-276-27K	E27 LED Standard 7,8W 1055lm CRI90	2700K	Yes

Spare parts

Code	Product	Finish	Spare part
R89-501	Mercer M	-	Glass
R89-500	Mercer 53	-	Glass
R89-505	Mercer Susp 30	-	Glass
R89-503	Mercer Susp 44	-	Glass
R89-504	Mercer A	-	Glass
R89-506	Mercer C	-	Glass





An almost imperceptible lens covers the LED and distributes the light. If only the cylindrical lamp is used, the downward-directed light is impeccable, and when a

shade is added, the light escapes, illuminating the lamp itself. Now also available with a pressed glass accessory, in a smoked finish. A feature that adds volume and nuance to your lighting.



Milana


Code
 A699-001-35-27K
 A699-001-39-27K

Finish
 Off-white (RAL 1013)
 Black (RAL 9005)

Materials
 Shade: Aluminium
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
 Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
 Weight: Net 0,5 kg – Gross 0,86 kg
 Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
 LED included



Dimmable

CE

EMC

UK
 CA

Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



A699-001-35-27K / A699-001-39-27K

Product notes: DALI-2 available upon request. Upcharge of 125 €.

Milana 8


Code
A699-135-35-27K
A699-135-39-27K

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 0,6 kg – Gross 0,7 kg
Package: 24 x 24 x 7 cm – 0,7 kg Vol – 0,004 m³
LED included



Dimmable



CE

ERL

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: DALI-2 available upon request. Upcharge of 125 €.



A699-135-39-27K

Milana 32


Code
A699-003-35-27K
A699-003-39-27K

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 0,87 kg – Gross 1,68 kg
Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m³
LED included



Dimmable



CE

ERL

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: DALI-2 available upon request. Upcharge of 125 €.



A699-003-39-27K

Milana 47


Code
A699-005-35-27K
A699-005-39-27K

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 1,3 kg – Gross 2,5 kg
Package: 24 x 24 x 7 cm – 0,9 kg Vol – 0,004 m³
52,5 x 52,5 x 10 cm – 1,6 kg Vol – 0,028 m³
LED included



Dimmable

CE

EN

UK

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: DALI-2 available upon request. Upcharge of 125 €.



A699-005-35-27K

Milana Counterweight


Code
A699-007-35-27K
A699-007-39-27K

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 1 kg – Gross 1,46 kg
Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
12 x 12 x 7 cm – 0,6 kg Vol – 0,001 m³
LED included



Dimmable


CE

EN

UK

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: DALI-2 available upon request. Upcharge of 125 €.




A699-007-39-27K

Milana 32 Counterweight

Code Finish
A699-009-35-27K ● Off-white (RAL 1013)
A699-009-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Polycarbonate Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 1,6 kg – Gross 2,28 kg
Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
12 x 12 x 7 cm – 0,6 kg Vol – 0,001 m³
36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m³
LED included



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: DALI-2 available upon request. Upcharge of 125 €.




A699-009-35-27K

Milana 47 Counterweight

Code Finish
A699-011-35-27K ● Off-white (RAL 1013)
A699-011-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Polycarbonate Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 2,3 kg – Gross 3,56 kg
Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
12 x 12 x 7 cm – 1,1 kg Vol – 0,001 m³
52,5 x 52,5 x 10 cm – 1,6 kg Vol – 0,028 m³
LED included



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: DALI-2 available upon request. Upcharge of 125 €.



A699-011-39-27K



The cluster is a system that allows several pendant lamps to be connected to a single power point. It provides complete freedom to create with light,

illuminate large spaces, or design compositions with multiple pendant lamps. See the available Clusters on pages 63 and 64.


Milana - 24V

Code	Finish
A699-200-35-27K	● Off-white (RAL 1013)
A699-200-39-27K	● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac), Casambi
Not compatible with DALI

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,25 kg – Gross 0,61 kg
Package: 24 x 24 x 7 cm – 0,61 kg Vol – 0,004 m³
Product notes: Use with Cluster. 1 pc. hook accessory included
LED included



Dimmable



CE

RoHS

UK CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black



A699-200-39-27K / A699-200-35-27K


Milana 8 - 24V

Code	Finish
A699-136-35-27K	● Off-white (RAL 1013)
A699-136-39-27K	● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac), Casambi
Not compatible with DALI

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,35 kg – Gross 0,71 kg
Package: 24 x 24 x 7 cm – 0,71 kg Vol – 0,004 m³
Product notes: Use with Cluster. 1 pc. hook accessory included
LED included



Dimmable



CE

ERL

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black



A699-136-35-27K


Milana 32 - 24V

Code	Finish
A699-201-35-27K	● Off-white (RAL 1013)
A699-201-39-27K	● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac), Casambi
Not compatible with DALI

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,6 kg – Gross 1,43 kg
Package: 24 x 24 x 7 cm – 0,61 kg Vol – 0,004 m³
36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m³
Product notes: Use with Cluster. 1 pc. hook accessory included
LED included



Dimmable



CE

ERL

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black




A699-201-39-27K

Milana 47 - 24V

Code	Finish
A699-202-35-27K	● Off-white (RAL 1013)
A699-202-39-27K	● Black (RAL 9005)

Materials	Dimmable: Yes
Shade: Aluminium	Integrated dimmer: No
Diffuser: Glass	Dimming protocols: It depends on the purchased power supply.
	Phase cut (Triac), Casambi
	Not compatible with DALI

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 1 kg – Gross 2,32 kg
Package: 24 x 24 x 7 cm – 0,76 kg Vol – 0,004 m³
52,5 x 52,5 x 10 cm – 1,56 kg Vol – 0,028 m³
Product notes: Use with Cluster. 1 pc. hook accessory included
LED included



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black




A699-202-35-27K

Spare parts

Code	Product	Finish	Spare part
R699-025	Milana 32	White	Shade
R699-024	Milana 32	Black	Shade
R699-029	Milana 47	White	Shade
R699-028	Milana 47	Black	Shade






N°8

Code	Finish
A670-001	● Oak
A670-002	● Wenge

Materials
 Plate: Metal
 Arm: Metal covered in braided fabric
 Diffuser: Wood

Dimmable: No

Product type: Wall
 Light source: LED SMD 700mA 2,1W 2700K CRI80 226,5lm
 Luminaire: 100 - 240 VAC 4,25W
 Weight: Net 0,8 kg – Gross 1,2 kg
 Package: 69 x 17 x 12 cm – 1,2 kg Vol – 0,01 m³
 LED included



Wire installation: Hardwired
 Canopy color: Black
 Switch location: Plate



A670-001

For Christophe Mathieu, the design process consists first and foremost of observing and creating an object with wide-ranging possibilities that will be timeless in its use. That was his thinking behind this new bollard lamp and wall fixture, which can use its

light to accentuate the outdoors, reveal architectural details, light a path or spotlight a tree. In every version of the bollards, the spotlight can be placed at the chosen height along the stem to adapt to the growth of surrounding vegetation.



Palosanto B 5/30


Code	Finish	Output
☛ A722-010-39-27K	● Black (RAL 9005)	2,8W
☛ A722-015-39-27K	● Black (RAL 9005)	6,3W
☛ A722-010-31-27K	● Rust Brown	2,8W
☛ A722-015-31-27K	● Rust Brown	6,3W

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 2,8W 2700K CRI90 207lm
LED SMD 24Vdc 6,3W 2700K CRI90 441lm
Luminaire: (Power supply not included) 200lm / 426lm
Lens with 27° aperture. Glare cell included in the packaging

Weight: Net 0,8 kg – Gross 1,3 kg
Package: 14,5 x 19,5 x 9cm – 0,62 kg Vol – 0,02 m³
15 x 13 x 48 cm – 0,68 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.
3000K available upon request. Upcharge of 15€.
The light focus moves 14 cm along the stem.
LED included



Cable length: 2,6m

Dimmable

CE

EMC

UK



IP65



A722-010-39-27K

Palosanto B 5/60

Code	Finish	Output
A722-011-39-27K	● Black (RAL 9005)	2,8W
A722-016-39-27K	● Black (RAL 9005)	6,3W
A722-011-31-27K	● Rust Brown	2,8W
A722-016-31-27K	● Rust Brown	6,3W

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Structure: Aluminium	Dimming protocols: It depends on the purchased power supply.

Product type: Bollard

Light source: LED SMD 24Vdc 2,8W 2700K CRI90 207lm

Light source: LED SMD 24Vdc 6,3W 2700K CRI90 441lm

Luminaire: (Power supply not included) 200lm / 426lm

Lens with 27° aperture. Glare cell included in the packaging

Weight: Net 0,9 kg – Gross 1,4 kg

Package: 14,5 x 19,5 x 9 cm – 0,62 kg Vol – 0,02 m³

15 x 13 x 66,5 cm – 0,8 kg Vol – 0,01 m³

Product notes: 24V remote power supply to be ordered separately.

Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.

3000K available upon request. Upcharge of 15€.

The light focus moves 20 cm along the stem.

LED included



Dimmable




CE

IP65

ERC

UK
CA

Cable length: 2,5m



A722-011-39-27K

Palosanto B 5/83

Code	Finish	Output
A722-012-39-27K	● Black (RAL 9005)	2,8W
A722-017-39-27K	● Black (RAL 9005)	6,3W
A722-012-31-27K	● Rust Brown	2,8W
A722-017-31-27K	● Rust Brown	6,3W

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Structure: Aluminium	Dimming protocols: It depends on the purchased power supply.

Product type: Bollard

Light source: LED SMD 24Vdc 2,8W 2700K CRI90 207lm

LED SMD 24Vdc 6,3W 2700K CRI90 441lm

Luminaire: (Power supply not included) 200lm / 426lm

Lens with 27° aperture. Glare cell included in the packaging

Weight: Net 0,9 kg – Gross 1,62 kg

Package: 14,5 x 19,5 x 9 cm – 0,62 kg Vol – 0,02 m³

15 x 13 x 98,5 cm – 1 kg Vol – 0,02 m³

Product notes: 24V remote power supply to be ordered separately.

Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.

3000K available upon request. Upcharge of 15€.

The light focus moves 21,5 cm along the stem.

LED included



Dimmable




CE

IP65

ERC

UK
CA

Cable length: 2m



A722-012-39-27K



Palosanto B 5x2/83

Code	Finish	Output
A722-013-39-27K	● Black (RAL 9005)	5,6W
A722-018-39-27K	● Black (RAL 9005)	12,6W
A722-013-31-27K	● Rust Brown	5,6W
A722-018-31-27K	● Rust Brown	12,6W

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Structure: Stainless steel	Dimming protocols: It depends on the purchased power supply.

Product type: Bollard

Light source: LED SMD 24Vdc 5,6W 2700K CRI90 414lm
LED SMD 24Vdc 12,6W 2700K CRI90 882lm

Luminaire: (Power supply not included) 400lm / 852lm


Lens with 27° aperture. Glare cell included in the packaging

Weight: Net 1,4 kg – Gross 2,44 kg

Package: (x2) 14,5 x 19,5 x 9cm – 0,62 kg Vol – 0,02 m³

15 x 13 x 98,5 cm – 1,2 kg Vol – 0,02 m³

Product notes: 24V remote power supply to be ordered separately.
Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.
3000K available upon request. Upcharge of 15€.
The light focus moves 21,5 cm along the stem.
LED included



Dimmable



CE

IP65

EN

UK
CA

Cable length: 2m



A722-013-39-27K

Palosanto A 5

Code	Finish	Output
A722-014-39-27K	● Black (RAL 9005)	2,8W
A722-019-39-27K	● Black (RAL 9005)	6,3W
A722-014-31-27K	● Rust Brown	2,8W
A722-019-31-27K	● Rust Brown	6,3W

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Structure: Aluminium	Dimming protocols: It depends on the purchased power supply.

Product type: Wall

Light source: LED SMD 24Vdc 2,8W 2700K CRI90 207lm
LED SMD 24Vdc 6,3W 2700K CRI90 441lm

Luminaire: (Power supply not included) 200lm / 426lm


Lens with 27° aperture. Glare cell included in the packaging

Weight: Net 0,6 kg – Gross 0,9 kg

Package: 14,5 x 19,5 x 9cm – 0,62 kg Vol – 0,02 m³

14 x 10 x 9,5 cm – 0,3 kg Vol – 0,02 m³

Product notes: 24V remote power supply to be ordered separately.
Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.
3000K available upon request. Upcharge of 15€.
LED included



Dimmable



CE

IP65

EN

UK
CA

Cable length: 2,8m



A722-014-39-27K

Post accessory

Code	Finish
A662-555	● Stainless steel


Materials

Structure: Stainless steel 316 L

Product type: Accessory

Weight: Net 0,3 kg – Gross 0,4 kg

Package: 14 x 14 x 28 cm - 0,4 kg – VOL - 0,006 m³



Ground fixation plate

Code	Finish
↻ A662-556	● Stainless steel



Materials

Structure: Stainless steel 316 L

Product type: Accessory

Weight: Net 0,3 kg – Gross 0,4 kg

Package: 15 x 15 x 13 cm - 0,4 kg – VOL - 0,003 m³



Palosanto: Power Supply - Non Dimmable IP

Code	Description	Dimming	Class
968-305	Power supply 35W - 24V - IP67	-	II
968-250	Power supply 70W - 24V - IP67	-	II

Palosanto: Power Supply - Dimmable

Code	Description	Dimming	Class
968-223-23	Power supply 20W - 24V	Triac	II
968-205	Power supply 50W - 24V	Triac	II
968-369	Power supply 35W - 24V	DALI-2	II
968-370	Power supply 60W - 24V	DALI-2	II

Palosanto: Connection Box


Code	Description	Dimming	Class
A666-210	Connection box 50W - 24V - IP67 (230 x 126 x 56mm)	Triac	II
A666-211	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	DALI-2	II
A666-212	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	DALI-2	II
A666-611	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	Casambi	II
A666-612	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	Casambi	II



Palosanto: Connector Accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø5,5÷12mm cable).

A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø5,5÷12mm cable).
----------	---





A good design is one that lasts over time. This is the case with the Plaff-on!, a lamp that has been illuminating ceilings and walls for almost ten years. This very functional collection has been updated with versions in two sizes of 33 and 50 cm in diameter

including IP protection grade, a bollard model and an outdoor wall version with perpendicular orientation and a new finishing in rust brown.



Plaff-on! 16 IP65


Code
 A628-050
 A628-050-31-27K
 A628-050-35-27K

Finish
 ● Black (RAL 9005)
 ● Rust Brown
 ● White (RAL 9010)

Materials
 Structure: Aluminium
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
 Luminaire: 230 VAC TRIAC 8,47W 225lm
 Weight: Net 0,8 kg – Gross 1,2 kg
 Package: 22 x 22 x 17 cm – 1,2 kg Vol – 0,008 m³
 LED included



Dimmable

CE
 ENEC
 UK
 CA



IP65

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 110 €.



A628-050-35-27K


Signage Lid

Code	Description
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory

Product Notes: Minimum order of 3pcs.

Available upon request.



Plaff-on! 33 IP54

Code	Finish	Dimming	CCT
☑ A628-054	● Black (RAL 9005)	Triac	27K
A628-055	● Black (RAL 9005)	DALI-2	27K
☑ A628-065	● Black (RAL 9005)	Triac	27K-30K-40K
A628-055-39-3CCT	● Black (RAL 9005)	DALI-2	27K-30K-40K
A628-054-31-27K	● Rust Brown	Triac	27K
A628-055-31-27K	● Rust Brown	DALI-2	27K
A628-065-31-3CCT	● Rust Brown	Triac	27K-30K-40K
A628-055-31-3CCT	● Rust Brown	DALI-2	27K-30K-40K

Materials
Structure: Aluminium
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Wall / Ceiling

Light source: LED SMD 700mA 21,8W 2700K CRI90 2654lm

Luminaire: 220 - 240 VAC TRIAC 27W 1941lm

220 - 240 VAC DALI-2 26,1W 1941lm

Light source: LED SMD 700mA 21,8W 3000K CRI90 2929lm

Luminaire: 220 - 240 VAC TRIAC 26,95W


Light source: LED SMD 700mA 21,8W 4000K CRI90 3049lm

Luminaire: 220 - 240 VAC TRIAC 26,95W

Weight: Net 3,1kg – Gross 4,5 kg

Package: 40 x 40 x 21 cm – 4,5 kg Vol – 0,03 m³

LED included



Dimmable

IP54



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.



Product notes: Casambi available upon request. Upcharge of 210 €.

A628-054

Plaff-on! 33 IP54 E27

Code	Finish
⊕ A628-053	● Black (RAL 9005)
⊕ A628-053-31	● Rust brown

Materials

Structure: Aluminium


Shade: Opal blown glass

Product type: Wall / Ceiling

Light source: 2x E27 LED Standard 8W (not included)

Weight: Net 2,8 kg – Gross 4,1 kg

Package: 40 x 40 x 21 cm – 4,1 kg Vol – 0,03 m³



IP54

Wire installation: Hardwired



A628-053-31

Plaff-on! 50 IP54

Code	Finish	Dimming	CCT	Class
⊕ A628-057	● Black (RAL 9005)	Triac	27K	II
A628-058	● Black (RAL 9005)	DALI-2	27K	I
A628-066	● Black (RAL 9005)	Triac	27-30-40K	II
A628-058-39-3CCT	● Black (RAL 9005)	DALI-2	27-30-40K	I
A628-057-31-27K	● Rust brown	Triac	27K	II
A628-058-31-27K	● Rust brown	DALI-2	27K	I
A628-066-31-3CCT	● Rust brown	Triac	27-30-40K	II
A628-058-31-3CCT	● Rust brown	DALI-2	27-30-40K	I

Materials

Structure: Aluminium

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Wall / Ceiling

Light source: LED SMD 700mA 28,4W 2700K CRI90 3318lm

Luminaire: 220 - 240 VAC TRIAC 34W 2172lm

220 - 240 VAC DALI-2 33,25W 2172lm

Light source: LED SMD 700mA 28,4W 3000K CRI90 3753lm

Luminaire: 220 - 240 VAC TRIAC 34W


Light source: LED SMD 700mA 28,4W 4000K CRI90 3798lm

Luminaire: 220 - 240 VAC TRIAC 34W

Weight: Net 5,7 kg – Gross 8,5 kg

Package: 60 x 60 x 25 cm – 8,5 kg Vol – 0,09 m³

LED included



Wire installation: Hardwired

IP54



The 3-CCT model has an integrated switch to select the desired color temperature during the installation.



A628-057

Product notes: Casambi available upon request. Upcharge of 210 €.


Plaff-on! 50 IP54 E27

Code	Finish
☛ A628-056	● Black (RAL 9005)
☛ A628-056-31	● Rust brown

Materials

Structure: Aluminium
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 4x E27 LED Standard 8W (not included)
Weight: Net 5,1 kg – Gross 7,9 kg
Package: 60 x 60 x 25 cm – 7,9 kg Vol – 0,09 m³



IP54

Wire installation: Hardwired



A628-056

Plaff-on! A 16 IP65


Code	Finish
☛ A628-061-39-27K	● Black (RAL 9005)
☛ A628-061-31-27K	● Rust Brown
A628-061-35-27K	● White (RAL 9010)

Materials

Structure: Aluminium
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 225lm
Weight: Net 1 kg – Gross 1,2 kg
Package: 22 x 22 x 16,5 cm – 1,2 kg Vol – 0,008 m³
LED included



IP65

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 110 €.



A628-061-31-27K




Plaff-on! S 16 IP65

Code	Finish
☛ A628-072-31-27K	● Rust Brown
☛ A628-072-39-27K	▲ Black (RAL 9005) - White

Materials
Structure: Aluminium
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 225lm
Weight: Net 1,1 kg – Gross 1,7 kg
Package: 22 x 22 x 25 cm – 1,7 kg Vol – 0,01 m³
LED included



Dimmable

CE

ERL

UK
CA



IP65

Wire installation: Hardwired
Steel wire length: 2 m
Cable length: 4 m
Color cord: Black

Product notes: 3000K available upon request. Upcharge of 110 €.



A628-072-39-27K

Garland accessory


Code	Finish
A628-074	● Stainless steel

Product type: Accessory

CE

ERL

UK
CA



Canopy IP65

Code	Finish
A628-075-39	● Black

Product type: Accessory
Weight: Net 0,2 kg – Gross 0,3 kg
Package: 16 x 9 x 15 cm - 0,3 kg – VOL - 0,002 m³

CE

ERL

UK
CA

IP65




Plaff-on! B 16 IP65

Code	Finish
A628-064-39-27K	● Black (RAL 9005)
A628-064-31-27K	● Rust Brown

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)

Product type: Bollard
 Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
 Luminaire: 230 VAC TRIAC 8,47W 225lm
 Weight: Net 1,8 kg – Gross 3,4 kg
 Package: 23,5 x 83 x 33,5 cm – 3,4 kg Vol – 0,07 m³
 LED included



IP65

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 110 €.




A628-064-31-27K

Ground fixation plate

Code	Finish
A628-071	● Stainless steel

Materials
 Structure: Stainless steel 316L

Product type: Accessory
 Weight: Net 0,2 kg – Gross 0,84 kg
 Package: 26 x 26 x 20 cm – 0,84 kg – VOL - 0,13 m³



LED bulbs

	Code	Description	CCT	Dimming
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
	BOM-276-27K	E27 LED Standard 7,8W 1055lm CRI90	2700K	Yes

Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass



The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base.

The Pleat Box collection is available with an integrated LED technology, which projects indirect light and prevents glare.



Pleat Box 13

Code	Finish
A636-400-3535	White - White
A636-400-3549	White - Gold
A636-400-3835	Grey - White
A636-400-4135	Terracotta - White
* A636-400-4149	Terracotta - Gold
* A636-400-3935	Black - White
A636-400-3949	Black - Gold
A636-400-4235	Ocher - White
A636-400-4535	Dark Green - White
A636-400-4549	Dark Green - Gold

Materials

Shade: Ceramic with the inner part in glossy white enamel or gold

Canopy: Ceramic


Cord: Fabric

Product type: Pendant

Light source: E27 LED Standard 8W (not included)

Weight: Net 1,4 kg – Gross 2 kg

Package: 24 x 24 x 53 cm – 2 kg Vol – 0,03 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Same color as chosen shade.



A636-400-3549


Pleat Box 13 LED

Code	Finish
A636-401-3535-27K	White - White
A636-401-3549-27K	White - Gold
A636-401-3835-27K	Grey - White
A636-401-4135-27K	Terracotta - White
* A636-401-4149-27K	Terracotta - Gold
* A636-401-3935-27K	Black - White
A636-401-3949-27K	Black - Gold
A636-401-4235-27K	Ocher - White
A636-401-4535-27K	Dark Green - White
A636-401-4549-27K	Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in glossy white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)


Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 165lm
 Weight: Net 1,65 kg – Gross 2,3 kg
 Package: 24 x 24 x 53 cm – 2,3 kg Vol – 0,03 m³
 LED included



Dimmable



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.
 Product notes: DALI-2 available upon request, upcharge of 90 €
 3000K available upon request, upcharge of 60 €



A636-401-3949-27K

Pleat Box 24

Code	Finish
A636-402-3535	White - White
A636-402-3549	White - Gold
A636-402-3835	Grey - White
A636-402-4135	Terracotta - White
* A636-402-4149	Terracotta - Gold
A636-402-3949	Black - Gold
A636-402-4235	Ocher - White
A636-402-4535	Dark Green - White
A636-402-4549	Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in glossy white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E14 LED 5W (not included)
 Weight: Net 1,9 kg – Gross 2,5 kg
 Package: 36 x 36 x 30 cm – 2,5 kg Vol – 0,04 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.



A636-402-4135


Pleat Box 24 LED

Code	Finish
A636-403-3535-27K	White - White
A636-403-3549-27K	White - Gold
A636-403-3835-27K	Grey - White
A636-403-4135-27K	Terracotta - White
* A636-403-4149-27K	Terracotta - Gold
A636-403-3949-27K	Black - Gold
A636-403-4235-27K	Ocher - White
A636-403-4535-27K	Dark Green - White
A636-403-4549-27K	Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in glossy white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 113lm
 Weight: Net 2,2 kg – Gross 2,8 kg
 Package: 36 x 36 x 30 cm – 2,8 kg Vol – 0,04 m³
 LED included



Dimmable



UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.
 Product notes: DALI-2 available upon request, upcharge of 90 €
 3000K available upon request, upcharge of 60 €




A636-403-4235-27K

Pleat Box 36

Code	Finish
A636-404-3535	White - White
A636-404-3549	White - Gold
A636-404-3835	Grey - White
* A636-404-3849	Grey - Gold
A636-404-4135	Terracotta - White
* A636-404-4149	Terracotta - Gold
A636-404-3949	Black - Gold
A636-404-4235	Ocher - White
A636-404-4535	Dark Green - White
A636-404-4549	Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in glossy white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E14 LED 5W (not included)
 Weight: Net 2,6 kg – Gross 3,7 kg
 Package: 49 x 49 x 29 cm – 3,7 kg Vol – 0,07 m³



UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.



A636-404-4535




Pleat Box 36 LED

Code	Finish
A636-405-3535-27K	White - White
A636-405-3549-27K	White - Gold
A636-405-3835-27K	Grey - White
* A636-405-3849-27K	Grey - Gold
A636-405-4135-27K	Terracotta - White
* A636-405-4149-27K	Terracotta - Gold
A636-405-3949-27K	Black - Gold
A636-405-4235-27K	Ocher - White
A636-405-4535-27K	Dark Green - White
A636-405-4549-27K	Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in glossy white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 233lm
 Weight: Net 3 kg - Gross 4 kg
 Package: 49 x 50 x 30 cm - 4 kg Vol - 0,07 m³
 LED included



Dimmable



UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.
 Product notes: DALI-2 available upon request, upcharge of 90 €
 3000K available upon request, upcharge of 60 €




A636-405-4235-27K

Pleat Box 47

Code	Finish
A636-406-3535	White - White
A636-406-3549	White - Gold
A636-406-3835	Grey - White
* A636-406-3849	Grey - Gold
A636-406-4135	Terracotta - White
* A636-406-4149	Terracotta - Gold
* A636-406-3935	Black - White
A636-406-3949	Black - Gold
* A636-406-4735	Brown - White
* A636-406-4749	Brown - Gold
A636-406-4235	Ocher - White
A636-406-4535	Dark Green - White
A636-406-4549	Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in glossy white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E27 LED Standard 8W (not included)
 Weight: Net 4,6 kg - Gross 6 kg
 Package: 57 x 57 x 36 cm - 6 kg Vol - 0,1 m³



UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.



A636-406-3535

Pleat Box 47 LED

Code

A636-407-3535-27K
A636-407-3549-27K
A636-407-3835-27K
* A636-407-3849-27K
A636-407-4135-27K
* A636-407-4149-27K
* A636-407-3935-27K
A636-407-3949-27K
* A636-407-4735-27K
* A636-407-4749-27K
A636-407-4235-27K
A636-407-4535-27K
A636-407-4549-27K

Finish

White - White
White - Gold
Grey - White
Grey - Gold
Terracotta - White
Terracotta - Gold
Black - White
Black - Gold
Brown - White
Brown - Gold
Ocher - White
Dark Green - White
Dark Green - Gold

Materials

Shade: Ceramic with the inner part

in glossy white enamel or gold

Canopy: Ceramic

Cord: Fabric

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Pendant


Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm

Luminaire: 180 - 295 VAC TRIAC 19,71W 625lm

Weight: Net 5,4 kg - Gross 6,3 kg

Package: 57 x 57 x 36 cm - 6,3 kg Vol - 0,1 m³

LED included



Dimmable

CE

ENEC



UK
CA

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Same color as chosen shade.

Product notes: DALI-2 available upon request, upcharge of 90 €

3000K available upon request, upcharge of 60 €



A636-407-4549-27K

LED bulbs

	Code	Description	CCT	Dimming
	BOM-275	E14 LED 4,3W 470lm CRI80	2700K	No
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
	BOM-276-27K	E27 LED Standard 7,8W 1055lm CRI90	2700K	Yes

Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White - White	Shade
R636-026	Pleat Box 13	White - Gold	Shade
R636-028	Pleat Box 13	Grey - White	Shade
R636-030	Pleat Box 13	Terracotta - White	Shade
R636-034	Pleat Box 13	Black - Gold	Shade
R636-123	Pleat Box 13	Ocher - White	Shade
R636-124	Pleat Box 13	Dark Green - White	Shade
R636-125	Pleat Box 13	Dark Green - Gold	Shade
R636-017	Pleat Box 24	White - White	Shade
R636-016	Pleat Box 24	White - Gold	Shade
R636-018	Pleat Box 24	Grey - White	Shade
R636-019	Pleat Box 24	Terracotta - White	Shade
R636-022	Pleat Box 24	Black - Gold	Shade
R636-126	Pleat Box 24	Ocher - White	Shade
R636-127	Pleat Box 24	Dark Green - White	Shade
R636-128	Pleat Box 24	Dark Green - Gold	Shade
R636-041	Pleat Box 36	White - White	Shade
R636-046	Pleat Box 36	White - Gold	Shade
R636-042	Pleat Box 36	Grey - White	Shade
R636-043	Pleat Box 36	Terracotta - White	Shade
R636-049	Pleat Box 36	Black - Gold	Shade
R636-129	Pleat Box 36	Ocher - White	Shade
R636-130	Pleat Box 36	Dark Green - White	Shade
R636-131	Pleat Box 36	Dark Green - Gold	Shade
R636-014	Pleat Box 47	White - White	Shade
R636-055	Pleat Box 47	White - Gold	Shade
R636-051	Pleat Box 47	Grey - White	Shade
R636-052	Pleat Box 47	Terracotta - White	Shade
R636-058	Pleat Box 47	Black - Gold	Shade
R636-132	Pleat Box 47	Ocher - White	Shade
R636-133	Pleat Box 47	Dark Green - White	Shade
R636-134	Pleat Box 47	Dark Green - Gold	Shade

The fluidity of its movements and its integrated LED technology makes the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminium and a rotary switch located in the upper part.



Polo


Code
A642-001

Finish
● Black (RAL 9005)

Materials
Diffuser: Aluminium
Body: Aluminium

Dimmable: No

Product type: Table
Light source: LED COB 220mA 7,8W 3000K CRI95 532,4lm
Luminaire: 220- 240 VAC 9W 441lm
Weight: Net 0,7 kg – Gross 1,8 kg
Package: 53 x 36 x 11 cm – 1,8 kg Vol – 0,019 m³
Product notes: Reflector with 80° degree aperture
LED included



Cable length: 2,2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built-in the shade



A642-001

Base

Code
A642-003

Finish
● Black (RAL 9005)

Materials

Base: Metal with a polycarbonate cover

Product type: Accessory

Weight: Net 3,9 kg – Gross 4 kg

Package: 24 x 24 x 12 cm - 4 kg – VOL - 0,007 m³



Clamp

Code
* A642-005

Finish
● Black (RAL 9005)


Materials

Structure: Metal

Product type: Accessory

Weight: Net 0,4 kg – Gross 0,5 kg

Package: 14 x 9 x 7 cm - 0,5 kg – VOL - 0,001 m³



Floor base

Code
A642-020

Finish
● Black (RAL 9005)

Materials

Structure: Aluminium

Product type: Accessory

Weight: Net 5,4 kg – Gross 7 kg

Package: 34 x 34 x 3 cm - 6 kg – VOL - 0,003 m³

Ø4 x 66 cm - 1 kg – VOL - 0,0002 m³





A large pendant or ceiling lamp that accentuates material rather than form. Its large size is in keeping with its function, since it's been designed to illuminate large spaces with considerably high ceilings and contemporary architectural projects requiring

a great deal of light. Switched off it's a forceful object with a strong presence; switched on it manages to make the material less dense and its design weightless.



Ringo 70 NEW

Code	Finish	Dimming
A732-005-53-3CCT	Smoked	Triac
A732-005-62-3CCT	Dark smoked	Triac
A732-005-63-3CCT	Rosé	Triac
A732-005-57-3CCT	Green	Triac
A732-006-53-3CCT	Smoked	DALI-2
A732-006-62-3CCT	Dark smoked	DALI-2
A732-006-63-3CCT	Rosé	DALI-2
A732-006-57-3CCT	Green	DALI-2

Materials

Shade: Rotomoulded polycarbonate

Diffuser: Opal methacrylate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant

Light source: LED SMD 700mA 26,8W 2700K/3000K/4000K CRI90 3205lm


Luminaire: 220 - 240 VAC TRIAC 29,9W 2362lm

220 - 240 VAC DALI-2 29,92W 2362lm

Weight: Net 11,4 kg – Gross 19,4 kg

Package: 82 x 82 x 41,5 cm – 19,4 kg Vol – 0,279 m³

LED included



Dimmable



Cable length: 2,5 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A732-005-62-3CCT

Ringo 90 NEW


Code	Finish	Dimming	Class
A732-007-53-3CCT	Smoked	Triac	I
A732-007-62-3CCT	Dark smoked	Triac	I
A732-007-63-3CCT	Rosé	Triac	I
A732-007-57-3CCT	Green	Triac	I
A732-008-53-3CCT	Smoked	DALI-2	II
A732-008-62-3CCT	Dark smoked	DALI-2	II
A732-008-63-3CCT	Rosé	DALI-2	II
A732-008-57-3CCT	Green	DALI-2	II

Materials
 Shade: Rotomoulded polycarbonate
 Diffuser: Opal methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI-2

Product type: Pendant
 Light source: LED SMD 1400mA 49,7W 2700K/3000K/4000K CRI90 6250lm
 Luminaire: 220 - 240 VAC TRIAC 53,2W 4746lm
 220 - 240 VAC DALI-2 54,82W 4746lm

Weight: Net 19,52 kg – Gross 30,86 kg
 Package: 102 x 102 x 45 cm – 30,86 kg Vol – 0,468 m³
 LED included



Dimmable



Cable length: 2,5 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



A732-007-53-3CCT

Ringo C 70 NEW


Code	Finish	Dimming
A732-001-53-3CCT	Smoked	Triac
A732-001-62-3CCT	Dark smoked	Triac
A732-001-63-3CCT	Rosé	Triac
A732-001-57-3CCT	Green	Triac
A732-002-53-3CCT	Smoked	DALI-2
A732-002-62-3CCT	Dark smoked	DALI-2
A732-002-63-3CCT	Rosé	DALI-2
A732-002-57-3CCT	Green	DALI-2

Materials
 Shade: Rotomoulded polycarbonate
 Diffuser: Opal methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI-2

Product type: Ceiling
 Light source: LED SMD 700mA 26,82W 2700K/3000K/4000K CRI90 3205lm
 Luminaire: 220 - 240 VAC TRIAC 29,9W 2362lm
 220 - 240 VAC DALI-2 29,92W 2362lm

Weight: Net 10,8 kg – Gross 18,6 kg
 Package: 82 x 82 x 41,5 cm – 18,6 kg Vol – 0,279 m³
 LED included



Dimmable



Wire installation: Hardwired



A732-001-57-3CCT



Ringo C 90 NEW


Code	Finish	Dimming	Class
A732-003-53-3CCT	Smoked	Triac	I
A732-003-62-3CCT	Dark smoked	Triac	I
A732-003-63-3CCT	Rosé	Triac	I
A732-003-57-3CCT	Green	Triac	I
A732-004-53-3CCT	Smoked	DALI-2	II
A732-004-62-3CCT	Dark smoked	DALI-2	II
A732-004-63-3CCT	Rosé	DALI-2	II
A732-004-57-3CCT	Green	DALI-2	II

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling
Light source: LED SMD 1400mA 49,7W 2700K/3000K/4000K CRI90 6250lm
Luminaire: 220 - 240 VAC TRIAC 53,2W 4746lm
220 - 240 VAC DALI-2 54,82W 4746lm

Weight: Net 19 kg – Gross 30,5 kg
Package: 102 x 102 x 45 cm – 30,5 kg Vol – 0,468 m³
LED included



Dimmable



Wire installation: Hardwired



A732-003-62-3CCT

Ringo C 70 Fixed Stem NEW


Code	Finish	Dimming
A732-009-53-3CCT	Smoked	Triac
A732-009-62-3CCT	Dark smoked	Triac
A732-009-63-3CCT	Rosé	Triac
A732-009-57-3CCT	Green	Triac
A732-010-53-3CCT	Smoked	DALI-2
A732-010-62-3CCT	Dark smoked	DALI-2
A732-010-63-3CCT	Rosé	DALI-2
A732-010-57-3CCT	Green	DALI-2

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate
Structure: Black painted steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Ceiling
Light source: LED SMD 700mA 26,8W 2700K/3000K/4000K CRI90 3205lm
Luminaire: 220 - 240 VAC TRIAC 29,9W 2362lm
220 - 240 VAC DALI-2 29,92W 2362lm

Weight: Net 11,8 kg – Gross 19,7 kg
Package: 82 x 82 x 41,5 cm – 19,7 kg Vol – 0,279 m³
LED Included.



Dimmable



Product notes: The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.
Wire installation: Hardwired
Canopy color: Black



A732-009-63-3CCT

Ringo C 90 Fixed Stem NEW

Code	Finish	Dimming	Class
A732-011-53-3CCT	● Smoked	Triac	I
A732-011-62-3CCT	● Dark smoked	Triac	I
A732-011-63-3CCT	● Rosé	Triac	I
A732-011-57-3CCT	● Green	Triac	I
A732-012-53-3CCT	● Smoked	DALI-2	II
A732-012-62-3CCT	● Dark smoked	DALI-2	II
A732-012-63-3CCT	● Rosé	DALI-2	II
A732-012-57-3CCT	● Green	DALI-2	II

Materials
 Shade: Rotomoulded polycarbonate
 Diffuser: Opal methacrylate
 Structure: Black painted steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI-2

Product type: Ceiling
 Light source: LED SMD 1400mA 49,7W 2700K/3000K/4000K CRI90 6250lm
 Luminaire: 220 - 240 VAC TRIAC 53,2W 4746lm
 220 - 240 VAC DALI-2 54,82W 4746lm

Weight: Net 20,1 kg – Gross 32 kg
 Package: 102 x 102 x 45 cm – 32 kg Vol – 0,468 m³
 LED included



A732-011-57-3CCT



Dimmable



ERIC

UK
CA

Product notes: The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.
 Wire installation: Hardwired
 Canopy color: Black

Pole Ringo 40

Code	Finish
A732-013-39	● Black

Materials
 Structure: Black painted steel

Product type: Accessory

Weight: Net 0,6 kg – Gross 1 kg
 Package: 8 x 8 x 68 cm – 1 kg Vol – 0,004 m³



Pole Ringo 60

Code	Finish
A732-014-39	● Black

Materials
 Structure: Black painted steel

Product type: Accessory

Weight: Net 0,8 kg – Gross 1,1 kg
 Package: 8 x 8 x 68 cm – 1,1 kg Vol – 0,004 m³





Wall light for indoor and outdoor use, with a pressed glass diffuser. Its wavy shade covers the light, softens it, and creates an inviting atmosphere. Now, Roc evolves to provide even more light and expands its collection with two new sizes and a white

finish. All versions include an accessory that acts as a filter to reduce glare and screen the light. Roc resembles a shining block of ice, with an irregular texture that begs you to touch it.



Roc Mini NEW

Code	Finish	CCT
A701-510-35-27K	White (RAL 9003)	27K
A701-510-35-30K	White (RAL 9003)	30K
A701-510-39-27K	Black (RAL 9005)	27K
A701-510-39-30K	Black (RAL 9005)	30K

Materials

Structure: Aluminium
Shade: Pressed glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Product type: Wall / Ceiling


Light source: LED SMD 24Vdc 2,9W CRI90 291lm

Luminaire: (Power supply not included) 109lm

Weight: Net 0,52 kg – Gross 0,68 kg

Package: 12 x 12 x 13,5 cm – 0,68 kg Vol – 0,002 m³

LED included



Dimmable



IP65



Wire installation: Hardwired

Accessory: Filter to reduce glare (Included)

Power supply Dimmable

Code	Description	Dimming	Class
968-360	6W - 24V	On/off	II
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II



A701-510-35-27K


Recessed accessory - Roc Mini

Code A701-513
Finish White

Materials
Structure: Stainless steel

Product type: Accessory
Product notes: Accessory to recess Roc Mini

Weight: Net 0,2 kg – Gross 0,3 kg
Package: 12,5 x 12,5 x 6,5 cm – 0,3 kg Vol – 0,001 m³



Downward anti-glare accessory - Roc Mini

Code A701-514
Finish Black

Materials
Structure: Stainless steel

Product type: Accessory
Product notes: Accessory to reduce glare and guide light downward



Roc Mini without Downward anti-glare accessory



Roc Mini with Downward anti-glare accessory

Roc NEW


Code	Finish	CCT	Tension	Class
➤ A701-500-35-27K	White (RAL 9003)	27K	220-240 Vac	II
A701-500-35-30K	White (RAL 9003)	30K	220-240 Vac	II
➤ A701-500-39-27K	Black (RAL 9005)	27K	220-240 Vac	II
A701-500-39-30K	Black (RAL 9005)	30K	220-240 Vac	II
A701-504-35-27K	White (RAL 9003)	27K	24 Vdc	III
A701-504-35-30K	White (RAL 9003)	30K	24 Vdc	III
A701-504-39-27K	Black (RAL 9005)	27K	24 Vdc	III
A701-504-39-30K	Black (RAL 9005)	30K	24 Vdc	III

Materials
Structure: Aluminium
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac), 220-240 VAC version

Product type: Wall / Ceiling
Light source: LED SMD 500mA 7,1W CRI90 928lm
Luminaire: 220-240 VAC TRIAC 9,5W 421lm
Light source: LED SMD 24 Vdc 5W CRI90 495lm
Luminaire: (Power supply not included) 248lm

Weight: Net 1,64 kg – Gross 2,03 kg
Package: 19 x 19 x 19 cm – 2,03 kg Vol – 0,007 m³
LED included



Dimmable



IP65

ERC

Product notes: DALI-2 available upon request. Upcharge of 90 €
Wire installation: Hardwired
Accessory: Filter to reduce glare (Included)

Power supply Dimmable

Code	Description	Dimming	Class
968-360	6W - 24V	On/off	II
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II



A701-500-39-27K

Roc Plus NEW

Code	Finish	CCT
⌚ A701-502-35-27K	● White (RAL 9003)	27K
A701-502-35-30K	● White (RAL 9003)	30K
⌚ A701-502-39-27K	● Black (RAL 9005)	27K
A701-502-39-30K	● Black (RAL 9005)	30K

Materials

Structure: Aluminium
Shade: Pressed glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling


Light source: LED SMD 500mA 8,3W CRI90 1115lm

Luminaire: 220-240 VAC TRIAC 10,8W 540lm

Weight: Net 2,40 kg – Gross 2,86 kg

Package: 22,5 x 22,5 x 19 cm – 2,86 kg Vol – 0,01 m³

LED included



Dimmable



IP65



Product notes: DALI-2 available upon request. Upcharge of 90 €

Wire installation: Hardwired

Accessory: Filter to reduce glare (Included)



A701-502-39-27K

Spare parts

Code	Product	Spare part
R701-022	Roc Mini	Glass
R701-009	Roc	Glass
R701-016	Roc Plus	Glass






Santorini

Code	Finish
☛ A654-001	● White (RAL 9003)
A654-002	● Grey (RAL 7039)
☛ A654-003	● Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E27 LED Standard 8W (not included)
Weight: Net 1,5 kg – Gross 2,2 kg
Package: 41 x 26 x 24 cm – 2,2 kg Vol – 0,03 m³



CE
ENEC
IP65

Cable length: 4,5 m
Wire installation: Plug-in
Color cord: Black



A654-002

Santorini A Fixed Stem

Code	Finish
A654-023	White (RAL 9003)
A654-024	Grey (RAL 7039)
A654-025	Mustard (RAL 1032)

Materials


Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Wall

Light source: E27 LED Standard 8W (not included)

Weight: Net 1,8 kg – Gross 2,6 kg

Package: 53 x 33 x 24 cm – 2,6 kg Vol – 0,042 m³



CE

ERL

UK



IP65

Wire installation: Hardwired



A654-025

Santorini C

Code	Finish
* A654-026	White (RAL 9003)
* A654-027	Grey (RAL 7039)
* A654-028	Mustard (RAL 1032)

Materials


Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Ceiling

Light source: E27 LED Standard 8W (not included)

Weight: Net 1,4 kg – Gross 2,3 kg

Package: 53 x 33 x 24 cm – 2,3 kg Vol – 0,042 m³



CE

ERL

UK



IP65

Wire installation: Hardwired



A654-027

Garland accessory

Code
A654-004

Finish
● Grey

Product type: Accessory
Weight: Net 0,03 kg – Gross 0,03 kg
Package: 16 x 25 x 1 cm - 0,03 kg – VOL - 0,0004 m³




Wall bracket

Code
A654-005

Finish
● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0,3 kg – Gross 0,5 kg
Package: 14 x 14 x 28 cm - 0,5 kg – VOL - 0,005 m³



Hardwired wall bracket IP65

Code
A654-006


Finish
● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0,5 kg – Gross 0,7 kg
Package: 14 x 14 x 28 cm - 0,7 kg – VOL - 0,005 m³



IP65



Canopy IP65

Code
A654-007

Finish
● Graphite grey (RAL 7024)

Product type: Accessory
Weight: Net 0,2 kg – Gross 0,3 kg
Package: 16 x 9 x 15 cm - 0,3 kg – VOL - 0,002 m³



IP65



Canopy

Code
A654-008

Finish
● White

Product type: Accessory
Weight: Net 0,2 kg – Gross 0,3 kg
Package: 16 x 9 x 15 cm - 0,3 kg – VOL - 0,002 m³




Floor accessory

Code
A654-009

Finish
● Grey (RAL 7038)

Materials
Structure: Metallic structure with
stainless anti-oxidant cataphoresis
treatment

Product type: Accessory
Weight: Net 6,7 kg – Gross 7,8 kg
Package: 25 x 5 x 179 cm - 2,1 kg – VOL - 0,022 m³
38 x 38 x 5 cm - 5,7 kg – VOL - 0,006 m³




Santorini IP20

Code
A654-050
A654-051

Finish
● Light green (PANTONE 5517U)
● Sand (RAL 1001)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E27 LED Standard 8W (not included)
Weight: Net 1,5 kg – Gross 2,2 kg
Package: 41 x 25 x 24 cm – 2,2 kg Vol – 0,025 m³



Cable length: 2 m
Wire installation: Hardwired
Color: Cord: Black fabric electrical cord
Canopy color: Black



A654-050

LED bulbs

	Code	Description	CCT	Dimming
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
	BOM-276-27K	E27 LED Standard 7,8W 1055lm CRI90	2700K	Yes
	BOM-266	E27 LED Vintage 6W 560lm CRI80	2200K	Yes

Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade






Scantling P73

Code
A626-001
A626-018

Finish
● White (RAL 9010)
● Black (RAL 9005)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminium

Product type: Floor
Light source: E27 LED Standard 8W (not included)
Weight: Net 7,5 kg – Gross 10,7 kg
Package: 139 x 46 x 17 cm – 10,7 kg Vol – 0,11 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black fabric electrical cord
Switch location: Shade




A626-001

Scantling S

Code	Finish
A626-005	● White (RAL 9010)
A626-020	● Black (RAL 9005)

Materials
 Stem: Iron
 Base: Iron
 Arm: Oak
 Shade: Aluminium

Product type: Table
 Light source: E27 LED Standard 8W (not included)
 Weight: Net 3,6 kg – Gross 5,3 kg
 Package: 71 x 40 x 18 cm – 5,3 kg Vol – 0,05 m³



Cable length: 1,5 m
 Wire installation: Plug-in
 Color: Cord: Black fabric electrical cord
 Switch location: Shade




A626-020

Scantling A

Code	Finish
A626-007	● White (RAL 9010)
A626-021	● Black (RAL 9005)

Materials
 Structure: Iron
 Arm: Oak
 Shade: Aluminium

Product type: Wall
 Light source: E27 LED Standard 8W (not included)
 Weight: Net 0,8 kg – Gross 1,4 kg
 Package: 35 x 30 x 18 cm – 1,4 kg Vol – 0,02 m³



Wire installation: Hardwired
 Switch location: Canopy



A626-007

LED bulbs

	Code	Description	CCT	Dimming
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No

The warmth of the fixture's ceramics contrasts with the faceted edges of the sphere, making it seem as if it is winking playfully. Made using a meticulous, traditional design

process, the lamps are fired four times – using glazes specifically developed for this collection – and incorporate warm, high-quality materials, such as gold.



Scotch Club 17

Code	Finish
* A656-001	White - White
* A656-002	White - Gold
* A656-003	Grey - White
* A656-004	Grey - Gold
* A656-005	Terracotta - White
* A656-006	Terracotta - Gold
* A656-007	Black - White
* A656-008	Black - Gold

Materials


Shade: Ceramic with the inner part in glossy white enamel or gold
Canopy: Ceramic
Cord: Fabric

Product type: Pendant

Light source: G9 LED 2,2W (not included)

Weight: Net 1,3 kg – Gross 2 kg

Package: 45 x 25 x 27 cm – 2 kg Vol – 0,03 m³




Cable length: 2 m

Wire installation: Hardwired

Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.

Canopy color: Same color as chosen shade



A656-005

Scotch Club 26

Code	Finish
* A656-132	Blue - White
* A656-133	Blue - Gold
* A656-135	Terracotta - Gold
* A656-137	Black - Gold

Materials

Shade: Ceramic with the inner part in glossy white enamel or gold

Canopy: Ceramic


Cord: Fabric

Product type: Pendant

Light source: E27 LED Standard 8W (not included)

Weight: Net 2,4 kg – Gross 3,3 kg

Package: 35 x 34 x 40 cm – 3,3 kg Vol – 0,05 m³



CE

ERL

UK




Cable length: 2 m

Wire installation: Hardwired

Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.

Canopy color: Same color as chosen shade



A656-137

Scotch Club 41

Code	Finish
* A656-138	White - White
* A656-142	Terracotta - White
* A656-143	Terracotta - Gold

Materials

Shade: Ceramic with the inner part in glossy white enamel or gold

Canopy: Ceramic


Cord: Fabric

Product type: Pendant

Light source: E27 LED Standard 8W (not included)

Weight: Net 6 kg – Gross 8,2 kg

Package: 59 x 60 x 59 cm – 8,2 kg Vol – 0,2 m³



CE

ERL

UK



Cable length: 2 m

Wire installation: Hardwired

Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.

Canopy color: Same color as chosen shade



A656-143

Scotch Club C

Code	Finish
* A656-036	Blue - Gold
* A656-038	Terracotta - Gold
* A656-039	Black - White

Materials

Shade: Ceramic with the inner part in glossy white enamel or gold

Product type: Wall

Light source: G9 LED 2,2W (not included)

Weight: Net 0,8 kg – Gross 1,2 kg

Package: 22 x 25 x 23 cm – 1,2 kg Vol – 0,01 m³



Wire installation: Hardwired



A656-039

LED bulbs

	Code	Description	CCT	Dimming
	BOM-277-27K	G9 LED 2,7W 300lm CRI80	2700K	Yes
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
	BOM-276-27K	E27 LED Standard 7,8W 1055lm CRI90	2700K	Yes

Spare parts

Code	Product	Finish	Spare part
* R656-014	Scotch Club 17	White - White	Shade
* R656-015	Scotch Club 17	White - Gold	Shade
* R656-016	Scotch Club 17	Terracotta - White	Shade
* R656-017	Scotch Club 17	Terracotta - Gold	Shade
* R656-018	Scotch Club 17	Black - White	Shade
* R656-019	Scotch Club 17	Black - Gold	Shade
* R656-023	Scotch Club 26	Terracotta - Gold	Shade
* R656-002	Scotch Club 26	Black - Gold	Shade
* R656-004	Scotch Club 41	White - White	Shade
* R656-008	Scotch Club 41	Terracotta - White	Shade
* R656-009	Scotch Club 41	Terracotta - Gold	Shade
* R656-039	Scotch Club C	Terracotta - Gold	Shade
* R656-040	Scotch Club C	Black - White	Shade

Free of cables, lightweight, with a simple structure and neutral colours, this design becomes a discreet part of the table, without formal or chromatic excesses. An

object simplified to the max that allows easy placement and mobility and ensures good lighting in restaurants, bars, cocktail bars, terraces and patios.



Sips

- Code
 A721-001-3534-27K
 A721-001-4749-27K
 A721-001-4549-27K

- Finish
 White - Silver (RAL 9001 - RAL 9006)
 Chocolate - Gold (RAL 8017 - RAL 1036)
 Green - Gold (RAL 6009 - RAL 1036)


Materials
 Diffuser: Polycarbonate
 Base: Polycarbonate
 Stem: Steel

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 2,2W 1,5 A 2700K CRI90 327lm
 Luminaire: in 5 Vdc 1,5A

Weight: Net 0,34 kg – Gross 0,59 kg
 Package: 38 x 13,5 x 12 cm – 0,59 kg Vol – 0,006 m³ (1u)
 39 x 38 x 29 cm – 3,7 kg Vol – 0,04 m³ (6u)

Product notes: Multiple order of 6 units
 Charging cable included. Power adapter not included.
 LED included



Switch location: Body
 Charging time 10 h



CE

ERL

UK
CA



IP43

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power



A721-001-4549-27K

Spare parts

Code	Product	Spare part
R721-001	Sips	Battery
R968-001-EU	Sips	Black power adapter USB A (EU)
R968-002-USA	Sips	Black power adapter USB A (USA)
R968-003-AU	Sips	Black power adapter USB A (AU)
R968-004-UK	Sips	Black power adapter USB A (UK)
R961-057	Sips	Black cable USB A to USB C
R968-010	Sips	Black power adapter USB C (EU)
R968-011	Sips	Black power adapter USB C (USA)
R968-012	Sips	Black power adapter USB C (AU)
R968-013	Sips	Black power adapter USB C (UK)
R961-075	Sips	Black cable USB C to USB C



The Soho makes a statement in recognition of those lamps that were traditionally used to light up markets, taverns and cafeterias.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.




Soho 38 LED

Code	Finish	Dimming
A631-200	● White	Triac
A631-201	● Stone grey	Triac
A631-202	● Black	Triac
A631-205	● White	DALI-2
A631-206	● Stone grey	DALI-2
A631-207	● Black	DALI-2

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2

Product type: Pendant
Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
220 - 240 VAC DALI-2 16,23W 1051lm
Weight: Net 2,5 kg – Gross 3,5 kg
Package: 44 x 45 x 24 cm – 3,5 kg Vol – 0,05 m³
LED included



Cable length: 2 m
Wire installation: Hardwired
Color cord: White (white version),
Black (all the rest)
Canopy color: White

Product notes: 3000K available upon request. Upcharge of 60 €
Casambi available upon request. Upcharge of 210 €



A631-202

Soho 57 LED

Code	Finish
A631-100	● White
A631-101	● Stone grey
A631-102	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI-2

Product type: Pendant
 Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
 Luminaire: 220 - 240 VAC DALI-2 33,5W 2086lm
 Weight: Net 7 kg – Gross 8,5 kg
 Package: 60 x 60 x 36 cm – 8,5 kg Vol – 0,13 m³
 LED included



Dimmable



CE

EN

UK

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: White

Product notes: 3000K available upon request. Upcharge of 60 €
 4000K available upon request. Upcharge of 60 €
 Casambi available upon request. Upcharge of 210 €



A631-101


Soho 112 LED

Code	Finish
• A631-103	● White
• A631-104	● Stone grey
A631-105	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI-2

Product type: Pendant
 Light source: LED SMD 400mA 106,8W 2700K CRI90 17100lm
 Luminaire: 220 - 240 VAC DALI-2 118,3W 8836lm
 Weight: Net 27,6 kg – Gross 32 kg
 Package: 116 x 114 x 71 cm – 32 kg Vol – 0,95 m³
 LED included



Dimmable



CE

EN

UK

Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: White

Product notes: 3000K available upon request. Upcharge of 60 €
 4000K available upon request. Upcharge of 60 €
 Casambi available upon request. Price 250 €
 Tunable White DALI-2 available upon request. Price 200 €
 Tunable White Casambi available upon request. Price 410 €



A631-103

Soho C 57 LED

Code	Finish
* A631-106	● White
* A631-107	● Stone grey
* A631-108	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: DALI-2

Product type: Ceiling
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 220 - 240 VAC DALI-2 33,5W 2086lm
Weight: Net 6,3 kg – Gross 7,7 kg
Package: 60 x 60 x 21 cm – 7,7 kg Vol – 0,08 m³
LED included



Dimmable



CE

EH

UK
CA



A631-108

Wire installation: Hardwired

Product notes: 3000K available upon request. Upcharge of 60 €
4000K available upon request. Upcharge of 60 €
Casambi available upon request. Upcharge of 210 €


Soho 38 IP44 LED

Code	Finish
A631-220	● White
A631-221	● Stone grey
A631-222	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
Weight: Net 2,7 kg – Gross 3,6 kg
Package: 44 x 45 x 25 cm – 3,6 kg Vol – 0,05 m³
LED included



Dimmable



CE

EH

UK
CA

IP44



A631-221

Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Product notes: 3000K available upon request. Upcharge of 60 €
Casambi available upon request. Upcharge of 210 €

Soho 57 IP44 LED

Code	Finish
A631-166	● White
A631-167	● Stone grey
A631-168	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm
Weight: Net 7 kg – Gross 8,6 kg
Package: 60 x 61 x 36 cm – 8,6 kg Vol – 0,13 m³
LED included



Dimmable



IP44

CE

ERC

UK
CA

Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Product notes: 3000K available upon request. Upcharge of 60 €
4000K available upon request. Upcharge of 60 €
Casambi available upon request. Upcharge of 210 €



A631-166


Soho 112 IP44 LED

Code	Finish
A631-171	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 350mA 93,6W 2700K CRI90 15648lm
Luminaire: 180 - 295 VAC TRIAC 109,8W 8085lm
Weight: Net 27,6 kg – Gross 32 kg
Package: 116 x 114 x 71 cm – 32 kg Vol – 0,95 m³
LED included



Dimmable



IP44

CE

ERC

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Product notes: 3000K available upon request. Upcharge of 60 €
4000K available upon request. Upcharge of 60 €
Casambi available upon request. Price 250 €



A631-171

Soho A LED

Code
A631-156

Finish
● Black

Materials

Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Wall


Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm

Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm

Weight: Net 7,8 kg – Gross 9,7 kg

Package: 60 x 61 x 36 cm – 9,7 kg Vol – 0,13 m³

LED included



Dimmable

CE

EMC

UK
CA



IP44

Wire installation: Hardwired
Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €



A631-156

Soho C Fixed Stem LED

Code
A631-165

Finish
● Black

Materials

Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Ceiling


Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm

Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm

Weight: Net 7,6 kg – Gross 9,2 kg

Package: 60 x 60 x 35 cm – 9,2 kg Vol – 0,13 m³

LED included



Dimmable

CE

EMC

UK
CA



IP44

Wire installation: Hardwired
Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €



A631-165

Soho 38 P LED

Code
A631-232

Finish
● Black

Materials

Shade: Rotary moulded polyethylene

Diffuser: Methacrylate opal

Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Floor

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm

Luminaire: 220 - 240 VAC TRIAC 9,89W


Weight: Net 12 kg – Gross 14,5 kg

Package: 44 x 44 x 24 cm – 3 kg Vol – 0,05 m³

46 x 46 x 3 cm – 8,5 kg Vol – 0,006 m³

176 x 30 x 6,5 cm – 3 kg Vol – 0,03 m³

LED included



Dimmable

CE

ERC



IP44

Cable length: 2 m

Wire installation: Plug-in

Color cord: Black



A631-232

Dimmer Casambi IP65

Code
A712-001

Finish
● Black

Materials

Case: ABS

Trim: Aluminium

Product type: Accessory

85 - 240 VAC max. 50W

Weight: Net 2 kg – Gross 3 kg

Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³

Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.

CE

ERC

UK
CA

IP65



Imaginative and playful, Tam Tam is dynamic in its configuration and expressive in its colours. The extensive collection, which comes in pendant, wall and floor lamps, has harnessed colour since its inception to create volume and accentuate spaces.

A decade later, the collection is getting an update to offer new possibilities. The glossy finishes have become semi-matte and new, softer colours have been added to harmonise the whole.



Tam Tam 3

Code

Central shade

A633-136 39
A633-136 35
A633-136 48
A633-136 43

Finish

● Black semi-matt (RAL 9011)
● Off-White semi-matt (RAL 1013)
● Blue grey semi-matt (RAL 7031)
● Khaki semi-matt (RAL 7008)

Satellite shade

A633-135 39
A633-135 35
A633-135 37
A633-135 38
A633-135 42
A633-135 46
A633-135 47

● Black semi-matt (RAL 9011)
● Off-white semi-matt (RAL 1013)
● Sand semi-matt (RAL 7032)
● Silver grey semi-matt (RAL 7001)
● Olive yellow semi-matt (RAL 1020)
● Orange semi-matt (RAL 2000)
● Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate


Product type: Pendant

Light source: 9x E27 LED Standard 8W (not included)

Weight: Net 8 kg – Gross 12,6 kg

Package: 58 x 58 x 38 cm – 6 kg Vol – 0,13 m³

(3x) 42 x 42 x 28 cm – 2,2 kg Vol – 0,05 m³



Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A633-136 43 / (x3) A633-135 42

Tam Tam 5

Code Central shade

- * A633-137 39
- A633-137 35
- * A633-137 48
- * A633-137 43

Finish

- Black semi-matt (RAL 9011)
- Off-White semi-matt (RAL 1013)
- Blue grey semi-matt (RAL 7031)
- Khaki semi-matt (RAL 7008)

Satellite shade

- A633-135 39
 - A633-135 35
 - A633-135 37
 - A633-135 38
 - A633-135 42
 - A633-135 46
 - A633-135 47
- Black semi-matt (RAL 9011)
 - Off-white semi-matt (RAL 1013)
 - Sand semi-matt (RAL 7032)
 - Silver grey semi-matt (RAL 7001)
 - Olive yellow semi-matt (RAL 1020)
 - Orange semi-matt (RAL 2000)
 - Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate


Product type: Pendant

Light source: 13x E27 LED Standard 8W (not included)

Weight: Net 10,8 kg – Gross 17 kg

Package: 59 x 59 x 38 cm – 6 kg Vol – 0,13 m³

(5x) 42 x 42 x 27 cm – 2,2 kg Vol – 0,05 m³



Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A633-137 39 / (x5) A633-135 39

Tam Tam Mini

Code Central shade

- A633-131 39
- A633-131 35
- A633-131 48
- A633-131 43

Finish

- Black semi-matt (RAL 9011)
- Off-White semi-matt (RAL 1013)
- Blue grey semi-matt (RAL 7031)
- Khaki semi-matt (RAL 7008)

Satellite shade

- A633-130 39
 - A633-130 35
 - A633-130 37
 - A633-130 38
 - A633-130 42
 - A633-130 46
 - A633-130 47
- Black semi-matt (RAL 9011)
 - Off-white semi-matt (RAL 1013)
 - Sand semi-matt (RAL 7032)
 - Silver grey semi-matt (RAL 7001)
 - Olive yellow semi-matt (RAL 1020)
 - Orange semi-matt (RAL 2000)
 - Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate


Product type: Pendant

Light source: 5x E27 LED Standard 8W (not included)

Weight: Net 3,5 kg – Gross 5,5 kg

Package: 44 x 44 x 28 cm – 3,4 kg Vol – 0,054 m³

(3x) 24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A633-131 48 / (x3) A633-130 38



Tam Tam 4

Code	Finish
Structure	
☛ A633-172 39	● Black semi-matt (RAL 9011)
Shades	
☛ A633-130 39	● Black semi-matt (RAL 9011)
☛ A633-130 35	● Off-white semi-matt (RAL 1013)
☛ A633-130 37	● Sand semi-matt (RAL 7032)
☛ A633-130 38	● Silver grey semi-matt (RAL 7001)
☛ A633-130 42	● Olive yellow semi-matt (RAL 1020)
☛ A633-130 46	● Orange semi-matt (RAL 2000)
☛ A633-130 47	● Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate


Product type: Pendant

Light source: 4x E27 LED Standard 8W (not included)

Weight: Net 3,2 kg – Gross 7,6 kg

Package: 167 x 18 x 18 cm – 4,8 kg Vol – 0,054 m³

(4x) 24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A633-172 39 / (x4) A633-130 47

Tam Tam 6

Code	Finish
Structure	
A633-173 39	● Black semi-matt (RAL 9011)
Shades	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver grey semi-matt (RAL 7001)
A633-130 42	● Olive yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate


Product type: Pendant

Light source: 6x E27 LED Standard 8W (not included)

Weight: Net 5 kg – Gross 9,9 kg

Package: 225 x 18 x 18 cm – 5,7 kg Vol – 0,072 m³

(6x) 24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A633-173 39 / (x6) A633-130 37

Tam Tam P

Code Stem

A633-142 39

Finish

● Black semi-matt (RAL 9011)

Shades

A633-130 39

● Black semi-matt (RAL 9011)

A633-130 35

● Off-white semi-matt (RAL 1013)

A633-130 37

● Sand semi-matt (RAL 7032)

A633-130 38

● Silver grey semi-matt (RAL 7001)

A633-130 42

● Olive yellow semi-matt (RAL 1020)

A633-130 46

● Orange semi-matt (RAL 2000)

A633-130 47

● Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate

Structure: Metal

Product type: Floor

Light source: E27 LED Standard 8W (not included)

Weight: Net 3,9 kg – Gross 5,1 kg

Package: 128 x 8 x 8 cm – 1,5 kg Vol – 0,008 m³

33 x 33 x 3 cm – 2,9 kg Vol – 0,003 m³

24 x 24 x 16 cm – 0,7 kg Vol – 0,009 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A633-142 39 / A633-130 35

Tam Tam P2

Code Stem

➤ A633-143 39

Finish

● Black semi-matt (RAL 9011)

Shades

➤ A633-130 39

● Black semi-matt (RAL 9011)

➤ A633-130 35

● Off-white semi-matt (RAL 1013)

➤ A633-130 37

● Sand semi-matt (RAL 7032)

➤ A633-130 38

● Silver grey semi-matt (RAL 7001)

➤ A633-130 42

● Olive yellow semi-matt (RAL 1020)

➤ A633-130 46

● Orange semi-matt (RAL 2000)

➤ A633-130 47

● Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate

Structure: Metal

Product type: Floor


Light source: 2x E27 LED Standard 8W (not included)

Weight: Net 7 kg – Gross 10,8 kg

Package: 168 x 18 x 18 cm – 4 kg Vol – 0,008 m³

33 x 33 x 3 cm – 5,4 kg Vol – 0,003 m³

(2x) 24 x 24 x 16 cm – 0,7 kg Vol – 0,009 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A633-143 39 / (x2) A633-130 37

Tam Tam P3

Code Stem	Finish
☛ A633-144 39	● Black semi-matt (RAL 9011)
Shades	
☛ A633-130 39	● Black semi-matt (RAL 9011)
☛ A633-130 35	● Off-white semi-matt (RAL 1013)
☛ A633-130 37	● Sand semi-matt (RAL 7032)
☛ A633-130 38	● Silver grey semi-matt (RAL 7001)
☛ A633-130 42	● Olive yellow semi-matt (RAL 1020)
☛ A633-130 46	● Orange semi-matt (RAL 2000)
☛ A633-130 47	● Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate

Structure: Metal

Product type: Floor


Light source: 3x E27 LED Standard 8W (not included)

Weight: Net 7,6 kg – Gross 11,5 kg

Package: 168 x 18 x 18 cm – 4 kg Vol – 0,008 m³

33 x 33 x 3 cm – 5,4 kg Vol – 0,003 m³

(3x) 24 x 24 x 16 cm – 0,7 kg Vol – 0,009 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A633-144 39 / (x3) A633-130 38

Tam Tam A

Code Base 1	Finish
☛ A633-140 35	● Off-white semi-matt (RAL 1013)
Shade	
☛ A633-130 39	● Black semi-matt (RAL 9011)
☛ A633-130 35	● Off-white semi-matt (RAL 1013)
☛ A633-130 37	● Sand semi-matt (RAL 7032)
☛ A633-130 38	● Silver grey semi-matt (RAL 7001)
☛ A633-130 42	● Olive yellow semi-matt (RAL 1020)
☛ A633-130 46	● Orange semi-matt (RAL 2000)
☛ A633-130 47	● Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate

Plate: Metal


Product type: Wall

Light source: E27 LED Standard 8W (not included)

Weight: Net 1,2 kg – Gross 2 kg

Package: 31 x 31 x 13 cm – 1,3 kg Vol – 0,012 m³

24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



Wire installation: Hardwired
Switch location: Plate




A633-140 35 / A633-130 38

Tam Tam A2

Code	Finish
Base	
A633-14135	● Off-white semi-matt (RAL 1013)
Shade	
A633-13039	● Black semi-matt (RAL 9011)
A633-13035	● Off-white semi-matt (RAL 1013)
A633-13037	● Sand semi-matt (RAL 7032)
A633-13038	● Silver grey semi-matt (RAL 7001)
A633-13042	● Olive yellow semi-matt (RAL 1020)
A633-13046	● Orange semi-matt (RAL 2000)
A633-13047	● Brown grey semi-matt (RAL 7013)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate
 Plate: Metal

Product type: Wall
 Light source: 2x E27 LED Standard 8W (not included)
 Weight: Net 2,9 kg – Gross 4,4 kg
 Package: 45 x 45 x 13 cm – 3 kg Vol – 0,03 m³
 (2x) 24 x 24 x 16 cm – 0,7 kg Vol – 0,009 m³



A633-14135 / A633-13046 / A633-13047

Wire installation: Hardwired

LED bulbs

	Code	Description	CCT	Dimming
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
	BOM-276-27K	E27 LED Standard 7,8W 1055lm CRI90	2700K	Yes



Unfold the light or fold it. The design of Estudio Perez Ochando proposes a lamp of large format, flexible, thought to adapt to the different necessities of lighting big spaces.



A large black vertical structure is the main shaft from which a number of rods emerge; some can be moved upwards to expand the light and others downwards to focus it.




The W

Code	Finish	Dimming
A705-001-3949-27K	● Black - Gold	Triac
A705-001-3937-27K	● Black - Ivory (RAL 1015)	Triac
A705-001-3941-27K	● Black - Terracotta (RAL 8023)	Triac
A705-002-3949-27K	● Black - Gold	DALI
A705-002-3937-27K	● Black - Ivory (RAL 1015)	DALI
A705-002-3941-27K	● Black - Terracotta (RAL 8023)	DALI
Materials		
Structure: Aluminium		Dimmable: Yes
Diffusers: Aluminium, Polycarbonate		Integrated dimmer: No
		Dimming protocols: Phase cut (Triac)
		DALI

Product type: Pendant
Light source: LED SMD 48V 102W 2700K CRI90 9660lm
Luminaire: 220 - 240 VAC TRIAC 110W 6405lm
100 - 240 VAC DALI 110W 6405lm
Weight: Net 13,3 kg – Gross 15,4 kg
Package: 21 x 21 x 112 cm – 4,3 kg Vol – 0,05 m³
26 x 20 x 51 cm – 7,3 kg Vol – 0,03 m³
42 x 42 x 8 cm – 3,8 kg Vol – 0,01 m³

LED included



A705-001-3937-27K

Product notes: Casambi available upon request. Upcharge of 210 €


Anti-rotation accessory

Code
A705-010

Finish
● Black

Materials
Structure: Steel

Product type: Accessory



From light to shadow with a single gesture. Theia has two faces: to discover them, simply swivel the fixture around its central axis. It can be pointed towards you for use

as a reading lamp, or towards an object or a wall, creating a subtle, indirect light that immediately warms the atmosphere.




Theia M

- Code
 • A672-001
 • A672-002
- Finish
 • White (RAL 9010)
 • Black (RAL 9005)

Materials
 Base: Iron
 Stem: Iron
 Dissipater: Aluminium
 Diffuser: Spun metal
 Shade: Thermoformed methacrylate

Dimmable: No
 Integrated dimmer: Yes
 Dimmer type: Progressive from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 100 - 240 VAC 10,85W
 Weight: Net 6,5 kg – Gross 7,2 kg
 Package: 36 x 36 x 24 cm – 5,8 kg Vol – 0,03 m³
 44 x 18 x 12 cm – 1,4 kg Vol – 0,01 m³
 LED included



Cable length: 1,5 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: Built-in the dissipater



A672-002

Theia P

Code

- A672-003
- ☞ A672-004

Finish

- White (RAL 9010)
- Black (RAL 9005)

Materials

Base: Iron
Stem: Iron
Dissipater: Aluminium
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Dimmable: No

Integrated dimmer: Yes

Dimmer type: Progressive from 0 to 100

Product type: Floor

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm

Luminaire: 100 - 240 VAC 10,85W

Weight: Net 7 kg - Gross 8,5 kg

Package: 37 x 37 x 23 cm - 5,8 kg Vol - 0,03 m³

120 x 17 x 12 cm - 2,7 kg Vol - 0,02 m³

LED included



Dimmer

CE

ENEC



Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: Built-in the dissipater



A672-003





TXL 2019 170

Code	Finish
A605-062	● Beige
• A605-063	● Grey

Materials

Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textile with the inner part always in white

Product type: Floor

Light source: 3x E14 LED 5W (not included)


Weight: Net 21,2 kg – Gross 23,2 kg

Package: 27 x 28 x 38 cm – 2 kg Vol – 0,02 m³

60 x 60 x 45 cm – 3,6 kg Vol – 0,16 m³

180 x 10 x 10 cm – 3,10 kg Vol – 0,018 m³

58 x 58 x 15 cm – 14,5 kg Vol – 0,05 m³



CE

ENEC



IP65

Cable length: 2,5 m
 Wire installation: Plug-in
 Color cord: Black



A605-062

Code	Finish
A605-060	● Beige
• A605-061	● Grey

Materials

Base: Concrete

Stem: Stainless steel

Diffuser: White acid etched glass

Shade: Textilene with the inner part always in white

Product type: Floor

Light source: 2x E27 LED Standard 8W (not included)

Weight: Net 28,8 kg – Gross 32 kg

Package: 41 x 33 x 33 cm – 2,5 kg Vol – 0,04 m³70 x 70 x 50 cm – 4,4 kg Vol – 0,25 m³220 x 10 x 10 cm – 3,6 kg Vol – 0,02 m³66 x 66 x 15 cm – 21,5 kg Vol – 0,06 m³

IP65

Cable length: 2,5 m

Wire installation: Plug-in

Color cord: Black



A605-061

Dimmer Casambi IP65

Code	Finish
A712-001	● Black

Materials

Case: ABS

Trim: Aluminium

Product type: Accessory

85 - 240 VAC max. 50W

Weight: Net 2 kg – Gross 3 kg

Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³

Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.



IP65



LED bulbs

	Code	Description	CCT	Dimming
	BOM-275	E14 LED 4,3W 470lm CRI80	2700K	No
	BOM-272.2	E27 LED Standard 7,5W 1055lm CRI80	2700K	No
	BOM-276-27K	E27 LED Standard 7,8W 1055lm CRI90	2700K	Yes

Spare parts

Code	Product	Finish	Spare part
R605-102	TXL 205	-	Glass
R605-112	TXL 170	-	Glass
R605-004	TXL 2019 205	Beige	Shade
R605-005	TXL 2019 205	Grey	Shade
R605-006	TXL 2019 170	Beige	Shade
R605-007	TXL 2019 170	Grey	Shade



Vetra 43


Code
A689-004
A689-033

Finish
White
Amber

Materials
Shade: Blown glass
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 180 - 295 VAC TRIAC 19,71W 881lm
Weight: Net 5,7 kg - Gross 7,6 kg
Package: 57 x 57 x 37 cm - 7,6 kg Vol - 0,051 m³
LED included



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Product notes: 3000K available upon request. Upcharge of 60 €
DALI available upon request. Upcharge of 90 €



A689-004

Spare parts

Code	Product	Finish	Spare part
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass



Zenc

Code

- A715-001-35
- A715-001-38
- ☛ A715-001-40
- A715-001-48
- * A715-001-44
- * A715-001-42

Finish

- White (RAL 1013)
- Grey (RAL 7022)
- Red (RAL 3019)
- Sky Blue (PANTONE 7542C)
- Pale pink (RAL 010 85 10)
- Pale yellow (RAL 085 80 30)

Materials


Shade: Bi-injected rotary moulded polyethylene

Product type: Pendant

Light source: E27 Globe (Ø95) 12W (not included)

Weight: Net 2,2 kg – Gross 3 kg

Package: 52 x 52 x 37 cm – 3 kg Vol – 0,1 m³



Cable length: 2,5 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A715-001-48

LED bulbs




Code
BOM-223

Description
E27 LED Globe (ø95) 8,4W 806lm CRI80

CCT
2700K

Dimming
No





Discover the selection of items with fast shipping, a service that better suits your needs.

- These designs will be ready to ship in just three days.
- For more efficient delivery of these items, request a partial shipment or place this type of order separately.
- You can purchase up to 3 units of each design per order.

The usual shipping and minimum order conditions apply.

Model	Variant	Code
Ambrosia 120	Matt Gold 27K	A704-001-15-27K
Ambrosia 120	Matt Gold 30K	A704-001-15-30K
Ambrosia 120	Black 27K	A704-001-16-27K
Ambrosia 120	Black 30K	A704-001-16-30K
Ambrosia 180	Matt Gold 27K	A704-002-15-27K
Ambrosia 180	Matt Gold 30K	A704-002-15-30K
Ambrosia 180	Black 27K	A704-002-16-27K
Ambrosia 180	Black 30K	A704-002-16-30K
Ambrosia 210	Matt Gold 27K	A704-003-15-27K
Ambrosia 210	Matt Gold 30K	A704-003-15-30K
Ambrosia 210	Black 27K	A704-003-16-27K
Ambrosia 210	Black 30K	A704-003-16-30K
Pole Ambrosia 40	Matt Gold	A704-005-15
Pole Ambrosia 40	Black	A704-005-16
Pole Ambrosia 60	Matt Gold	A704-006-15
Pole Ambrosia 60	Black	A704-006-16
Canopy Ambrosia	Matt Gold - TRIAC 20W 24V	A666-214-15
Canopy Ambrosia	Black - TRIAC 20W 24V	A666-214-16
Canopy Ambrosia	Matt Gold - TRIAC 50W 24V	A666-216-15
Canopy Ambrosia	Black - TRIAC 50W 24V	A666-216-16
Ambrosia A 60 left AC	Matt Gold 27K	A704-030-15-27K
Ambrosia A 60 left AC	Black 27K	A704-030-16-27K
Aura On/Off	Transparent	A676-030-50-27K
Aura On/Off	Opal	A676-030-51-27K
Aura On/Off	Transparent smoked	A676-030-53-27K
Aura Plus On/Off	Transparent	A676-031-50-27K
Aura Plus On/Off	Opal	A676-031-51-27K
Aura Plus On/Off	Transparent smoked	A676-031-53-27K
Aura W/Canopy	Transparent smoked	A676-032-53-27K
Aura Plus W/Canopy	Transparent smoked	A676-033-53-27K
Bicoca	Off-white	A680-055
Bicoca	Anthracite	A680-056
Bicoca	Red wine	A680-057
Bicoca	Yellow	A680-058
Bolita	White	A695-001
Caramel 22	Opal	A726-001-51-27K
Caramel 22	Green	A726-001-57-27K
Caramel 22	Blue	A726-001-58-27K
Caramel 22	Brown	A726-001-59-27K
Caramel 28	Opal	A726-002-51-27K
Caramel 28	Green	A726-002-57-27K
Caramel 28	Blue	A726-002-58-27K
Caramel 28	Brown	A726-002-59-27K
Caramel 38	Opal	A726-003-51-27K
Caramel 38	Green	A726-003-57-27K
Caramel 38	Blue	A726-003-58-27K
Caramel 38	Brown	A726-003-59-27K
Caramel Accessory C2	Matt gold	A726-007-15
Caramel Accessory C2	Black	A726-007-16
Caramel Accessory C3	Matt gold	A726-008-15
Caramel Accessory C3	Black	A726-008-16
Chispa	Black	A703-001
Chispa	Blue	A703-002

Model	Variant	Code
Chispa	Green	A703-003
Chispa	Orange	A703-004
Dipping Light	Amber - Brushed Brass	A691-450-3015-27K
Dipping Light Portable	Amber - Brushed Brass	A691-453-3015-27K
Dipping Light A1-13	Amber - Brushed Brass	A691-454-3015-27K
Dipping Light A2-13	Amber - Brushed Brass	A691-455-3015-27K
Dipping Light 13	Amber	A691-456-30-27K
Dipping Light 20	Amber	A691-458-30-27K
Dipping Light 30	Amber	A691-460-30-27K
Discocó 35	White	A620-036
Discocó 53	White	A620-001
Discocó 68	White	A620-110
Discocó 88	White	A620-002
Djembé 45.21	White	A681-244
Djembé 65.23	White	A681-260
Djembé C 42.13	White	A681-100
Djembé C 65.23	White	A681-112
Domus B26	Rust Brown	A734-003-31-27K
Domus B26	White	A734-003-35-27K
Domus B26	Black	A734-003-39-27K
Domus B37	Rust Brown	A734-002-31-27K
Domus B37	White	A734-002-35-27K
Domus B37	Black	A734-002-39-27K
Domus B55	Rust Brown	A734-001-31-27K
Domus B55	White	A734-001-35-27K
Domus B55	Black	A734-001-39-27K
FollowMe	White	A657-001-35-3CCT
FollowMe Plus E27	White	A657-086-35
Fris Pro 155	Black DALI	A718-002-16-30K-W
Fris Pro 155	Bronze DALI	A718-002-18-30K-W
Fris 155	Bronze 27K	A718-006-18-27K
Fris 155	Black 30K	A718-006-16-30K
Canopy Fris	Black - TRIAC 20W 24V	A666-214-16
Canopy Fris	Black - TRIAC 50W 24V	A666-216-16
Hooks x2 Fris	Black	A718-025-39
Funiculi	Moss grey	A641-001
Funiculi	Off-white	A641-002
Funiculi	Black	A641-003
Funiculi	Green	A641-443
Funiculi	Terracotta	A641-444
Funiculi	Mustard	A641-445
Funiculi Fabric	Black - White	A641-401
Funiculi Fabric	Black - Sand	A641-402
Funiculi A	Moss grey	A641-025
Funiculi A	Off-white	A641-026
Funiculi A	Black	A641-027
Funiculi A	Green	A641-446
Funiculi A	Terracotta	A641-447
Funiculi A	Mustard	A641-448
Funiculi A Fabric	Black - White	A641-403
Funiculi A Fabric	Black - Sand	A641-404
Funiculi S	Moss grey	A641-020
Funiculi S	Off-white	A641-021
Funiculi S	Black	A641-022
Funiculi S	Green	A641-449
Funiculi S	Terracotta	A641-450
Funiculi S	Mustard	A641-451
Funiculi S Fabric	Black - White	A641-405
Funiculi S Fabric	Black - Sand	A641-406
Gambosa S	Black - Orange	A735-001-3946
Gambosa S	Black - Brown grey	A735-001-3947
Gambosa S	Pink - Orange	A735-001-4446

Model	Variant	Code
Gambosa S	Pink - Brown grey	A735-001-4447
Gambosa S	Opal - Orange	A735-003-5146
Gambosa S	Opal - Brown grey	A735-003-5147
Gambosa M	Black - Orange	A735-002-3946
Gambosa M	Black - Brown grey	A735-002-3947
Gambosa M	Pink - Orange	A735-002-4446
Gambosa M	Pink - Brown grey	A735-002-4447
Gambosa M	Opal - Orange	A735-004-5146
Gambosa M	Opal - Brown grey	A735-004-5147
Ginger 32	Oak - White	A662-019
Ginger 32	Wenge - White	A662-020
Ginger 42	Oak - White	A662-025
Ginger 42	Wenge - White	A662-026
Ginger 42	Black - White	A662-362
Ginger 60	Oak - White	A662-742-2035-27K
Ginger 60	Wenge - White	A662-742-2135-27K
Ginger 20 M	Oak - White	A662-560
Ginger 20 M	Wenge - White	A662-561
Ginger 20C	Oak - Oak	A662-378
Ginger 20C	Wengue - Wengue	A662-379
Ginger 32C	Oak - Oak	A662-148
Ginger 32C	Wengue - Wengue	A662-149
Ginger 32C	Brushed brass - Brushed brass	A662-382
Ginger 32C	Black - White	A662-383
Ginger 42C	Oak - Oak	A662-152
Ginger 42C	Wengue - Wengue	A662-153
Ginger 42C	Brushed brass - Brushed brass	A662-384
Ginger 42C	Black - White	A662-385
Ginger 60C	Oak - Oak	A662-156
Ginger 32C IP65	Rust brown	A662-551-31
Ginger 32A IP65	Rust brown	A662-661-31-27K
Ginger B 20/44	Rust brown - White	A662-554-31
Ginger B 20/44	Black - White	A662-554-39
Ginger B 20/63	Rust brown - White	A662-543-31
Ginger B 20/63	Black - White	A662-543-39
Ginger Ground fixation plate	Stainless steel	A662-556
Konoha	Matt black	A716-001-39-27K
Konoha	White chalk	A716-001-35-27K
Konoha	Terracotta	A716-001-41-27K
Konoha	Grey	A716-001-45-27K
Lauro M	Dark brown - White	A731-001-4751
Lauro M	Dark brown - Black	A731-001-4765
Lauro M	Chromed steel - White	A731-001-0951
Lauro M	Chromed steel - Black	A731-001-0965
Lauro P	Dark brown - White	A731-002-4751
Lauro P	Dark brown - Black	A731-002-4765
Lauro P	Chromed steel - White	A731-002-0951
Lauro P	Chromed steel - Black	A731-002-0965
Lauro A	Dark brown - White	A731-003-4751
Lauro A	Dark brown - Black	A731-003-4765
Lauro A	Chromed steel - White	A731-003-0951
Lauro A	Chromed steel - Black	A731-003-0965
Ledtube RSC	Aluminium	A622-216-17-27K
Ledtube RSC	Bronze	A622-216-18-27K
Ledtube RSC	Matt white	A622-216-35-27K
Ledtube RSC	Matt black	A622-216-39-27K
Ledtube A	Aluminium	A622-220-17-27K
Ledtube A	Bronze	A622-220-18-27K
Ledtube A	Matt white	A622-220-35-27K
Ledtube A	Matt black	A622-220-39-27K
Ledtube Mini	Aluminium	A622-213-17-27K
Ledtube Mini	Bronze	A622-213-18-27K

Model	Variant	Code
Ledtube Mini	Matt white	A622-213-35-27K
Ledtube Mini	Matt black	A622-213-39-27K
Mercer M	Natural cotton ribbon	A89-010
Mercer C	Natural cotton ribbon	A89-060
Milana	Off-white	A699-001-35-27K
Milana	Black	A699-001-39-27K
Milana 32	Black	A699-003-39-27K
Milana 47	Black	A699-005-39-27K
Palosanto B 5/30	Black - 2,8W	A722-010-39-27K
Palosanto B 5/30	Black - 6,3W	A722-015-39-27K
Palosanto B 5/30	Rust brown - 2,8W	A722-010-31-27K
Palosanto B 5/30	Rust brown - 6,3W	A722-015-31-27K
Palosanto Ground fixation plate	Stainless steel	A662-556
Plaff-On! 16 IP65	Black	A628-050
Plaff-On! 16 IP65	Rust brown	A628-050-31-27K
Plaff-on! 33 IP54	Black - TRIAC 27K	A628-054
Plaff-on! 33 IP54	Black - TRIAC 27K - 30K - 40K	A628-065
Plaff-on! 33 IP54 E27	Black	A628-053
Plaff-on! 33 IP54 E27	Rust brown	A628-053-31
Plaff-on! 50 IP54	Black - TRIAC 27K	A628-057
Plaff-on! 50 IP54 E27	Black	A628-056
Plaff-on! 50 IP54 E27	Rust brown	A628-056-31
Plaff-on! A 16 IP65	Black	A628-061-39-27K
Plaff-on! A 16 IP65	Rust brown	A628-061-31-27K
Plaff-on! S 16 IP65	Rust brown	A628-072-31-27K
Plaff-on! S 16 IP65	Black-White	A628-072-39-27K
Polo	Black	A642-001
Polo Base	Black	A642-003
Roc Mini	White - 27K	A701-510-35-27K
Roc Mini	Black - 27K	A701-510-39-27K
Roc	White - 27K	A701-500-35-27K
Roc	Black - 27K	A701-500-39-27K
Roc Plus	White - 27K	A701-502-35-27K
Roc Plus	Black - 27K	A701-502-39-27K
Santorini	White	A654-001
Santorini	Mustard	A654-003
Santorini Garland accessory	Grey	A654-004
Santorini Canopy IP65	Graphite grey	A654-007
Sips	White - Silver	A721-001-3534-27K
Sips	Chocolate - Gold	A721-001-4749-27K
Sips	Green - Gold	A721-001-4549-27K
Tam Tam Shade Mini	Black semi-matt	A633-130 39
Tam Tam Shade Mini	Off-white semi-matt	A633-130 35
Tam Tam Shade Mini	Sand semi-matt	A633-130 37
Tam Tam Shade Mini	Silver grey semi-matt	A633-130 38
Tam Tam Shade Mini	Olive yellow semi-matt	A633-130 42
Tam Tam Shade Mini	Orange semi-matt	A633-130 46
Tam Tam Shade Mini	Brown grey semi-matt	A633-130 47
Tam Tam 4 Structure	Black semi-matt	A633-172 39
Tam Tam P2 Structure	Black semi-matt	A633-143 39
Tam Tam P3 Structure	Black semi-matt	A633-144 39
Tam Tam Base 1	Off-white semi-matt	A633-140 35
Theia M	Black	A672-002
Theia P	Black	A672-004
Vetra 43	Amber	A689-033
Zenc	Red	A715-001-40

Led bulbs

	Code	Description
	BOM-277-27K	G9 LED 2,7W 2700K 300lm CRI80
	BOM-275	E14 LED 4,3W 2700K 470lm CRI80
	BOM-272.2	E27 LED Standard 7,5W 2700K 1055lm CRI80
	BOM-276-27K	E27 LED Standard 7,8W 2700K 1055lm CRI90
	BOM-266	E27 LED Vintage 6W 2200K 560lm CRI80
	BOM-223	E27 LED Globe (ø95) 8,4W 2700K 806lm CRI80
	BOM-222	E27 LED Globe (ø120) 11W 2700K 1521lm CRI80
	BOM-274-27K	E27 LED PAR30 9,5W 40° 2700K 740lm CRI90
	BOM-274-30K	E27 LED PAR30 9,5W 40° 3000K 760lm CRI90

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the Light source. Similarly, the lumens may be for the luminaire or light source, as shown on the pricelist.

For more information, you can find lighting data on our website.

Symbols & Certificates

IP65

Electric fittings are preset in order to prevent the intrusion and contact with solids and liquids with live parts. Resistance against the penetration of solids and liquids is expressed by the initials IP, followed by two digits that stand for the degree of protection: the first referring to solids, the second to liquids.



Very low safety supply voltage; not to be used at over 12V (at 50Hz). Earthing: excluded.



All products are manufactured according to the set safety and electromagnetism standards of Europe: EN 60598-1, EN 60598-2-1 and marked CE.



Product complying with TR TC 004/2011 and TP TC 020/2011. Custom Union Regulation.



Product complying with UK Conformity Assessment.

Dimmer

Dimmer on the unit.

Dimmable

Product which can be dimmed.



Product with an additional protection cable (grounds).



Basic insulation plus second insulation or both replaced by reinforced insulation. Earthing: excluded.

★

Available until depletion of stocks.
Check with us before placing an order.



Quick ship item for orders max. 3 un.
Ships usually within 3 business days.



Factory & Headquarters

Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
info@marset.com

Milan Showroom

Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it



Marset USA Inc.

202 N 10th Street
Brooklyn, NY 11211
T +1 646 727 4250
marsetusa@marset.com

Portugal Showroom

R. da Aliança 369
4250-029 Porto
T. +351 934 705 605
mail@design-minder.com





